

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	238553.4071	571068.1477	0	Soil	Granular	No	4.31	No Peat	1	0	2	1	0	None
Ph1	ITPEnergised	238598.6147	570787.8943	0.1	Soil	Granular	No	2.97	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238609.5822	571145.5038	0.1	Soil	Granular	No	2.00	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	238640.9185	571005.1152	0.1	Soil	Granular	No	3.13	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238655.3107	570842.5273	0.1	Soil	Granular	No	8.25	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238668.6676	570746.1345	0.2	Peat	Granular	No	1.59	Granular	1	1	0	1	0	None
Ph1	ITPEnergised	238683.8217	571087.5009	0.1	Soil	Granular	No	8.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238701.2678	571225.3049	0.1	Soil	Granular	No	5.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238720.2858	570808.5074	0.1	Soil	Granular	No	4.36	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238733.1213	570941.1399	0.1	Soil	Granular	No	10.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238746.4515	571280.4281	0.1	Soil	Granular	No	3.28	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238754.2442	571166.1731	0.1	Soil	Granular	No	7.19	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238764.4302	571023.9083	0.1	Soil	Rock	No	4.81	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	238767.8271	570669.9066	0.1	Soil	Granular	No	0.66	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	238788.5751	570867.4564	0.2	Soil	Granular	No	3.35	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238793.611	571245.4928	0.1	Soil	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238795.5998	571373.2829	0.1	Soil	Granular	No	5.45	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238801.3473	570735.8667	0.4	Peat	Granular	No	1.70	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	238810.5	570532.3353	0.1	Soil	Granular	No	4.72	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238827.3917	570953.9631	0.1	Soil	Granular	No	8.84	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238838.5196	570582.1944	0.1	Soil	Granular	No	7.64	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238840.2269	571110.918	0.1	Soil	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238848.7925	571468.572	0.2	Soil	Granular	No	11.92	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238859.5584	570472.8824	0.1	Soil	Granular	No	1.97	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	238867.4539	571333.1683	0.1	Soil	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238875.3628	570819.8415	0.1	Soil	Granular	No	1.26	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	238879.0295	571192.0789	0.1	Soil	Granular	No	7.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238887.1613	570687.8038	0.1	Soil	Granular	No	5.20	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238911.4948	570548.8881	0.1	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238921.1804	570906.709	0.1	Soil	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238932.958	571077.6261	0.1	Soil	Granular	No	9.06	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238933.5272	571407.5532	0.1	Soil	Rock	No	7.44	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	238949.0342	571268.921	0.1	Soil	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238952.6793	570422.1994	0.4	Peat	Granular	No	5.22	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238956.2545	570761.3754	0.1	Soil	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238962.0238	570633.5388	0.1	Soil	Rock	No	5.44	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	238963.0888	571126.9629	0.1	Soil	Granular	No	2.44	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	238989.5001	571467.5984	0.1	Soil	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238995.1843	570493.2027	0.1	Soil	Rock	No	3.23	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	238996.3041	570359.8185	0.1	Soil	Granular	No	6.36	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	238998.0215	570843.6556	0.1	Soil	Granular	No	5.96	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239004.9469	570996.9796	0.1	Soil	Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239011.6013	571345.2158	0.9	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239030.7729	570695.9736	0.1	Soil	Granular	No	3.02	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239033.8552	571211.3356	0.1	Soil	Granular	No	5.24	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239036.5853	571563.2033	1.1	Peat	Granular	No	0.66	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	239041.7886	571070.5821	0.1	Soil	Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239057.8782	570558.856	0.1	Soil	Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239060.1005	571430.2991	0.2	Soil	Granular	No	2.59	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239063.4467	570924.2291	0.1	Soil	Granular	No	1.92	Peaty Soil	1	1	0	1	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	239072.1302	570797.1133	0.1	Soil	Granular	No	3.04	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239075.1663	570430.568	0.1	Soil	Granular	No	1.76	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239088.4043	571283.0749	0.1	Soil	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239088.8729	570291.7692	0.1	Soil	Rock	No	4.66	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239104.9647	571651.4133	0.1	Soil	Rock	No	7.84	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	239111.7578	570639.9768	0.1	Soil	Granular	No	6.55	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239116.1974	570653.3141	0.1	Soil	Granular	No	8.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239117.925	571164.5282	0.1	Soil	Granular	No	8.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239119.9478	571517.6831	0.1	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239126.4836	571006.9882	0.1	Soil	Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239136.8407	570530.8895	0.1	Soil	Granular	No	2.11	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239138.9238	570868.3007	0.1	Soil	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239149.1358	571364.468	0.2	Soil	Granular	No	3.38	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239156.7997	570370.8252	0.2	Soil	Granular	No	1.08	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239171.753	570236.8942	0.4	Peat	Rock	No	2.79	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239175.6073	571222.5648	0.1	Soil	Granular	No	8.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239181.5751	570726.3355	0.1	Soil	Granular	No	4.68	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239189.0527	570962.1456	0.1	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239189.7626	571594.2391	2.3	Peat	Granular	No	0.52	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	239192.7575	571086.3633	1	Peat	Granular	No	1.40	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	239195.8333	570605.1737	0.3	Soil	Granular	No	2.46	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239198.583	570091.8969	0.7	Peat	Rock	No	1.40	Thin Peat	1	3	0	2	0	None
Ph1	ITPEnergised	239199.8859	571456.731	1.3	Peat	Granular	No	3.05	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239210.335	570449.7874	0.3	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239222.4089	571308.8617	0.2	Soil	Granular	No	10.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239235.3313	571666.5451	0.2	Soil	Granular	No	0.79	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239242.6044	571158.237	1.5	Peat	Granular	No	5.92	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	239242.6648	570306.691	0.1	Soil	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239248.2699	570173.3007	0.7	Peat	Granular	No	7.74	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	239257.4216	570685.8972	1.1	Superficial	Granular	No	4.27	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239263.5078	571022.1793	0.2	Soil	Granular	No	3.67	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239264.3302	571532.3109	0.2	Soil	Granular	No	3.51	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239268.4825	570031.1788	0.1	Soil	Granular	No	5.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239271.4168	570526.7711	0.2	Soil	Granular	No	1.67	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239275.0946	571392.6826	0.1	Soil	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239289.8878	571635.5816	0.9	Peat	Granular	No	0.77	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	239292.2257	571251.1533	0.1	Soil	Granular	No	2.81	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239293.8874	571626.6556	0.2	Soil	Granular	No	1.92	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239296.0433	570396.7433	0.1	Soil	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239298.1039	570886.4268	0.1	Soil	Granular	No	1.77	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239302.9842	571751.3299	0.3	Soil	Granular	No	0.47	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239317.546	570256.0789	0.1	Soil	Granular	No	14.22	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239318.7184	570749.1514	0.1	Soil	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239323.8907	571103.9772	1.3	Peat	Granular	No	3.32	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239334.6709	570114.7177	0.1	Soil	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239338.1392	570612.5752	0.2	Soil	Granular	No	4.74	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239343.8042	571470.5796	0.5	Soil	Granular	No	3.35	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239351.0998	570473.8701	0.1	Soil	Granular	No	3.88	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239358.4864	570967.2973	0.1	Soil	Granular	No	2.22	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239360.9452	571335.2147	0.1	Soil	Granular	No	5.47	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	239361.9581	571534.776	0.3	Soil	Granular	No	1.47	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239370.659	570332.5519	0.1	Soil	Granular	No	3.24	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239373.4722	571691.1109	0.1	Soil	Granular	No	0.34	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239375.6668	571583.9642	0.4	Soil	Granular	No	1.80	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239380.4306	570828.4996	0.1	Soil	Granular	No	7.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239389.228	570691.0326	0.1	Soil	Rock	No	5.81	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	239398.3819	570191.1631	0.9	Peat	Granular	No	1.94	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	239405.4344	570047.7139	1.5	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	239406.1168	571203.3709	0.2	Peat	Granular	No	1.93	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239408.5852	570555.0874	0.1	Soil	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239408.9191	571241.8313	0.4	Soil	Rock	No	1.26	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	239410.6462	571056.9499	0.1	Soil	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239423.9391	570922.0247	0.1	Soil	Granular	No	5.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239429.7863	571421.8346	0.4	Soil	Granular	No	2.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239430.8117	571767.7661	0.4	Peat	Granular	No	2.80	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239433.1603	571297.2866	0.5	Peat	Granular	No	3.37	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239433.5128	570407.5057	0.1	Peat	Granular	No	5.98	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239443.8688	571201.3273	0.1	Soil	Granular	No	6.92	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239445.5731	570764.6609	0.1	Soil	Granular	No	4.86	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239448.6406	570276.7255	0.3	Peat	Granular	No	4.46	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239448.9425	571275.0726	0.1	Soil	Granular	No	2.54	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239467.1347	571626.1222	0.4	Soil	Granular	No	2.53	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239471.3583	570636.8025	0.2	Soil	Granular	No	5.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239475.0276	571142.616	0.1	Soil	Granular	No	8.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239479.65	570132.8611	0.1	Soil	Rock	No	5.61	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	239485.1527	571004.2281	0.1	Soil	Granular	No	2.71	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239494.0806	571342.2715	0.5	Soil	Granular	No	2.67	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239497.1824	570493.0498	0.3	Peat	Granular	No	4.57	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239501.7509	571486.4906	0.5	Peat	Granular	No	2.23	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239505.4345	571863.7763	0.1	Soil	Rock	No	3.89	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239507.7705	570359.1469	0.1	Soil	Granular	No	9.42	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239511.6797	571343.2909	1.3	Peat	Granular	No	4.87	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239528.3287	571717.1397	0.8	Peat	Granular	No	1.79	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	239531.2286	570215.6846	0.1	Soil	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239533.8007	570715.6152	0.2	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239533.8718	570885.1387	0.1	Soil	Granular	No	3.13	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239540.824	571421.2217	0.6	Soil	Granular	No	4.91	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239543.4345	571295.2354	0.3	Soil	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239544.0601	571557.2825	0.4	Soil	Granular	No	2.46	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239545.7313	571183.964	0.1	Soil	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239549.0876	570066.0376	0.1	Soil	Granular	No	1.90	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239551.0877	571084.5906	0.1	Soil	Granular	No	6.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239557.2642	570572.3565	0.1	Soil	Granular	No	4.78	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239569.3205	570436.5075	0.1	Soil	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239572.5731	571934.7709	0.1	Soil	Rock	No	1.87	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	239579.0499	571804.7659	0.1	Soil	Granular	No	5.10	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239596.971	570930.0225	0.1	Soil	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239602.224	570294.5075	0.1	Soil	Rock	No	2.23	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239606.0116	571637.3386	0.2	Soil	Granular	No	2.39	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239614.4484	570157.6124	0.1	Soil	Granular	No	3.31	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	239615.7398	570652.1672	0.3	Soil	Granular	No	3.47	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239616.2461	571151.6084	0.1	Soil	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239622.7448	570811.5779	0.1	Soil	Granular	No	6.39	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239626.8018	571002.3963	0.1	Soil	Granular	No	2.69	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239629.276	571552.8477	1.2	Peat	Granular	No	4.48	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239631.5916	570521.2314	0.3	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239633.4383	571380.0598	0.1	Soil	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239635.2804	570860.5305	0.1	Soil	Granular	No	3.11	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239643.0914	571889.351	0.3	Peat	Rock	No	2.34	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239655.9369	571684.1128	0.4	Soil	Granular	No	3.41	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239658.1491	570739.8881	0.1	Peat	Granular	No	5.03	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239659.104	570373.2055	0.5	Peat	Rock	No	3.56	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239660.6858	571960.6974	0.4	Soil	Granular	No	2.51	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239662.1505	571479.5396	0.7	Peat	Granular	No	6.35	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	239669.757	570235.0124	0.5	Peat	Granular	No	1.38	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239673.3889	571563.1266	0.2	Soil	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239679.2926	571233.9634	0.1	Soil	Granular	No	4.67	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239693.1794	570102.2827	0.1	Soil	Granular	No	2.20	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239695.669	571101.0684	0.1	Soil	Granular	No	6.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239696.2151	572004.7775	0.4	Soil	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239698.1386	570968.0322	0.1	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239701.1855	570593.886	0.9	Peat	Granular	No	2.57	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239707.0414	570447.5098	0.1	Soil	Granular	No	7.38	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239709.6537	571393.8202	0.1	Soil	Granular	No	8.43	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239710.2321	571649.9704	0.5	Peat	Granular	No	8.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239717.1664	571621.7247	1.4	Peat	Granular	No	9.13	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	239719.9373	570826.7657	0.1	Soil	Granular	No	3.95	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239728.9852	571321.0524	0.1	Soil	Granular	No	11.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239729.9468	570322.0959	0.1	Soil	Granular	No	7.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239744.6456	571169.1534	0.1	Soil	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239748.1105	571827.1383	0.3	Soil	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239750.7704	570175.7967	0.1	Soil	Rock	No	1.98	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	239758.0282	571038.6786	0.1	Soil	Granular	No	6.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239767.8538	570689.7599	0.1	Soil	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239772.86	570534.5221	0.7	Peat	Rock	No	7.13	Thin Peat	1	3	3	2	18	Medium
Ph1	ITPEnergised	239775.1687	571475.2422	0.1	Soil	Granular	No	11.71	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239784.5094	572053.0704	0.3	Soil	Granular	No	2.16	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239787.5745	570908.4028	0.1	Soil	Granular	No	3.94	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239792.3012	571395.1038	0.1	Soil	Granular	No	16.94	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239792.5039	570395.8031	0.1	Soil	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239797.7853	571273.0139	0.1	Soil	Granular	No	5.56	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239806.2688	570749.8146	0.1	Soil	Rock	No	5.51	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	239808.5318	571912.3924	0.9	Peat	Granular	No	2.92	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	239813.1289	570253.1493	0.1	Soil	Rock	No	7.46	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	239814.417	571126.5141	0.1	Soil	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239821.3572	571788.1198	0.3	Soil	Granular	No	9.64	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239826.3385	571986.4608	0.1	Soil	Granular	No	3.94	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239826.3975	571618.7896	0.1	Soil	Granular	No	12.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239831.3926	572119.3005	0.5	Peat	Granular	No	1.90	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239834.4766	570627.0326	0.3	Soil	Granular	No	3.93	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	239846.9497	571481.3288	0.1	Soil	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239850.6967	572080.2151	0.5	Peat	Granular	No	2.33	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239855.2992	570474.7189	0.1	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239858.0429	571867.4236	0.3	Soil	Granular	No	9.71	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239863.3509	570975.4531	0.9	Peat	Granular	No	5.55	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	239863.9099	570830.048	0.1	Soil	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239870.1883	571206.292	0.1	Soil	Granular	No	4.57	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239871.1715	570336.394	0.5	Peat	Granular	No	1.46	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239871.5973	571696.8881	0.1	Soil	Granular	No	10.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239872.7945	572058.0344	0.1	Soil	Granular	No	3.36	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239880.6516	571357.9297	0.1	Soil	Granular	No	11.32	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239889.1794	570702.9718	0.1	Soil	Granular	No	3.32	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239892.5533	572294.403	0.1	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239901.4055	572197.2329	0.1	Soil	Granular	No	2.68	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239904.5775	571551.9075	0.1	Soil	Granular	No	9.50	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239908.0489	570556.5753	0.2	Peat	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239922.638	571040.0892	0.1	Soil	Granular	No	6.77	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239925.4461	572161.4121	0.2	Soil	Granular	No	2.16	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239926.2146	571148.1975	0.1	Soil	Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239931.5965	571768.2364	0.1	Soil	Granular	No	10.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239931.9418	572383.3144	0.1	Soil	Granular	No	1.33	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	239935.0829	571431.298	0.1	Soil	Granular	No	5.97	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239937.6431	570415.1791	0.2	Soil	Granular	No	3.70	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239938.1665	571271.7661	0.1	Soil	Rock	No	6.83	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	239943.0539	571877.4056	0.4	Soil	Granular	No	10.98	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239944.09	570907.4314	0.1	Soil	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239946.8509	570789.443	0.1	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239962.7807	572166.7013	0.3	Superficial	Granular	No	3.90	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239967.1119	571639.9129	0.1	Soil	Granular	No	9.45	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239972.7439	570626.0866	0.2	Soil	Granular	No	4.60	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239980.9101	571504.5853	0.1	Soil	Granular	No	7.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	239982.4931	570497.5812	0.1	Soil	Granular	No	2.87	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	239994.3762	570987.7071	0.1	Soil	Rock	No	4.56	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	239996.3206	571864.0154	0.2	Soil	Granular	No	12.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240007.7599	572239.1467	0.1	Soil	Granular	No	4.74	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240008.8139	571370.3976	0.1	Soil	Granular	No	5.55	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240020.5011	571962.1478	0.4	Soil	Granular	No	11.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240025.5791	570857.894	0.1	Soil	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240026.5978	571080.8465	0.2	Soil	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240031.8636	572093.5896	0.1	Soil	Granular	No	8.71	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240032.2663	570719.5658	0.4	Peat	Granular	No	3.64	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240036.5899	572468.2307	0.4	Superficial	Granular	No	8.79	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240036.827	571710.5957	0.1	Soil	Granular	No	10.19	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240039.1065	570578.336	0.3	Peat	Granular	No	1.40	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240046.781	571581.9815	0.2	Soil	Granular	No	7.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240050.4592	571212.882	0.1	Soil	Granular	No	0.79	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240056.1803	571936.3548	0.1	Soil	Granular	No	13.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240059.5127	571443.5847	0.1	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240074.4085	572224.3296	0.1	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240075.3252	571298.2272	0.1	Soil	Granular	No	8.66	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	240077.1548	570924.7109	0.1	Soil	Granular	No	1.76	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240084.4655	570795.4476	0.3	Peat	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240085.4851	571808.2738	0.1	Soil	Granular	No	9.21	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240085.6448	570438.5431	0.1	Soil	Rock	No	5.88	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240090.4078	571035.8978	0.1	Soil	Granular	No	5.58	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240100.6053	571658.2136	0.4	Peat	Granular	No	2.01	Granular	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240101.7295	571173.2837	0.4	Peat	Granular	No	2.23	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240115.3975	572511.7098	0.5	Superficial	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240116.6444	570656.7082	0.3	Peat	Granular	No	5.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240119.8451	572018.6394	0.1	Soil	Granular	No	7.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240120.4675	571527.026	0.3	Peat	Granular	No	6.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240128.9511	570520.2399	0.3	Peat	Granular	No	2.48	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240128.9535	572301.3981	0.1	Soil	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240134.616	572231.9465	0.2	Soil	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240138.3449	571379.9975	0.2	Peat	Granular	No	5.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240144.078	572392.792	0.1	Soil	Granular	No	7.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240145.9275	571886.9649	0.1	Soil	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240151.3316	571737.9547	0.2	Soil	Granular	No	9.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240156.2581	571237.2019	0.1	Soil	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240159.3202	570883.3478	0.9	Soil	Granular	No	3.87	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	240171.1049	570736.4644	0.1	Soil	Granular	No	6.06	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240179.0342	572607.2879	1	Peat	Granular	No	6.74	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	240183.4952	571598.3994	0.1	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240191.6911	572192.1485	0.1	Soil	Granular	No	3.41	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240192.3974	570598.7836	0.1	Soil	Granular	No	7.07	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240192.5254	571970.4776	0.3	Soil	Granular	No	8.79	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240192.9409	572513.667	0.2	Soil	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240195.9204	571092.3649	0.1	Soil	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240197.4413	572462.3946	0.3	Soil	Granular	No	7.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240200.2534	571961.9493	0.1	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240203.479	570949.3454	0.1	Soil	Granular	No	4.23	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240217.757	571820.5886	0.1	Soil	Granular	No	8.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240220.0415	571467.3571	0.7	Soil	Granular	No	3.86	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	240221.4169	572388.9838	0.1	Soil	Granular	No	9.79	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240222.6091	571321.7503	0.2	Soil	Granular	No	5.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240224.4286	572336.3357	0.1	Soil	Granular	No	7.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240224.8456	570833.7362	0.9	Peat	Granular	No	5.19	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	240227.4724	571663.9757	0.3	Peat	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240228.9951	572102.8789	0.1	Soil	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240232.5609	572657.0954	0.9	Peat	Granular	No	3.97	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	240234.3821	571178.7281	0.4	Soil	Granular	No	3.13	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240235.9781	572179.7697	0.1	Soil	Granular	No	0.85	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240242.3801	572248.7436	0.3		Granular	No	1.66	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240249.3707	572038.0083	0.3	Soil	Granular	No	5.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240251.3455	570676.6358	0.1	Soil	Granular	No	8.71	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240254.2172	572539.4691	0.3	Peat	Granular	No	12.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240261.9494	572539.1367	0.1	Soil	Granular	No	13.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240262.9888	571538.7261	0.1	Soil	Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240267.4156	572507.38	0.4	Soil	Granular	No	4.08	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240271.9594	571039.0538	0.1	Soil	Granular	No	8.69	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITP Energised	240274.4392	570543.8848	0.1	Soil	Granular	No	13.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240283.1072	572202.345	0.5	Soil	Granular	No	3.33	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240284.1976	570893.4355	0.1	Soil	Granular	No	3.67	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240286.4014	571893.7482	0.2	Peat	Granular	No	6.06	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240290.8698	571148.6185	0.1	Soil	Granular	No	5.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240294.7074	571410.1407	0.1	Soil	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240300.2259	571762.7764	0.1	Peat	Granular	No	1.75	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240301.9021	571095.7952	0.1	Soil	Granular	No	7.60	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240303.7846	570758.434	0.1	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240304.5458	571263.9956	0.2	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240307.5993	571621.7318	0.9	Peat	Granular	No	4.86	Thin Peat	1	3	2	1	6	Low
Ph1	ITP Energised	240312.129	572617.339	0.9	Soil	Granular	No	3.40	Thin Peat	1	3	2	1	6	Low
Ph1	ITP Energised	240334.3376	570622.3724	0.1	Soil	Granular	No	6.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240336.5456	572057.0005	0.2	Soil	Granular	No	8.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240341.4455	571979.5377	0.9	Peat	Granular	No	4.78	Thin Peat	1	3	2	1	6	Low
Ph1	ITP Energised	240351.7543	570980.3187	0.2	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240351.9752	572500.9206	1.8	Peat	Granular	No	5.39	Thick Peat	1	2	3	1	6	Low
Ph1	ITP Energised	240352.3788	571471.9981	1.8	Peat	Granular	No	8.73	Thick Peat	1	2	3	1	6	Low
Ph1	ITP Energised	240364.6843	571845.0916	0.4	Peat	Granular	No	3.74	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240364.8917	572698.624	0.1	Soil	Granular	No	5.70	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240367.5634	572069.4061	0.2	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240371.4506	570846.2415	0	Soil	Granular	No	3.69	No Peat	1	0	2	1	0	None
Ph1	ITP Energised	240380.3781	571700.6865	0.1	Soil	Granular	No	8.32	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240382.2928	570697.8701	0.1	Soil	Granular	No	2.44	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240386.1687	571206.6614	0.1	Soil	Granular	No	3.62	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240387.6309	571350.5465	0.1	Soil	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240388.7231	571557.1949	0.1	Soil	Granular	No	6.82	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240396.4304	571059.4067	0.9	Soil	Granular	No	5.21	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	240403.7389	572560.2234	0.9	Peat	Granular	No	8.31	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	240422.582	571923.0016	0.4	Peat	Granular	No	4.68	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240423.0671	572419.4011	0.5	Peat	Granular	No	1.61	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240425.0801	571417.9921	0.2	Soil	Granular	No	5.10	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240426.5272	570817.4096	0.1	Soil	Rock	No	4.23	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITP Energised	240432.6086	570917.1296	0.1	Soil	Granular	No	5.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240441.0272	572163.2641	0.3	Soil	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240444.7898	572638.2522	0.1	Soil	Granular	No	1.40	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240449.0293	571778.843	0.3	Peat	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240451.9984	572010.8779	1.1	Peat	Granular	No	2.15	Thin Peat	1	3	2	1	6	Low
Ph1	ITP Energised	240459.7254	571279.7798	0.1	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240460.415	571641.2758	0.2	Peat	Granular	No	4.91	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240462.306	571145.0515	0.1	Soil	Granular	No	1.81	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240472.1984	572489.5112	0.1	Peat	Granular	No	5.72	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240476.0083	571499.0103	0.1	Soil	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240489.7925	571026.4772	0.1	Soil	Granular	No	2.33	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240494.3435	572861.715	0.3	Peat	Granular	No	6.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240496.7145	572722.7243	0.5	Peat	Granular	No	1.02	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240501.0061	572344.9342	0.2	Soil	Granular	No	2.78	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240503.4521	571853.2759	0.4	Soil	Granular	No	0.81	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240504.3054	572218.7404	0.2	Soil	Granular	No	3.67	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240504.5167	571359.5317	0.2	Soil	Granular	No	4.38	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITP Energised	240513.3918	570860.256	0.3	Soil	Granular	No	2.65	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240528.6187	571715.2912	0.2	Soil	Granular	No	2.30	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240531.8329	572580.4661	0.9	Peat	Granular	No	8.02	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	240537.284	571578.5456	0.3	Peat	Granular	No	3.63	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240537.4946	570937.889	0.1	Soil	Rock	No	5.31	Peaty Soil	1	1	3	2	6	Low
Ph1	ITP Energised	240539.7196	571202.4935	0.7	Peat	Rock	No	1.54	Thin Peat	1	3	0	2	0	None
Ph1	ITP Energised	240547.9925	571081.8767	0.1	Soil	Granular	No	2.81	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240557.2748	571449.3977	0.2	Soil	Granular	No	5.53	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240564.1254	572438.4574	0.1	Soil	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240567.1547	571947.1317	0.2	Soil	Granular	No	5.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240574.5697	572182.2367	0.2	Soil	Granular	No	5.16	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240575.3185	572798.3908	0.4	Peat	Granular	No	4.55	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240578.8102	572261.8421	0.2	Soil	Granular	No	7.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240582.3052	571305.9594	0.3	Peat	Granular	No	3.86	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240591.078	570805.3502	0.1	Soil	Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240591.8186	571801.6088	0.2	Soil	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240593.6597	571651.4807	0.5	Peat	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240595.1601	572658.7028	0.1	Soil	Granular	No	6.25	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240614.7189	572525.9869	0.3	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240620.0183	571145.9173	0.9	Peat	Rock	No	2.89	Thin Peat	1	3	2	2	12	Low
Ph1	ITP Energised	240621.7023	571523.1029	0.1	Soil	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240626.3122	571024.7967	1.8	Peat	Granular	No	2.19	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITP Energised	240628.1026	572883.1498	0.9	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
Ph1	ITP Energised	240631.7076	572033.4391	0.5		Not Proven	No	9.74	Peaty Soil	1	1	3	0	0	None
Ph1	ITP Energised	240639.5627	571390.9862	0.1	Soil	Granular	No	4.55	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240641.659	572369.3186	0.1	Peat	Granular	No	3.98	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240643.3134	571875.9807	0	Soil	Granular	No	6.80	No Peat	1	0	3	1	0	None
Ph1	ITP Energised	240644.1872	572083.6578	0.2	Soil	Granular	No	14.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240647.462	570883.9859	0.2	Peat	Granular	No	3.68	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240658.3824	572741.2325	0.2	Soil	Granular	No	2.02	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240663.9803	571747.5143	0.1	Soil	Rock	No	7.37	Peaty Soil	1	1	3	2	6	Low
Ph1	ITP Energised	240665.4706	571239.4605	0.1	Soil	Granular	No	8.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240673.1966	572599.274	0.2	Soil	Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240683.2165	571088.1894	0.1	Soil	Rock	No	8.56	Peaty Soil	1	1	3	2	6	Low
Ph1	ITP Energised	240685.9041	572262.2694	0.1	Soil	Granular	No	12.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240687.8893	571969.77	0.6	Peat	Granular	No	5.57	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	240688.1446	572962.4339	0.2	Soil	Granular	No	3.16	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240697.8263	572463.6107	0.1	Soil	Granular	No	9.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240703.4649	572312.2523	0.2	Soil	Granular	No	10.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240706.5208	571802.9729	0.2	Peat	Granular	No	3.54	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240708.2738	572823.5705	0.1	Peat	Granular	No	3.33	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240708.3332	570965.5243	0.1	Soil	Granular	No	3.46	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240708.7391	571459.9572	0.2	Soil	Granular	No	5.43	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240709.0779	571590.5699	0.1	Soil	Granular	No	10.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240729.5997	571343.069	0.1	Soil	Granular	No	9.51	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240734.5006	572678.8846	0.3	Soil	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240740.5114	572180.6766	0.3	Peat	Granular	No	10.67	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	240742.1449	571678.0202	0.2	Soil	Granular	No	1.78	Peaty Soil	1	1	0	1	0	None
Ph1	ITP Energised	240749.8413	571180.9592	0.1	Soil	Granular	No	3.69	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	240750.1609	572035.8208	0.1	Peat	Granular	No	13.21	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	240765.7921	571536.9727	0.1	Soil	Granular	No	6.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240766.7626	572502.6813	0	Peat	Granular	No	5.68	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	240768.6182	572401.3045	0.2	Peat	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240770.8915	572391.7743	0.5	Peat	Granular	No	11.79	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240772.4443	572904.397	0.1	Soil	Granular	No	4.36	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240774.2215	572543.4264	0.4	Peat	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240775.7025	571045.6253	0.1	Soil	Rock	No	6.29	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240783.8512	571402.2322	0.1	Soil	Granular	No	5.46	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240796.9303	572266.4765	0.1	Soil	Rock	No	13.99	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240801.7175	572755.6664	0.2	Soil	Granular	No	8.55	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240804.7725	571286.3816	0.1	Soil	Granular	No	2.19	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240813.2499	571619.9193	0.8	Peat	Granular	No	3.95	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	240814.3345	571907.9567	0.1	Soil	Granular	No	15.31	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240817.1356	571742.3664	0.1	Soil	Granular	No	7.09	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240819.1574	572474.5614	0.2	Soil	Granular	No	13.36	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240823.2805	572633.5368	0.7	Peat	Granular	No	5.69	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	240825.3021	571483.3503	0.1	Soil	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240830.4336	571123.2637	0.2	Peat	Granular	No	4.82	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240832.9354	572981.1049	0.3	Peat	Granular	No	2.40	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240835.688	572111.0035	0.2	Soil	Granular	No	11.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240844.5263	571980.5595	0.1	Soil	Granular	No	11.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240855.7267	572358.5804	0.3	Peat	Rock	No	11.76	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240857.2512	570995.8228	0.1	Soil	Rock	No	9.07	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240863.5326	571812.3922	0.6	Peat	Granular	No	10.18	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	240866.2543	572840.51	0.6	Peat	Granular	No	12.50	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	240871.023	572193.399	0	Soil	Granular	No	20.04	No Peat	1	0	1	1	0	None
Ph1	ITPEnergised	240878.4433	572716.3012	0.7	Soil	Granular	No	5.99	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	240882.5314	571664.7722	0.1	Soil	Granular	No	8.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240884.2759	572045.6673	0.1	Soil	Granular	No	10.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240886.8081	571352.1678	0.1	Soil	Granular	No	4.52	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240887.8694	573066.2356	0.3	Peat	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240894.1607	572559.088	0.1	Soil	Granular	No	11.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240904.674	571567.9082	0.1	Soil	Rock	No	4.57	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	240905.7331	572438.4658	0.1	Soil	Rock	No	10.89	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240905.9528	571218.1134	0.1	Soil	Granular	No	7.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240907.1133	571060.2122	0.2	Soil	Granular	No	0.73	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240922.4219	572916.2405	0.5	Peat	Granular	No	3.23	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240929.4125	571418.6905	0.1	Soil	Granular	No	6.52	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240930.1841	571908.449	0.3	Soil	Granular	No	13.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240934.7929	572788.423	0.5	Peat	Granular	No	7.81	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240937.7841	572285.1955	0.2	Soil	Granular	No	16.52	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240939.2972	571776.7024	0.1	Soil	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240942.2531	571284.3597	0.1	Soil	Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240944.6805	572633.9987	0.2	Peat	Granular	No	14.09	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240956.6822	572139.1989	0.1	Soil	Granular	No	18.73	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240958.5088	573004.364	0.3	Soil	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240971.264	571993.6481	0.1	Soil	Granular	No	16.29	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	240971.5594	571161.1394	0.1	Peat	Granular	No	1.94	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	240976.5703	571628.4709	0	Soil	Granular	No	6.90	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	240981.3135	572512.2789	0.1	Soil	Granular	No	15.68	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	240983.111	572374.1084	0.2	Soil	Granular	No	20.16	Peaty Soil	1	1	1	1	1	Negligible
Ph1	ITPEnergised	240983.1153	571498.5013	0.3	Soil	Rock	No	11.59	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	240988.55	572733.6523	0.1	Peat	Granular	No	9.96	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240988.5944	571868.5662	0.1	Soil	Granular	No	12.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240989.0539	571004.606	0.1	Soil	Granular	No	7.60	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240994.2271	571985.1254	0.1	Soil	Granular	No	12.20	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	240994.8232	572871.405	0.3	Peat	Granular	No	12.46	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241009.66	571709.1252	0.2	Soil	Granular	No	12.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241011.4147	571363.8062	0.1	Soil	Rock	No	6.22	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241011.9006	572229.65	0.2	Soil	Granular	No	13.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241027.196	571231.0797	0.1	Soil	Granular	No	3.87	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241027.3264	573099.6759	0.2	Soil	Granular	No	6.82	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241030.1806	572076.2429	0.1	Peat	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241031.5116	571579.2924	0.1	Soil	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241035.9121	571108.4617	0.1	Soil	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241048.1855	572801.6673	0.4	Peat	Granular	No	9.62	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241050.9025	572593.139	0.2	Soil	Granular	No	12.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241051.6898	572093.1332	0.4	Peat	Rock	No	6.64	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241053.2488	572458.6439	0.2	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241061.0653	571940.2863	0.1	Soil	Rock	No	13.19	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241068.293	571454.6259	0.3	Soil	Granular	No	10.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241069.1417	571790.4207	0.2	Soil	Granular	No	9.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241069.665	570947.2665	0.1	Soil	Granular	No	6.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241075.4486	572955.9378	0.4	Peat	Granular	No	9.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241083.7069	572169.0386	0.2	Peat	Granular	No	2.41	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241085.0603	572300.8399	0.2	Soil	Granular	No	13.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241097.8138	571667.4454	0.2	Soil	Granular	No	11.60	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241098.334	571307.022	0.1	Soil	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241105.1324	571173.6499	0.2	Soil	Granular	No	12.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241108.2116	572679.0788	0.4	Soil	Granular	No	8.92	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241111.4999	572506.882	2.3	Peat	Granular	No	9.42	Thick Peat	1	2	3	1	6	Low
Ph1	ITPEnergised	241113.576	573027.2882	0.1	Soil	Granular	No	13.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241113.608	572877.0882	0.5	Peat	Granular	No	4.56	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241114.2517	572011.5029	0.4	Peat	Rock	No	7.21	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241128.9788	571029.0694	0.1	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241135.4953	572257.4032	0.3	Peat	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241142.6094	572375.4657	0.2	Soil	Granular	No	9.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241149.6161	571374.9276	0.1	Soil	Granular	No	0.51	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241151.577	571535.6134	0.1	Soil	Granular	No	9.07	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241153.523	571875.4713	0.5	Peat	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241154.3345	572132.7274	0.2	Soil	Granular	No	13.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241158.2106	571251.5167	0.1	Soil	Granular	No	2.64	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241163.2963	572589.8809	0.6	Peat	Granular	No	9.70	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241166.3786	572747.5185	0.1	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241168.4497	573099.8929	0.4	Soil	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241171.9919	571715.8954	0.2	Soil	Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241172.9192	571629.9074	0.2	Soil	Granular	No	6.72	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241173.1543	571630.2143	0.2	Soil	Granular	No	7.29	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241175.2638	570861.8968	0.2	Soil	Granular	No	5.40	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241179.7275	571097.812	0.1	Soil	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241196.3199	570951.2734	0.2	Peat	Granular	No	5.63	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241198.8613	571469.988	0.1	Soil	Granular	No	12.46	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241199.9706	571977.096	0.7	Peat	Granular	No	2.11	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241203.4842	572962.4946	0.1	Soil	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241207.8655	572963.4794	0	Soil	Granular	No	5.83	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	241212.2466	572471.8096	0.5	Peat	Granular	No	3.39	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241219.3884	572540.7578	0.5	Soil	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241224.6596	572819.8166	0.7	Peat	Granular	No	13.89	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241226.4564	570838.6522	0.2	Soil	Granular	No	1.79	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241227.9177	571814.4375	0.1	Soil	Rock	No	4.76	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	241228.6097	572340.4731	0.2	Soil	Granular	No	17.42	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241232.4643	571324.8439	0.1	Soil	Granular	No	4.93	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241244.2849	571678.5232	0.1	Soil	Rock	No	7.12	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241245.1679	573164.4975	0.1	Soil	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241246.3946	572656.0421	0.3	Peat	Granular	No	15.09	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241255.4997	572199.0205	0.4	Soil	Granular	No	7.39	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241256.1376	571547.4513	0.3	Soil	Granular	No	13.42	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241257.1338	573045.6345	1.4	Superficial	Granular	No	2.89	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241261.6854	570912.05	0.2	Soil	Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241264.3682	572057.1562	0.4	Peat	Granular	No	2.02	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241269.293	572889.5934	0.1	Soil	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241270.9333	573027.3305	0.4	Peat	Granular	No	3.61	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241278.1435	573266.7544	0	Soil	Granular	No	3.38	No Peat	1	0	2	1	0	None
Ph1	ITPEnergised	241288.7003	572406.2664	0.6	Soil	Granular	No	12.13	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241292.9946	572785.2328	1	Peat	Granular	No	6.70	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241293.9001	572898.8825	0	Soil	Granular	No	10.91	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	241295.9583	571912.5295	0.4	Soil	Granular	No	4.53	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241296.3032	571415.6036	0.2	Soil	Granular	No	7.52	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241299.2132	571773.0081	0.1	Soil	Granular	No	11.16	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241302.029	571032.7187	0.2	Soil	Granular	No	6.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241305.8712	572278.2589	0.6	Peat	Granular	No	6.08	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241308.5957	571085.3958	0.3	Soil	Granular	No	11.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241309.9522	570768.0788	0.2	Soil	Granular	No	2.40	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241310.6683	571252.7049	0.1	Soil	Granular	No	7.96	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241310.7209	571259.5913	0.1	Soil	Rock	No	8.34	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241311.6063	573131.0448	0.1	Soil	Granular	No	2.49	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241312.0775	571618.0489	0.2	Soil	Granular	No	8.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241313.4832	572674.5784	0.4	Peat	Granular	No	4.91	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241324.3788	572137.8834	0.2	Soil	Granular	No	7.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241326.3121	571123.5705	0.1	Soil	Granular	No	11.43	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241327.0137	572614.5793	0.4	Soil	Granular	No	14.24	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241330.2794	570976.4464	0.2	Soil	Granular	No	2.92	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241339.0074	572991.0143	0.2	Soil	Granular	No	9.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241339.5282	572487.5929	0.5	Soil	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241339.8476	573333.2311	0.5	Superficial	Granular	No	0.53	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241344.8586	571485.5585	0.2	Soil	Granular	No	3.69	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241345.4256	571995.8929	0.2	Peat	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241359.5156	571857.2108	0.1	Peat	Rock	No	8.59	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241361.9357	572837.6962	0.3	Peat	Granular	No	8.68	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241368.4685	572350.4825	0.2	Peat	Granular	No	6.63	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241368.5649	573197.3978	0.9	Peat	Granular	No	4.02	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241369.1025	572712.8504	1.3	Peat	Granular	No	4.98	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241372.234	571360.5899	0.2	Soil	Granular	No	4.62	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241373.771	572547.3999	1.9		Granular	No	2.87	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	241381.2135	572217.3785	0.4	Peat	Granular	No	5.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241384.2401	570813.0515	0.5	Peat	Granular	No	3.20	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241384.9143	571213.2522	0.1	Soil	Rock	No	5.37	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241392.3403	571327.2479	0.1	Peat	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241394.0456	573078.1219	0.1	Soil	Granular	No	7.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241395.7901	571066.0967	0.3	Soil	Not Proven	No	8.04	Peaty Soil	1	1	3	0	0	None
Ph1	ITPEnergised	241397.3638	571578.7461	0.4	Peat	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241401.637	572078.1496	0.3	Peat	Granular	No	4.13	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241410.1708	572305.8924	0.2	Peat	Granular	No	4.67	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241411.8737	571934.5531	0.3	Soil	Granular	No	7.99	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241425.8972	571786.9426	0.3	Peat	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241431.3141	572928.0507	0.1	Soil	Granular	No	9.58	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241432.5236	572422.2441	0.2	Peat	Granular	No	2.78	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241434.4204	573279.9643	0.6	Superficial	Granular	No	4.62	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241438.7514	572138.0077	0.2	Peat	Granular	No	12.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241440.276	571423.187	0.3	Soil	Granular	No	4.71	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241441.2724	572771.4771	0.4	Peat	Granular	No	5.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241443.8281	570810.1369	0.4	Peat	Granular	No	5.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241449.7046	571418.0257	0.1	Soil	Granular	No	5.13	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241455.0942	570957.3726	0.2	Soil	Granular	No	4.29	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241457.9359	571030.7822	0.1	Soil	Rock	No	6.04	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241458.4016	573159.7808	0.1	Soil	Granular	No	10.60	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241458.9272	572648.8688	0.3	Soil	Granular	No	8.72	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241469.14	573018.1122	0.1	Soil	Granular	No	8.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241469.2892	571158.0964	0.4	Peat	Granular	No	4.05	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241475.8182	572027.5288	0.2	Soil	Granular	No	11.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241478.8597	571380.3239	0.5	Soil	Granular	No	5.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241483.8864	573344.5989	0	Soil	Granular	No	5.97	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	241484.8238	572385.0319	0.6	Peat	Granular	No	3.98	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241489.1619	571663.2977	0.2	Soil	Granular	No	3.25	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241489.2344	571503.0603	0.5	Peat	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241494.802	572862.9737	0.2	Soil	Granular	No	9.50	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241495.5761	573544.372	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241504.8305	572498.1501	0.5	Peat	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241508.8338	573229.3571	1.8	Peat	Granular	No	3.99	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	241513.2594	571880.4684	1.3	Peat	Granular	No	4.37	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241514.4637	572614.4347	0.9	Peat	Granular	No	2.18	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241515.1646	570743.4811	0.4	Peat	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241516.4965	572730.6539	0.1	Soil	Granular	No	4.82	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241517.7375	571604.2313	0.3	Peat	Granular	No	2.88	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241518.4284	571377.2151	0.5	Peat	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241520.6521	573208.755	0.6	Peat	Granular	No	8.42	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241525.9172	570890.9379	0.2	Soil	Granular	No	5.39	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241526.0035	572210.2211	0.1	Soil	Granular	No	8.20	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241527.3366	573093.0436	0.4	Soil	Granular	No	4.45	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241531.1112	571526.7108	0.7	Peat	Granular	No	2.97	Thin Peat	1	3	2	1	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241538.2419	571237.9088	0.5	Peat	Granular	No	8.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241539.0289	572072.4096	0.3	Peat	Granular	No	8.26	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241551.1424	572942.5806	0.2	Soil	Granular	No	6.26	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241551.3052	573433.7747	1	Superficial	Granular	No	4.03	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241559.5494	572460.2124	0.6	Peat	Granular	No	7.92	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241562.5353	571457.2024	0.4	Peat	Granular	No	2.63	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241563.3323	571599.3261	0.3	Peat	Granular	No	2.19	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241565.0411	572793.6625	0	Soil	Granular	No	1.74	No Peat	1	0	0	1	0	None
Ph1	ITPEnergised	241566.8359	571321.3205	0.5	Peat	Granular	No	3.31	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241569.8276	572807.0987	0.1	Soil	Granular	No	3.53	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241571.3604	572302.0768	0.2	Soil	Granular	No	7.51	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241572.6663	571502.1788	0.2	Superficial	Granular	No	1.93	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241574.8612	572962.8611	0.2	Soil	Granular	No	4.60	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241579.0011	571372.5004	0.6	Peat	Granular	No	1.53	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241582.5842	573287.1666	1.4	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241584.0493	571818.7723	0.8	Peat	Granular	No	0.94	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241585.9625	571680.265	0.5	Peat	Granular	No	1.04	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241586.0526	573163.5262	0.1	Soil	Granular	No	6.42	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241587.6529	569964.5022	0.1	Soil	Granular	No	4.94	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241588.3654	572134.0015	0.3	Peat	Granular	No	7.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241588.3912	571956.4639	0.4	Soil	Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241593.7323	570239.4573	0.4	Peat	Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241594.9181	572672.1092	0.1	Soil	Granular	No	4.43	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241595.6496	572644.3198	0.8	Peat	Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241600.8517	570330.6384	0.5	Peat	Granular	No	2.22	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241601.6448	572629.0128	0.8	Peat	Granular	No	2.19	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241604.2141	570779.6418	0.1	Soil	Granular	No	9.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241606.3247	570173.2342	0.3	Peat	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241607.6856	573521.669	0.1	Soil	Granular	No	7.13	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241609.4361	571667.8077	0.3	Soil	Granular	No	0.93	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241614.724	573198.5917	0.1	Soil	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241619.77	569817.6843	0.1	Soil	Granular	No	10.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241621.0487	573020.5795	1.2	Peat	Granular	No	3.64	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241625.5321	572529.8475	0.4	Peat	Granular	No	1.30	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241625.7654	571176.4779	0.6	Peat	Granular	No	3.19	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241628.1957	571878.9538	0.9	Peat	Granular	No	4.67	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241629.9038	572757.2502	0	Soil	Granular	No	1.29	No Peat	1	0	0	1	0	None
Ph1	ITPEnergised	241633.9267	572040.5068	0.2	Soil	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241635.6066	572889.5461	0.1	Soil	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241640.197	573393.8634	0.1	Soil	Granular	No	7.64	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241640.5572	572394.7645	0.4	Soil	Rock	No	5.61	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241645.0063	573748.5566	0.3	Soil	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241646.4718	571388.0962	0.8	Soil	Granular	No	1.36	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241648.316	572613.5637	0.2	Peat	Granular	No	2.51	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241655.1289	572752.382	0.2	Soil	Granular	No	2.90	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241655.6086	573250.948	1.1	Peat	Granular	No	10.61	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241655.9742	570869.1465	0.1	Soil	Granular	No	10.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241657.0921	571751.5194	0.3	Soil	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241658.2703	571270.106	0.6	Peat	Granular	No	6.13	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241660.3304	570053.0227	0.2	Soil	Granular	No	12.04	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241660.6919	569884.8874	0.1	Soil	Granular	No	7.83	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241664.7563	571985.1662	1.4	Peat	Granular	No	2.97	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241669.081	570400.3617	0.3	Soil	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241670.2499	573105.2386	1.3	Peat	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241671.0093	573605.918	0.2	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241672.0957	572260.2332	0.3	Peat	Granular	No	11.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241673.7014	572125.182	0.1	Soil	Granular	No	10.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241675.3941	570845.3996	0.2	Peat	Granular	No	9.51	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241675.5888	571611.0686	0.2	Soil	Granular	No	4.05	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241676.5895	570241.2715	0.1	Peat	Granular	No	12.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241679.8072	573144.5325	0.1	Soil	Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241680.6125	572467.2629	0.4	Soil	Granular	No	2.74	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241682.9844	569747.7748	0.1	Soil	Granular	No	9.98	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241688.2356	570909.6996	0.2	Peat	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241688.5721	573477.3968	0.1	Soil	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241695.5443	569610.6543	0.4	Soil	Granular	No	5.39	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241699.9794	572969.2853	0.3	Peat	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241701.3826	573320.892	1.4	Peat	Granular	No	6.02	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241701.8798	570804.2487	0.4	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241705.1066	571473.4764	0.3	Peat	Granular	No	2.84	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241705.8578	569997.4978	0.2	Soil	Granular	No	16.09	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241705.9849	572683.5315	0.2	Peat	Granular	No	9.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241715.045	570093.0845	0.1	Soil	Granular	No	10.16	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241715.7852	570479.5448	0.5	Peat	Granular	No	7.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241721.6674	571323.4986	0.7	Peat	Granular	No	3.92	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241726.005	571332.5511	0.7	Peat	Granular	No	4.59	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241727.2304	572829.0705	1	Peat	Granular	No	2.25	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241727.481	572187.324	0.2	Soil	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241729.0786	571221.2017	2.7	Peat	Granular	No	1.43	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	241729.4941	573182.4243	0.3	Soil	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241729.7268	573688.3128	0.1	Soil	Granular	No	9.51	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241736.8454	571813.8355	0.3	Soil	Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241741.3644	572036.3994	0.3	Soil	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241742.691	572533.5572	0.5	Peat	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241746.6894	572398.927	0.6	Peat	Granular	No	2.64	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241746.8678	570186.8546	0.4	Peat	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241754.3505	569823.868	0	Soil	Rock	No	11.56	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	241756.3709	573056.4694	0.1	Soil	Granular	No	6.86	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241758.7711	573554.2831	0.1	Soil	Rock	No	6.76	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241762.725	569699.6141	0.1	Soil	Rock	No	7.33	Peaty Soil	1	1	3	2	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241763.2003	571560.808	0.2	Soil	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241769.9829	569555.8682	0.2	Soil	Granular	No	13.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241771.5596	573417.396	0.1	Soil	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241771.7232	570551.7579	1.8	Peat	Granular	No	6.58	Thick Peat	1	2	3	1	6	Low
Ph1	ITPEnergised	241777.5478	570703.7302	0.3	Peat	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241778.3438	572782.8134	0.4	Peat	Rock	No	4.69	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	241783.0277	573771.4818	0.1	Soil	Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241783.0536	570421.9144	0.3	Peat	Granular	No	7.84	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241786.9814	573267.0836	0.1	Soil	Rock	No	6.80	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241788.0403	571299.2377	2.9	Peat	Granular	No	1.15	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	241789.278	570877.157	0.3	Soil	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241790.116	572898.5491	0.9	Peat	Granular	No	6.99	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241790.3901	571400.185	2	Peat	Granular	No	2.70	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	241791.9414	569410.0612	0.9	Peat	Rock	No	2.09	Thin Peat	1	3	2	2	12	Low
Ph1	ITPEnergised	241792.3316	569898.3708	0	Soil	Granular	No	8.58	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	241793.4937	571909.5725	0.3	Soil	Granular	No	2.82	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241794.5512	571785.2789	0.5	Peat	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241798.508	570051.804	0.2	Soil	Granular	No	4.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241807.8508	571637.9411	0.5	Peat	Granular	No	3.53	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241807.8926	570646.1061	0.5	Peat	Granular	No	5.00	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241809.6667	569762.0373	0.4	Peat	Rock	No	10.70	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241813.2476	572122.0172	0	Soil	Granular	No	8.35	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	241816.9055	571988.3305	0.3	Superficial	Granular	No	4.14	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241818.7531	573134.7992	0.1	Soil	Granular	No	15.86	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241819.5195	570263.9065	0.2	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241819.8405	573634.114	0.1	Soil	Granular	No	6.32	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241820.7469	569276.0988	0.1	Soil	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241827.0847	571132.2359	0.6	Peat	Granular	No	2.14	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241829.4552	573486.3043	0.9	Superficial	Granular	No	9.31	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241832.2823	570783.2824	0.4	Peat	Granular	No	6.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241832.6556	572985.8475	0.1	Soil	Granular	No	9.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241833.8149	572594.9556	0.6	Peat	Granular	No	1.77	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241835.3085	570016.6013	0.2	Soil	Granular	No	18.78	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241837.1489	571494.3428	0.4	Soil	Granular	No	2.74	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241842.631	569641.6092	0.1	Soil	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241844.7459	572713.7922	0.3	Soil	Granular	No	5.81	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241846.987	570126.5202	0.2	Soil	Granular	No	6.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241849.1743	573846.0614	1	Superficial	Granular	No	7.21	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241849.9791	572864.7822	0.3	Peat	Rock	No	8.09	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241850.2068	572933.9738	0.1	Soil	Granular	No	14.36	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241856.2708	573351.9836	0.4	Soil	Granular	No	10.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241859.4495	573873.4083	0	Soil	Rock	No	10.91	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	241860.2676	569484.9284	0	Soil	Rock	No	5.90	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	241861.0947	570747.0715	0.1	Soil	Granular	No	4.39	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241862.0317	570848.8865	0.2	Soil	Granular	No	3.03	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241862.6524	570488.6859	0.3	Peat	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241862.7841	572217.3933	0.1	Soil	Rock	No	5.27	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	241865.6938	573715.5685	0.1	Soil	Granular	No	8.45	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241871.7126	571349.0358	4	Peat	Rock	No	0.34	Thick Peat	1	2	0	2	0	None
Ph1	ITPEnergised	241874.4799	570347.1183	0.1	Peat	Granular	No	2.13	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241878.1705	569348.9941	0.4	Peat	Rock	No	4.07	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	241879.8618	571236.8932	0.9	Peat	Granular	No	0.86	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241881.3652	573579.2112	0.1	Soil	Granular	No	6.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241886.1892	569889.5053	0.1	Soil	Granular	No	11.71	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241888.9817	573209.3564	0.1	Soil	Granular	No	13.32	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241891.5844	571565.5229	1.2	Peat	Granular	No	8.61	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241891.6482	572561.2525	0.8	Peat	Granular	No	2.72	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241891.6535	571848.5434	0.5	Peat	Granular	No	2.66	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241892.4568	571090.8797	0.6	Peat	Granular	No	1.03	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241895.4228	570222.7149	0.1	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241896.6894	573069.0443	0.1	Soil	Granular	No	11.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241897.5642	572081.1017	0.1	Soil	Granular	No	3.42	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241899.0952	571229.2505	0.5	Soil	Granular	No	0.68	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241899.2162	569699.3856	0.5	Peat	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241905.5628	571686.1081	0.5	Peat	Granular	No	2.21	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241906.2965	570564.3155	0.3	Peat	Granular	No	8.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241907.4736	570089.828	0.1	Soil	Granular	No	9.51	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241908.1963	573427.5461	0.1	Soil	Granular	No	13.04	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241909.9842	573962.0468	0.1	Soil	Granular	No	7.54	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241913.4353	572925.7845	0.7	Peat	Granular	No	10.38	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241913.4724	572660.9534	1.5	Peat	Granular	No	4.38	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	241918.6449	573839.4649	0.1	Soil	Granular	No	8.69	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241918.7835	572139.888	0	Soil	Rock	No	5.65	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	241925.382	573793.1806	0.1	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241926.1696	571438.874	0.5	Soil	Granular	No	2.52	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241928.95	569569.6226	0.4	Peat	Rock	No	2.05	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	241935.5862	570423.7263	0.1	Soil	Granular	No	10.66	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241936.4284	572809.4957	0.3	Peat	Granular	No	9.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241937.3209	569948.589	0.1	Soil	Granular	No	13.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241937.761	573291.7095	0	Soil	Rock	No	7.78	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	241942.7352	570951.9599	0.7	Soil	Granular	No	0.79	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241946.8015	569444.866	0	Soil	Rock	No	3.39	No Peat	1	0	2	2	0	None
Ph1	ITPEnergised	241947.6584	571345.1762	3.2	Peat	Granular	No	1.29	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	241948.4683	571296.6195	3	Peat	Not Proven	No	0.81	Thick Peat	1	2	0	0	0	None
Ph1	ITPEnergised	241950.496	571649.5784	0.6	Peat	Granular	No	1.14	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241953.8075	570293.1975	0.1	Soil	Granular	No	4.83	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241954.6515	572143.9267	0.3	Peat	Granular	No	8.58	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241956.491	573148.2604	0.1	Soil	Granular	No	15.60	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241958.0084	573660.3533	0.2	Soil	Granular	No	6.22	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241958.8164	570908.3452	0.9	Peat	Granular	No	0.79	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241959.2668	570780.1872	0.2	Soil	Granular	No	1.42	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241960.1195	574004.4739	0.1	Soil	Granular	No	5.55	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241964.6333	569808.9426	0.3	Soil	Granular	No	6.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241966.2225	571011.7256	0.7	Soil	Granular	No	1.61	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241969.7464	573506.2168	0.9	Peat	Granular	No	12.77	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	241970.2052	570645.7256	0.2	Peat	Granular	No	2.23	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241972.1133	571595.402	0.3	Peat	Granular	No	3.29	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241972.2206	571819.3656	0.2	Peat	Granular	No	1.73	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241973.1778	570162.3942	0.1	Soil	Granular	No	15.17	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241975.3487	569632.4197	1.8	Peat	Granular	No	0.57	Thick Peat	1	2	0	1	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	241978.1574	572878.3059	0.3	Peat	Granular	No	12.82	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241980.5982	573009.0231	0.4	Peat	Granular	No	13.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241981.2944	571525.9412	0.3	Peat	Granular	No	0.35	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	241983.1012	571036.4132	0.9	Peat	Granular	No	1.86	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	241985.5482	573880.0585	0.3	Soil	Granular	No	7.06	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241986.4098	570022.6712	0.1	Soil	Granular	No	16.01	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	241989.4408	571189.9432	0.5	Soil	Not Proven	No	2.31	Peaty Soil	1	1	2	0	0	None
Ph1	ITPEnergised	241990.7855	572050.3063	0.4	Peat	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241993.2982	573353.7072	0.3	Soil	Granular	No	13.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241999.0431	573731.4135	0.1	Soil	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	241999.3717	572510.7478	1.6	Peat	Granular	No	3.45	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	242002.6323	570857.7032	0.7	Peat	Granular	No	3.58	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242006.8871	569516.1838	0.5	Peat	Granular	No	4.38	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242008.6492	573226.0124	0.1	Soil	Granular	No	16.73	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242010.2241	569367.565	0.1	Soil	Granular	No	11.13	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242010.8061	572226.5589	0.3	Soil	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242013.6342	573743.6085	0.3	Superficial	Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242017.6255	570703.0096	0.3	Peat	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242019.7667	572606.268	1.5	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242020.9615	574085.2063	1.3	Superficial	Granular	No	4.98	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242022.273	570379.8016	0.1	Soil	Granular	No	8.50	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242022.655	573078.0861	0.5	Peat	Granular	No	13.68	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242026.7883	573586.5115	0.3	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242034.3715	570235.7324	0.1	Soil	Granular	No	6.86	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242036.1064	569875.2531	0.1	Soil	Granular	No	10.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242039.7192	572097.3811	0.4	Peat	Cohesive	No	9.86	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242040.7576	571586.4189	0.2	Peat	Granular	No	2.30	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242043.3624	572151.1214	0.4	Soil	Granular	No	7.29	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242046.0698	569755.8818	0.3	Peat	Rock	No	5.85	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242048.4234	572749.0563	0.3	Peat	Granular	No	6.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242048.6296	570099.6313	0.1	Soil	Granular	No	20.94	Peaty Soil	1	1	1	1	1	Negligible
Ph1	ITPEnergised	242049.3352	573954.5429	0.1	Soil	Granular	No	6.78	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242051.3502	573465.9849	0.1	Soil	Granular	No	13.54	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242051.9546	571221.6311	0.4	Soil	Not Proven	No	1.87	Peaty Soil	1	1	0	0	0	None
Ph1	ITPEnergised	242053.9544	571840.6254	1.3	Peat	Granular	No	3.33	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242058.8777	569586.8228	0.1	Soil	Granular	No	2.20	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242060.4285	572446.5976	1.6	Peat	Granular	No	5.68	Thick Peat	1	2	3	1	6	Low
Ph1	ITPEnergised	242064.9816	571040.3112	0.8	Peat	Granular	No	3.77	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242066.2073	573312.0314	0	Soil	Rock	No	9.70	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	242068.4644	572818.3742	0.3	Peat	Granular	No	10.84	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242068.7274	572957.9758	0.1	Soil	Granular	No	10.83	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242073.2099	572584.4418	1.5	Peat	Granular	No	4.83	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242073.2377	573822.1666	0.1	Soil	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242076.175	570823.5995	0.6	Peat	Granular	No	3.45	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242077.9039	569447.4895	0.1	Soil	Granular	No	7.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242078.3626	571312.1659	0.3	Peat	Granular	No	1.06	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	242079.604	571099.5733	0.3	Soil	Granular	No	3.23	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242081.1247	573639.1759	0.3	Peat	Granular	No	8.20	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242081.1994	573149.9209	0.5	Soil	Cohesive	No	15.24	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	242081.9012	572705.58	0.5	Peat	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	242083.8253	571469.0317	0.2	Soil	Granular	No	6.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242084.0596	570936.6203	0.2	Peat	Granular	No	2.37	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242084.6215	571163.3141	0.4	Soil	Granular	No	2.61	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242084.8111	569941.5161	0.2	Soil	Granular	No	2.33	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242085.1722	570149.1696	0.2	Soil	Granular	No	10.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242087.5672	573669.369	0.3	Soil	Granular	No	8.32	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242087.7992	572186.091	0.3	Peat	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242088.9286	571812.0984	0.8	Peat	Granular	No	4.20	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242091.3054	570316.0176	0.1	Soil	Granular	No	13.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242096.6952	571998.1967	0.5	Peat	Granular	No	5.62	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242102.357	574019.1391	0.1	Soil	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242104.1614	569809.8937	0.5	Peat	Granular	No	3.71	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242104.4414	570665.2414	0.8	Peat	Granular	No	3.20	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242109.6422	573544.3672	0.5	Soil	Granular	No	10.21	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242114.3162	573699.9118	0.1	Soil	Granular	No	9.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242118.0437	572019.6824	0.9	Peat	Granular	No	8.50	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242119.4092	569703.4795	0	Soil	Granular	No	8.64	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	242120.0283	571578.0458	0.6	Peat	Granular	No	3.39	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242124.6144	573255.3748	0.9	Peat	Granular	No	6.62	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242125.5679	573034.5286	0.9	Peat	Granular	No	4.72	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242125.8964	572904.236	0.1	Peat	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242126.4749	571523.5156	0.4	Peat	Granular	No	3.02	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242127.2828	573115.1092	0.4	Peat	Rock	No	11.91	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242128.5567	573901.022	0.1	Soil	Granular	No	9.09	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242134.8576	572736.9381	0.3	Soil	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242136.339	573382.2215	0.1	Soil	Granular	No	19.50	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242137.1902	573592.6771	0.1	Soil	Granular	No	8.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242139.0073	572394.0634	0.5	Peat	Granular	No	11.21	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242139.2875	571687.3428	0.5	Peat	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242141.2409	570518.6865	0.3	Soil	Granular	No	12.20	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242145.9231	569524.098	0	Soil	Granular	No	5.83	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	242146.3769	572258.2979	0.3	Soil	Granular	No	13.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242146.3969	572639.1941	0.5	Peat	Granular	No	7.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242148.3513	571005.4501	0.4	Peat	Granular	No	4.17	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242148.7371	569983.1254	0.2	Peat	Rock	No	2.34	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	242151.0868	573750.5342	0.1	Soil	Granular	No	7.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242152.1143	571902.8732	0.1	Soil	Granular	No	4.82	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242153.7822	574115.6905	1.2	Peat	Granular	No	6.30	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242153.8918	569890.3965	0.2	Peat	Granular	No	10.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242157.8208	571749.5666	0.4	Peat	Granular	No	0.64	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	242157.9974	571096.0208	0.6	Soil	Granular	No	3.50	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242158.1536	571251.3666	0.7	Soil	Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242159.9679	570235.4139	0.5	Peat	Granular	No	6.33	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242161.3541	570412.0467	0.3	Soil	Granular	No	11.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242164.131	570895.82	0.5	Peat	Granular	No	6.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242165.4081	573625.1621	0.1	Soil	Granular	No	9.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242166.2026	570771.6695	0.5	Peat	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242173.1938	573973.3341	0.1	Soil	Granular	No	13.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242174.5237	573348.5138	0.5	Soil	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242176.4585	573941.9799	0.1	Soil	Granular	No	11.40	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITP Energised	242179.7436	570619.8986	0.1	Soil	Granular	No	8.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242183.9171	572110.2334	0.1	Soil	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242184.8615	569757.6969	0	Soil	Granular	No	11.19	No Peat	1	0	3	1	0	None
Ph1	ITP Energised	242188.2879	572962.3947	0.9	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	242191.8527	571441.3934	0.2	Soil	Granular	No	13.20	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242192.3528	573665.2665	0	Soil	Granular	No	10.16	No Peat	1	0	3	1	0	None
Ph1	ITP Energised	242194.6475	571972.9002	2.7	Peat	Granular	No	1.35	Thick Peat	1	2	0	1	0	None
Ph1	ITP Energised	242200.6658	573464.5585	0.1	Soil	Granular	No	16.81	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242202.231	570120.7083	0	Peat	Granular	No	8.28	No Peat	1	0	3	1	0	None
Ph1	ITP Energised	242202.9135	569616.3936	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242203.3827	572324.4158	0.1	Soil	Rock	No	10.47	Peaty Soil	1	1	3	2	6	Low
Ph1	ITP Energised	242203.5249	572968.0202	1.9	Peat	Granular	No	2.58	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITP Energised	242207.418	571004.7739	0.6	Soil	Granular	No	7.04	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	242210.7506	571679.9713	0.5	Peat	Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242212.1213	570479.5	0.2	Peat	Granular	No	11.36	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242214.0371	573830.9339	0.3	Soil	Granular	No	9.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242216.3213	571573.4534	0.3	Peat	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242221.7537	569472.278	0	Soil	Granular	No	5.79	No Peat	1	0	3	1	0	None
Ph1	ITP Energised	242222.2292	569980.4545	0.4	Peat	Granular	No	4.01	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242223.2618	570869.1542	0.4	Peat	Granular	No	7.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242225.0996	571842.9836	0.2	Peat	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242226.7947	572186.7457	0.1	Soil	Granular	No	10.63	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242228.7336	572703.005	0.6	Peat	Granular	No	10.64	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	242229.6167	574188.2139	0.1	Soil	Granular	No	12.29	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242231.8881	573698.7027	1.3	Peat	Granular	No	7.88	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	242235.6166	573192.7648	0.5	Peat	Granular	No	9.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242236.2828	570334.2302	0.1	Soil	Granular	No	10.86	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242240.1605	570213.4637	0.1	Soil	Granular	No	10.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242240.7632	574074.6743	0.1	Soil	Granular	No	12.97	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242244.2662	570585.6322	0.1	Soil	Granular	No	10.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242245.6315	569833.2071	0	Soil	Granular	No	3.65	No Peat	1	0	2	1	0	None
Ph1	ITP Energised	242248.062	571491.6677	0.4	Peat	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242254.2033	569699.3487	0.1	Soil	Granular	No	2.98	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242254.7715	572582.6564	0.9	Peat	Granular	No	6.21	Thin Peat	1	3	3	1	9	Low
Ph1	ITP Energised	242256.2218	573544.8272	0.1	Soil	Granular	No	15.14	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242260.2963	573907.7464	0.1	Soil	Granular	No	7.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242261.9765	572046.7107	0.2	Peat	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242262.3601	573020.372	0.7	Peat	Rock	No	1.58	Thin Peat	1	3	0	2	0	None
Ph1	ITP Energised	242269.338	571631.8605	0.4	Peat	Rock	No	4.85	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITP Energised	242271.9098	569563.9058	0.1	Soil	Granular	No	2.08	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242276.3414	571927.6293	0.5	Peat	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242276.5905	571046.7368	0.4	Peat	Granular	No	6.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242278.6034	573408.7682	0.1	Soil	Granular	No	17.12	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242280.0143	571409.1876	0.2	Soil	Granular	No	16.07	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242281.228	573285.6481	0.5	Peat	Granular	No	2.17	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242281.481	571563.6693	0.3	Peat	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITP Energised	242284.3609	572914.7033	2	Peat	Granular	No	2.40	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITP Energised	242284.7162	571797.4908	0.3	Peat	Granular	No	6.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITP Energised	242285.6194	570050.4692	0.7	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
Ph1	ITP Energised	242285.7626	572266.1428	0.1	Soil	Granular	No	12.61	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	242287.1998	573785.7415	1.1	Peat	Granular	No	5.30	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242288.8557	570915.9143	0.1	Soil	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242289.234	570782.5531	0.5	Peat	Granular	No	7.92	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242289.3656	572895.4603	0.9	Peat	Granular	No	4.77	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242290.2345	574141.353	0.1	Soil	Granular	No	13.70	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242290.2424	574267.5027	0.1	Soil	Granular	No	13.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242292.8684	572635.3219	0.7	Peat	Granular	No	4.26	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242295.4965	569959.8495	1	Peat	Granular	No	1.14	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	242297.2308	572776.0693	0.7	Peat	Granular	No	3.82	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242298.955	570325.6625	0.5	Peat	Granular	No	7.44	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242306.3891	570405.6987	0.3	Soil	Granular	No	7.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242312.2666	569767.7341	0.1	Soil	Granular	No	3.05	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242315.6225	573141.7243	0.6	Peat	Granular	No	5.41	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242325.7136	573631.7985	0.5	Peat	Granular	No	8.25	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242327.5688	573620.6198	0	Soil	Granular	No	7.50	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	242327.6453	573986.4595	0.1	Soil	Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242328.1321	572142.9345	0.3	Soil	Granular	No	9.16	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242330.7562	571124.8565	0.3	Peat	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242331.3913	572359.0262	0.3	Peat	Granular	No	12.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242336.3386	571459.7172	0.1	Peat	Granular	No	5.29	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242338.2868	572860.7044	1.2	Peat	Granular	No	3.43	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242338.9525	569640.5148	0.1	Soil	Granular	No	10.61	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242340.5693	573958.7307	0.1	Soil	Granular	No	8.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242341.5368	570008.5679	0.9	Peat	Granular	No	2.38	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242347.4216	571995.0151	0.3	Peat	Rock	No	7.62	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242349.2452	573349.9112	1.1	Peat	Granular	No	1.45	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	242349.4264	570131.4439	1	Peat	Granular	No	1.48	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	242350.0046	574353.0582	0.1	Soil	Granular	No	19.44	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242352.2009	573858.8672	0.1	Soil	Granular	No	10.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242352.2058	572962.4685	3.7	Peat	Granular	No	1.16	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	242355.9179	572507.422	0.3	Soil	Granular	No	9.82	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242357.5512	571339.2253	1	Peat	Granular	No	12.18	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242360.1582	571555.395	0.3	Peat	Granular	No	4.52	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242361.6011	571862.1466	0.3	Peat	Granular	No	3.42	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242361.6705	573226.4795	0.2	Soil	Granular	No	9.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242362.038	570493.0119	0.4	Peat	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242363.8967	571622.3011	0.4	Peat	Granular	No	6.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242364.7147	570991.7737	0.4	Peat	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242366.4741	572448.1243	0.1	Soil	Granular	No	14.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242367.5966	570863.3334	0.3	Soil	Granular	No	7.52	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242368.9808	573482.6215	0.1	Soil	Granular	No	11.40	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242372.236	574063.3565	0.1	Soil	Granular	No	10.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242372.5752	572712.088	0.9	Peat	Granular	No	7.05	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242374.5529	573717.4341	0.2	Soil	Granular	No	9.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242378.7187	570373.6708	0.3	Soil	Granular	No	7.32	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242380.0587	574227.8693	0.1	Superficial	Granular	No	19.41	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242380.5092	572083.4409	0.3	Peat	Granular	No	5.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242385.1086	569873.8971	0.2	Soil	Granular	No	13.94	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242387.4693	572369.0756	0	soil	rock	No	16.63	No Peat	1	0	2	2	0	None
Ph1	ITPEnergised	242388.1507	573069.1532	0.3	Peat	Granular	No	13.13	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	242389.0935	572223.5445	0.3	Peat	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242389.2473	571211.3085	0.7	Peat	Granular	No	6.60	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242394.9492	570232.3524	0.2	Peat	Granular	No	5.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242395.9465	573942.7115	0.3	Soil	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242396.8028	569720.7338	0.1	Soil	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242402.9541	571074.2627	0.1	Soil	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242404.5325	574436.0838	0.3	Soil	Granular	No	18.43	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242408.7207	572867.3128	0.4	Peat	Granular	No	2.57	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242409.8902	569583.4308	0.1	Soil	Granular	No	13.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242413.1378	574288.9564	0.1	Soil	Granular	No	14.73	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242415.2674	570053.6389	0.9	Peat	Granular	No	1.90	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	242418.2444	571417.7284	0.1	Peat	Granular	No	5.51	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242419.0422	573435.0353	0.3	Peat	Granular	No	12.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242420.1124	572555.9246	0.6	Peat	Granular	No	8.84	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242420.4328	571672.2865	0.8	Peat	Granular	No	7.37	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242420.8037	570575.5757	0.1	Soil	Granular	No	9.63	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242421.7346	573791.8898	0.1	Soil	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242425.1085	571947.4193	0.1	Soil	Cohesive	No	7.09	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242429.3436	572304.3286	0.3	Soil	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242432.9388	572800.4822	0.7	Peat	Granular	No	0.91	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	242432.97	572379.2587	0.3	Soil	Granular	No	17.90	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242436.7308	571293.0817	0.2	Soil	Granular	No	10.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242438.4682	572928.3811	0.6	Soil	Granular	No	3.52	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242439.1318	569929.2275	0.2	Soil	Granular	No	14.69	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242440.3156	570934.1347	0.1	Soil	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242442.9488	573984.8346	0	Soil	Granular	No	6.70	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	242443.5712	570803.213	0.1	Soil	Granular	No	9.37	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242443.8637	573308.9575	0.2	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242448.4906	574142.3882	0.1	Soil	Granular	No	10.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242452.4417	571785.1636	0.4	Peat	Granular	No	2.61	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242452.7782	572140.205	0.3	Peat	Granular	No	4.16	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242458.8082	572662.2223	0.6	Peat	Granular	No	5.87	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242459.999	570448.1738	0.5	Peat	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242462.0229	574022.3114	0.2	Soil	Granular	No	5.22	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242463.6062	574514.4861	0.1	Soil	Granular	No	15.97	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242464.1115	573518.1743	0.3	Peat	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242466.3424	573021.0015	0	Peat	Granular	No	3.15	No Peat	1	0	2	1	0	None
Ph1	ITPEnergised	242466.727	571673.6239	0.1	Soil	Granular	No	9.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242467.4996	573020.8493	1.8	Peat	Granular	No	3.15	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	242470.617	569816.9392	0.1	Soil	Granular	No	11.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242471.6927	570289.6283	0.3	Peat	Rock	No	8.12	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242472.2019	573633.1589	1.3	Peat	Granular	No	5.01	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242474.294	571163.5486	0.2	Soil	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242475.424	573171.0202	1.1	Peat	Granular	No	7.55	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242476.2311	574371.912	0.1	Soil	Granular	No	20.16	Peaty Soil	1	1	1	1	1	Negligible
Ph1	ITPEnergised	242476.2489	571547.6974	0.2	Soil	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242476.5763	570660.7696	0.6	Peat	Granular	No	11.68	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242478.8587	569647.5354	0.4	Soil	Granular	No	10.55	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242483.1293	570142.6428	0.2	Soil	Granular	No	7.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242488.3689	571005.6965	0.2	Soil	Granular	No	7.12	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	242488.6319	570012.1925	0.3	Peat	Rock	No	6.38	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242488.7706	571428.1434	0.2	Soil	Granular	No	5.58	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242492.7031	573392.8551	0.4	Soil	Granular	No	3.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242494.3295	570872.1723	0.2	Soil	Granular	No	7.72	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242494.8643	573866.4597	0.1	Soil	Granular	No	15.37	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242498.3932	573725.3377	0.2	Soil	Granular	No	13.63	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242498.5221	573238.3563	0.2	Peat	Granular	No	14.86	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242499.9155	574228.8654	0.8	Peat	Granular	No	9.31	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242501.7629	572015.9669	0.2	Soil	Granular	No	5.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242504.8077	573091.9179	0.5	Peat	Granular	No	8.81	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242505.2454	574255.7501	0.2	Soil	Granular	No	12.77	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242505.7643	574734.5902	0	Soil	Granular	No	13.32	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	242508.7271	571895.5694	0.1	Soil	Granular	No	2.93	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242512.4665	570532.1927	0.4	Soil	Granular	No	7.43	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242512.6662	572880.2302	0.4	Peat	Granular	No	1.55	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	242516.0075	574092.5464	0.1	Soil	Granular	No	11.04	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242516.3205	572220.5769	0.3	Soil	Granular	No	13.26	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242517.1652	571739.5133	0.2	Soil	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242517.3368	569908.1605	0.6	Peat	Granular	No	8.67	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242520.0247	573612.2193	1.8	Peat	Granular	No	5.52	Thick Peat	1	2	3	1	6	Low
Ph1	ITPEnergised	242521.5196	571241.9712	0.2	Soil	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242523.0884	574593.0279	0.1	Soil	Granular	No	19.90	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242524.1267	573478.8712	0.2	Soil	Granular	No	7.13	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242527.5888	573832.5783	0.1	Soil	Granular	No	17.07	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242527.8414	572599.1356	0.4	Peat	Granular	No	9.02	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242533.4233	574453.3831	0	Soil	Granular	No	23.01	No Peat	1	0	1	1	0	None
Ph1	ITPEnergised	242535.8937	570727.925	0.8	Peat	Granular	No	6.57	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242537.0366	570360.5066	0.2	Soil	Rock	No	18.01	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	242544.5822	573945.4224	0.4	Soil	Granular	No	6.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242549.5464	570089.0193	0.2	Soil	Granular	No	9.66	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242549.8435	570219.1637	0.2	Peat	Granular	No	5.48	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242549.9235	571610.2426	0.3	Peat	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242551.7276	570431.8531	0.3	Soil	Granular	No	9.82	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242555.9044	570955.6231	0.1	Soil	Granular	No	7.19	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242559.0662	572301.7207	0.3	Peat	Granular	No	12.05	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242559.6858	570610.5416	0.4	Soil	Granular	No	4.73	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242563.4596	574321.7673	0	Soil	Rock	No	28.41	No Peat	1	0	1	2	0	None
Ph1	ITPEnergised	242564.5577	574808.6735	0.1	Soil	Granular	No	16.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242566.0431	571108.2204	0.2	Soil	Granular	No	9.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242570.2545	573333.9603	0.2	Soil	Granular	No	17.59	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242571.4239	572106.4828	0.5	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242572.8917	571305.8056	0.2	Soil	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242574.4893	573184.9578	1.4	Peat	Granular	No	5.76	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242576.3631	571970.0614	0.3	Peat	Granular	No	11.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242579.8992	574164.403	0.1	Soil	Granular	No	10.13	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242580.9759	573559.5721	0.6	Peat	Granular	No	4.80	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242587.4753	574687.8339	0.1	Soil	Granular	No	19.33	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242588.2546	573677.9271	0.2	Peat	Granular	No	14.58	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242599.501	570828.1419	1.7	Peat	Granular	No	6.24	Thick Peat	1	2	3	1	6	Low
Ph1	ITPEnergised	242599.5196	570461.0975	0.3	Peat	Granular	No	8.14	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	242600.2944	574526.5605	0.1	Soil	Granular	No	11.63	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242600.3872	571834.352	0.2	Soil	Rock	No	5.08	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242601.0707	571177.216	1.1	Peat	Rock	No	9.35	Thin Peat	1	3	3	2	18	Medium
Ph1	ITPEnergised	242601.8465	571475.5627	0.2	Soil	Granular	No	7.42	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242602.8389	573397.8992	0.2	Soil	Granular	No	3.20	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242605.0826	574046.0602	0.1	Soil	Granular	No	8.34	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242605.3094	572546.5194	0.5	Peat	Granular	No	11.50	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242607.2	569977.3693	0.4	Peat	Granular	No	9.63	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242608.7622	572355.2544	0.1	Soil	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242612.0606	570170.1168	0.3	Soil	Granular	No	1.27	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	242612.4908	574006.1406	1.3	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242613.1162	570296.3883	0.9	Soil	Granular	No	4.52	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242619.2249	573878.7656	0.4	Peat	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242622.6185	572199.0606	0.1	Soil	Granular	No	10.55	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242623.7467	573995.8235	0.4	Soil	Granular	No	3.38	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242627.0008	570879.9902	0.2	Soil	Granular	No	5.66	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242627.1702	572051.9977	0.1	Soil	Rock	No	6.72	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242628.8803	569699.6507	1	Soil	Granular	No	6.37	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242630.8545	570679.154	0.1	Peat	Granular	No	5.92	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242632.4725	571034.9619	0.9	Peat	Granular	No	7.53	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242633.8357	572142.0719	0.1	Peat	Granular	No	7.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242634.6931	572312.4356	0.3	Soil	Granular	No	9.14	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242637.8348	573272.597	1.1	Peat	Granular	No	5.41	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242642.1978	573633.6969	0.2	Soil	Granular	No	3.29	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242642.6515	570555.8737	0.2	Soil	Rock	No	10.12	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242645.947	574772.5026	0.3	Soil	Granular	No	12.89	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242647.3615	574109.6252	0.1	Soil	Granular	No	4.26	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242649.3556	570377.307	0.1	Soil	Granular	No	3.56	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242651.7223	573777.6843	0.2	Soil	Granular	No	13.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242653.0199	572291.7613	0.3	Soil	Granular	No	11.36	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242654.4324	569816.9526	0.1	Soil	Granular	No	13.53	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242658.5731	574052.8691	0	Soil	Rock	No	8.16	No Peat	1	0	3	2	0	None
Ph1	ITPEnergised	242668.8623	570247.8519	1.5	Peat	Rock	No	2.95	Thin Peat	1	3	2	2	12	Low
Ph1	ITPEnergised	242671.3312	570046.5547	0.1	Soil	Rock	No	8.11	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242680.0617	569748.2695	0.3	Soil	Granular	No	7.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242680.5527	570778.1668	0.5	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242681.5002	573972.7064	0.5	Peat	Granular	No	11.96	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242685.7157	573469.46	0.3	Peat	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242695.2645	569900.5592	1	Peat	Granular	No	2.74	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242697.9266	570638.879	1.7	Peat	Rock	No	4.32	Thick Peat	1	2	2	2	8	Low
Ph1	ITPEnergised	242708.2902	572310.9963	0.1	Soil	Rock	No	4.95	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	242708.3513	573342.5879	0.3	Peat	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242710.4725	570122.7068	1.6	Peat	Granular	No	1.83	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	242712.3647	573830.6481	0.3	Peat	Granular	No	4.42	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242717.8288	572325.9024	0.1	Soil	Granular	No	11.27	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242719.9283	570453.7511	0.9	Peat	Granular	No	2.40	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242723.6645	569812.6582	0.3	Soil	Granular	No	5.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242727.2996	573694.097	0.4	Peat	Granular	No	6.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242727.6786	569977.9096	0.1	Soil	Rock	No	5.07	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242728.2092	570328.5233	0	Soil	Rock	No	2.06	No Peat	1	0	2	2	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	242739.9598	573553.486	0.2	Peat	Granular	No	0.52	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	242745.551	570731.641	0.4	Peat	Granular	No	3.10	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242752.3259	570212.8486	0.1	Soil	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242763.3418	570539.9606	0.6	Peat	Granular	No	3.95	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	242769.4688	573423.4204	2.6	Peat	Granular	No	3.84	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	242769.7035	573905.1889	0.3	Peat	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242784.1849	570071.5101	0.1	Superficial	Rock	No	3.85	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	242786.6405	570407.7985	0.9	Soil	Granular	No	0.66	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	242790.1321	573778.0426	0.4	Soil	Granular	No	9.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242793.408	569911.4547	0.1	Soil	Rock	No	6.51	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242799.2108	572290.0281	0.1	Soil	Granular	No	16.12	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242800.3093	572271.8512	0.1	Soil	Granular	No	6.88	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242804.6583	573644.3467	0.4	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242812.9592	570297.6227	0.1	Soil	Granular	No	2.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242824.1221	573509.7152	0.5	Peat	Granular	No	2.22	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242828.2531	569956.641	0.3	Soil	Not Proven	No	4.86	Peaty Soil	1	1	2	0	0	None
Ph1	ITPEnergised	242832.9811	570150.4757	0.3	Soil	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242838.3206	569893.5978	0.1	Soil	Granular	No	2.53	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242850.2913	570354.3993	0.2	Peat	Cohesive	No	1.56	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	242853.6392	569984.1514	0.3	Soil	Rock	No	1.93	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	242860.5033	571176.1563	0.2	Soil	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242864.0633	571352.2104	0.2	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242869.1254	571516.3669	0.2	Soil	Granular	No	6.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242871.5152	571351.7432	0.4	Peat	Rock	No	5.73	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242872.9103	571176.7222	0.6	Peat	Granular	No	5.35	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	242878.789	571510.8474	0.5	Soil	Granular	No	3.85	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242887.8206	569976.7195	0.9	Peat	Rock	No	1.46	Thin Peat	1	3	0	2	0	None
Ph1	ITPEnergised	242888.7527	570229.6787	0.1	Superficial	Rock	No	15.51	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	242894.6301	571122.0462	0.2	Soil	Granular	No	6.74	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242909.3648	570072.3241	0.1	Soil	Rock	No	7.52	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242930.1403	572269.2871	0.1	Soil	Rock	No	13.74	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242934.2895	572258.6709	0.1	Soil	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	242935.544	572254.9131	0.1	Soil	Granular	No	3.10	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242943.1696	570313.2006	0.1	Soil	Rock	No	12.82	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242969.0816	570965.7678	0.2	Peat	Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	242976.6689	570159.0311	0.1	Soil	Rock	No	6.37	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	242978.2963	570975.9698	0.1	Soil	Granular	No	2.93	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243001.7227	571592.7568	0.4	Peat	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243003.7196	571610.7133	0.4	Peat	Granular	No	9.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243004.8036	570660.9964	0.2	Soil	Granular	No	9.42	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	243015.4846	570657.0389	0.1	Soil	Granular	No	8.52	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243021.8932	570839.0633	1.1	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	243030.11	572254.4469	0.1	Soil	Granular	No	4.02	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243035.6051	570838.1726	0.5	Peat	Rock	No	6.35	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	243038.1951	572271.4276	0.1	Soil	Granular	No	16.87	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243048.7394	570225.6513	0.1	Soil	Granular	No	16.19	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243080.8088	570542.5012	0.2	Soil	Granular	No	7.66	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243089.2215	570547.4776	0.1	Soil	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243115.9931	572191.1484	0.1	Soil	Granular	No	3.69	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243126.8451	572208.2548	0.1	Soil	Rock	No	12.82	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	243133.5238	572122.3807	0.1	Peat	Granular	No	7.53	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243145.8706	572099.447	1.2	Peat	Rock	No	5.45	Thin Peat	1	3	3	2	18	Medium
Ph1	ITPEnergised	243146.3266	570410.4725	0.1	Soil	Granular	No	10.12	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243149.532	572151.7445	0.2	Soil	Rock	No	5.53	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	243152.599	571638.4331	0.2	Soil	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243159.9383	572103.3336	1.3	Peat	Granular	No	7.39	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	243165.0442	571625.2423	0.1	Soil	Rock	No	4.40	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	243169.8426	570396.8152	0.1	Soil	Granular	No	10.33	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243170.5401	572079.3095	2.2	Soil	Granular	No	2.38	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	243171.1022	572068.2814	0.6	Peat	Granular	No	1.64	Thin Peat	1	3	0	1	0	None
Ph1	ITPEnergised	243173.0785	572052.8775	0.1	Soil	Granular	No	1.10	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	243175.3362	572132.3291	0.4	Soil	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243179.6597	572103.2725	1.8	Peat	Granular	No	2.73	Thick Peat	1	2	2	1	4	Negligible
Ph1	ITPEnergised	243183.5816	572087.9851	1.8	Peat	Rock	No	2.01	Thick Peat	1	2	2	2	8	Low
Ph1	ITPEnergised	243184.4106	572117.6594	0.7	Peat	Granular	No	6.55	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	243184.9318	572079.6584	1.8	Peat	Granular	No	1.87	Thick Peat	1	2	0	1	0	None
Ph1	ITPEnergised	243186.4593	572053.2986	0.5	Peat	Rock	No	2.61	Peaty Soil	1	1	2	2	4	Negligible
Ph1	ITPEnergised	243186.5494	571904.313	0.2	Soil	Granular	No	3.81	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243186.8747	571764.7506	0.1	Soil	Granular	No	2.71	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243187.4342	572107.4728	0.9	Peat	Granular	No	4.69	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	243188.8358	572041.3893	0.8	Peat	Granular	No	3.45	Thin Peat	1	3	2	1	6	Low
Ph1	ITPEnergised	243189.3465	572050.7646	0.5	Peat	Granular	No	2.61	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243201.1366	571902.9274	0.4	Soil	Granular	No	2.59	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	243205.4615	571765.4524	0.1	Soil	Rock	No	14.89	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	243292.9248	570322.0067	0.6	Superficial	Granular	No	5.38	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	243299.0003	570330.9272	0	Soil	Granular	No	6.05	No Peat	1	0	3	1	0	None
Ph1	ITPEnergised	243457.0238	570387.6521	0.2	Soil	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243458.4803	570409.1174	0.2	Soil	Granular	No	8.18	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243617.4561	570527.9707	0.2	Soil	Granular	No	10.85	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243622.389	570516.4735	0.1	Soil	Granular	No	10.52	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243891.3444	570691.7493	0.2	Soil	Granular	No	11.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	243891.7373	570682.231	0.1	Soil	Granular	No	7.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244086.4623	570596.7546	0.1	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244087.5058	570604.9428	0.1	Soil	Rock	No	8.60	Peaty Soil	1	1	3	2	6	Low
Ph1	ITPEnergised	244314.3143	570556.5443	0.1	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244314.8561	570545.759	0.2	Soil	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244608.5803	570593.902	0.2	Soil	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244620.0194	570574.9031	0.1	Soil	Granular	No	2.80	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244630.3487	570548.5347	0.1	Soil	Granular	No	1.64	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244632.9808	570522.973	0.1	Soil	Granular	No	1.56	Peaty Soil	1	1	0	1	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	244644.3382	570598.5624	0.1	Soil	Granular	No	4.53	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244650.0936	570589.1731	0.1	Soil	Granular	No	3.04	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244654.5067	570523.6918	0.1	Soil	Granular	No	1.47	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244659.1182	570560.5668	0.1	Soil	Granular	No	1.63	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244666.2513	570569.6195	0.1	Soil	Granular	No	1.61	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244668.8699	570609.9431	0.1	Soil	Granular	No	4.59	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244679.7672	570534.8434	0.1	Soil	Granular	No	1.41	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244684.5662	570539.9852	0.1	Soil	Granular	No	1.41	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244693.0191	570623.213	0.4	Soil	Granular	No	4.38	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244695.8546	570493.9255	0.2	Soil	Granular	No	1.04	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244708.7493	570588.6007	0.3	Soil	Granular	No	2.01	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244711.707	570546.3012	0.1	Soil	Granular	No	1.93	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244713.1462	570468.2989	0.4	Peat	Rock	No	1.42	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	244726.5533	570514.4864	0.1	Soil	Granular	No	2.10	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244732.8239	570494.1259	0.3	Peat	Granular	No	1.80	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244740.2468	570518.5775	0.1	Soil	Granular	No	2.55	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244823.0875	570547.9465	0.4	Soil	Granular	No	2.24	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244825.2271	570511.2447	0.3	Soil	Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244839.7462	570484.7314	0.1	Soil	Granular	No	2.52	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244854.9598	570568.2259	0.5	Soil	Granular	No	2.15	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244858.1887	570498.3673	0.9	Soil	Granular	No	6.84	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	244878.8445	570599.0868	0.1	Soil	Rock	No	1.02	Peaty Soil	1	1	0	2	0	None
Ph1	ITPEnergised	244885.3027	570596.0959	0.1	Soil	Granular	No	1.41	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244886.1543	570505.6949	0.1	Soil	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244887.5021	570478.7489	0.2	Soil	Granular	No	7.83	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244891.6299	570526.3348	0.2	Soil	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244899.017	570493.8506	0.6	Soil	Granular	No	7.70	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	244900.4879	570548.5081	0.1	Soil	Granular	No	7.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244910.4023	570578.9818	0.3	Peat	Granular	No	4.27	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244915.7033	570525.4438	0.1	Soil	Granular	No	3.99	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244924.944	570514.6899	0.2	Soil	Granular	No	4.28	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244928.2173	570561.3398	0.2	Soil	Granular	No	5.78	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	244948.7257	570543.8271	0.2	Soil	Granular	No	1.22	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	244950.1337	570509.3785	0.4	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244968.1235	570489.0763	0.4	Soil	Granular	No	3.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244969.6008	570526.4144	0.2	Soil	Granular	No	2.48	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	244989.0243	570510.2205	0.3	Soil	Granular	No	3.02	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245167.0763	570284.1357	0.4	Soil	Granular	No	4.15	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245195.2101	570294.7642	0.2	Soil	Granular	No	7.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245289.1831	570115.5951	0.5	Soil	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245307.5723	570123.6834	0.2	Soil	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245464.1198	569968.845	0.9	Soil	Granular	No	5.97	Thin Peat	1	3	3	1	9	Low
Ph1	ITPEnergised	245472.4762	569974.1064	0.1	Soil	Granular	No	9.07	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245475.7419	569729.4107	0.2	Soil	Granular	No	1.15	Peaty Soil	1	1	0	1	0	None
Ph1	ITPEnergised	245494.5315	569738.2467	0.1	Soil	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245511.3851	569550.0174	0.3	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245526.6965	569548.0594	0.1	Soil	Granular	No	6.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245623.5621	569430.0977	0.1	Soil	Granular	No	2.56	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245623.9813	569415.9744	0.4	Soil	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245687.2463	569305.8407	0.4	Soil	Granular	No	6.68	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph1	ITPEnergised	245706.2887	569298.778	0.1	Soil	Granular	No	7.04	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245777.0682	569115.2427	0.1	Soil	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245777.6514	569136.1637	0.1	Soil	Granular	No	4.77	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245800.5507	569120.6971	0.2	Soil	Granular	No	3.58	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	245898.279	568996.4495	0.3	Soil	Granular	No	6.08	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	245911.7305	569010.7631	0.1	Soil	Granular	No	2.82	Peaty Soil	1	1	2	1	2	Negligible
Ph1	ITPEnergised	246074.4451	568970.2959	0.1	Soil	Granular	No	8.64	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246078.1132	568944.7733	0.1	Soil	Granular	No	11.15	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246234.91	569002.4229	0.1	Soil	Granular	No	10.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246238.5378	568998.9756	0.1	Soil	Granular	No	10.50	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246266.3615	569193.7585	0.1	Soil	Granular	No	8.59	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246278.5478	569107.1087	0.2	Soil	Granular	No	10.17	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246279.3936	569183.2114	0.2	Soil	Granular	No	8.01	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246284.2614	569092.9338	0.1	Soil	Granular	No	11.57	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246333.0327	569185.5626	0.2	Soil	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246337.4503	569197.1816	0.1	Soil	Granular	No	7.47	Peaty Soil	1	1	3	1	3	Negligible
Ph1	ITPEnergised	246354.1384	569189.4229	0.2	Soil	Granular	No	6.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	240925.2823	572469.4826	0.3	Peat	Rock	No	9.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	240929.9706	572457.6888	0.3	Peat	Rock	No	9.48	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	240940.749	572455.1326	0.1	Peat	Rock	No	13.81	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	240961.3341	572501.1835	0.2	Peat	Granular	No	13.18	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	240964.6401	572490.985	0.1	Soil	Granular	No	15.84	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	240976.0205	572483.1722	0.1	Soil	Granular	No	24.13	Peaty Soil	1	1	1	1	1	Negligible
Ph2	ITPEnergised	241007.3275	572521.8049	0.2	Peat	Granular	No	11.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241016.419	572512.9219	0.2	Soil	Granular	No	22.91	Peaty Soil	1	1	1	1	1	Negligible
Ph2	ITPEnergised	241021.2019	572502.5595	0.2	Soil	Granular	No	22.41	Peaty Soil	1	1	1	1	1	Negligible
Ph2	ITPEnergised	241045.1786	572543.5332	0.1	Soil	Rock	No	12.39	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241050.8054	572536.5002	0.1	Soil	Rock	No	16.80	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241057.1661	572529.1081	0.1	Soil	Rock	No	23.34	Peaty Soil	1	1	1	2	2	Negligible
Ph2	ITPEnergised	241057.3804	572529.1372	0.1	Soil	Rock	No	23.34	Peaty Soil	1	1	1	2	2	Negligible
Ph2	ITPEnergised	241062.7712	572492.7061	0.1	Soil	Rock	No	15.53	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241065.0032	572502.9679	0.1	Soil	Rock	No	16.86	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241067.8969	572511.7392	0.1	Soil	Rock	No	20.54	Peaty Soil	1	1	1	2	2	Negligible
Ph2	ITPEnergised	241087.4146	572572.494	0.1	Soil	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241093.4908	572566.393	0.1	Soil	Granular	No	16.84	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241114.0702	572480.7991	0.1	Soil	Rock	No	7.38	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241114.6328	572491.2128	0.1	Soil	Rock	No	6.59	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241114.7886	572501.8816	0.1	Peat	Rock	No	8.62	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241118.9194	572619.4188	0.2	Peat	Rock	No	18.86	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241123.5647	572608.7829	0.1	Soil	Rock	No	13.41	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241131.3522	572601.3212	0.2	Peat	Rock	No	14.50	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241150.6987	572651.0003	0.1	Peat	Rock	No	15.93	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241156.0332	572643.8475	0.1	Peat	Rock	No	17.86	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241160.3413	572513.4421	0.1	Peat	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241163.885	572502.4177	0.1	Soil	Granular	No	3.10	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241164.5892	572635.8015	0.2	Peat	Rock	No	16.92	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241165.3271	572492.2857	0.1	Soil	Granular	No	12.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241181.1275	572677.0216	0.1	Soil	Rock	No	10.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241191.2627	572677.6824	0.1	Soil	Rock	No	11.30	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241200.8172	572676.1172	0.1	Soil	Rock	No	11.35	Peaty Soil	1	1	3	2	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241203.2888	572665.2424	0.1	Soil	Rock	No	13.66	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241211.8498	572674.7222	0.1	Soil	Rock	No	12.10	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241213.6447	572520.1035	0.1	Soil	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241218.5335	572511.2045	0.4	Peat	Rock	No	10.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241219.7203	572502.288	0.6	Peat	Rock	No	15.91	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241222.6145	572674.1911	0.1	Soil	Rock	No	12.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241225.4238	572731.2713	0.3	Peat	Cohesive	No	8.33	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241226.123	572662.7781	0.2	Peat	Rock	No	15.15	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241227.2245	572718.0255	0.2	Peat	Cohesive	No	6.59	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241228.5531	572690.9109	0.3	Peat	Rock	No	8.08	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241228.9416	572639.7686	0.4	Peat	Granular	No	14.76	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241229.0042	572649.9217	0.3	Peat	Granular	No	15.45	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241229.0066	572706.3588	0.4	Peat	Rock	No	6.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241229.2227	572629.678	0.6	Peat	Granular	No	15.02	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241229.3985	572679.2964	0.1	Soil	Rock	No	11.31	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241240.4999	572679.2357	0.1	Soil	Rock	No	11.09	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241250.4239	572677.8612	0.2	Soil	Rock	No	11.84	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241251.7377	572710.898	0.5	Peat	Granular	No	5.12	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241256.3129	572497.9601	0.5	Peat	Rock	No	13.62	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241257.8731	572694.769	0.5	Peat	Granular	No	4.93	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241258.5745	572685.7027	0.1	Peat	Granular	No	7.68	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241260.9724	572676.3532	0.2	Soil	Rock	No	11.75	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241262.291	572510.39	0.1	Soil	Granular	No	3.83	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241263.7758	572521.8481	0.1	Peat	Rock	No	11.16	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241264.0791	572660.8344	0.4	Soil	Rock	No	13.58	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241266.8493	572743.2201	0.9	Peat	Granular	No	8.14	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241267.2381	572690.2767	0.5	Peat	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241269.7194	572708.1599	0.9	Peat	Granular	No	2.79	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241272.3989	572676.1329	0.1	Soil	Rock	No	10.01	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241278.1237	572733.0359	0.9	Peat	Granular	No	4.49	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241278.3311	572716.6722	0.6	Peat	Granular	No	2.88	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241279.8464	572693.3003	0.4	Peat	Granular	No	5.47	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241280.6569	572675.5975	0.4	Soil	Rock	No	7.93	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241285.4025	572724.1623	0.9	Peat	Granular	No	2.99	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241290.2001	572748.9995	0.4	Peat	Granular	No	6.34	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241292.2407	572685.8054	0.3	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241294.1419	572699.9765	1.3	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241299.7146	572536.0342	0.9	Peat	Granular	No	7.41	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241300.4857	572709.2011	1.1	Peat	Granular	No	3.27	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241302.796	572756.7754	0.5	Peat	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241305.5184	572693.557	0.8	Peat	Granular	No	2.32	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241308.0178	572525.0646	0.1	Soil	Granular	No	2.47	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241314.4428	572774.4619	0.2	Peat	Granular	No	5.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241314.7446	572519.255	0.7	Peat	Granular	No	8.52	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241320.0046	572761.6962	0.2	Peat	Granular	No	6.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241321.2745	572753.3147	0.2	Peat	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241334.2378	572764.5318	0.3	Peat	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241337.1729	572567.767	0.1	Soil	Granular	No	2.44	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241342.0013	572545.7633	0.1	Soil	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241343.1071	572553.4655	0.1	Soil	Granular	No	3.27	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241352.5284	572802.2928	0.4	Peat	Granular	No	7.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241355.9353	571210.8475	0.2	Peat	Rock	No	5.54	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241358.677	572792.2342	0.3	Peat	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241358.9468	571248.7617	0.3	Soil	Granular	No	8.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241359.2993	571156.8708	0.1	Peat	Rock	No	3.04	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241363.7563	572803.3974	0.4	Peat	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241365.0544	571158.1879	0.1	Peat	Rock	No	2.59	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241366.9017	571209.2884	0.2	Peat	Rock	No	4.10	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241366.9892	572783.3251	0.3	Peat	Granular	No	5.44	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241369.564	571308.2567	0.2	Peat	Granular	No	6.76	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241370.9616	571154.1731	0.1	Soil	Rock	No	3.04	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241373.4266	571205.8441	0.1	Soil	Rock	No	4.16	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241374.0057	571104.7	0.1	Peat	Rock	No	5.98	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241374.6007	571253.3105	0.1	Soil	Rock	No	8.52	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241376.6256	571252.6449	0.1	Soil	Rock	No	9.05	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241379.3675	572820.7015	0.4	Peat	Granular	No	6.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241379.5111	571206.2228	0.1	Soil	Granular	No	4.54	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241379.9648	571155.6165	0.1	Soil	Granular	No	2.71	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241380.0094	571308.2565	0.1	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241383.7291	571108.9962	0.1	Peat	Rock	No	6.23	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241387.812	572583.8273	0.5	Peat	Granular	No	4.03	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241388.1887	572815.6172	0.4	Peat	Granular	No	8.19	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241390.0061	572570.5309	0.1	Soil	Granular	No	3.07	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241391.3951	572805.3736	0.4	Peat	Granular	No	9.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241392.1694	571114.7114	0.2	Soil	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241392.2624	571308.0819	0.1	Soil	Granular	No	9.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241393.3579	571353.6385	0.4	Peat	Granular	No	3.73	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241396.0433	572563.4738	1.2	Peat	Granular	No	1.36	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241405.7784	571059.8696	0.2	Peat	Rock	No	7.27	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241407.4653	571343.7987	0.1	Soil	Granular	No	5.82	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241414.2779	571340.2786	0.1	Soil	Granular	No	6.22	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241415.5556	571063.2728	0.1	Soil	Rock	No	7.71	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241421.25	571068.5843	0.6	Soil	Granular	No	8.80	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241425.2167	571394.204	0.1	Peat	Granular	No	2.79	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241432.8936	571388.9556	0.1	Soil	Granular	No	3.61	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241435.6205	571018.844	0.1	Peat	Rock	No	6.78	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241436.7431	571039.4432	0.1	Soil	Rock	No	7.52	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241437.1397	571387.7467	0.1	Soil	Granular	No	4.38	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241437.3599	572598.608	1.5	Peat	Granular	No	2.48	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241438.0898	572589.4293	0.1	Soil	Granular	No	1.05	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241440.4248	571041.2617	0.4	Soil	Granular	No	8.44	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241440.6909	572577.6779	0.9	Peat	Granular	No	1.51	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241450.4366	571433.5016	0.1	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241456.85	572596.2816	0.1	Soil	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241457.986	571467.6346	0.1	Peat	Rock	No	7.18	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241462.3174	571430.3686	0.1	Soil	Granular	No	6.04	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241464.5258	571436.9745	0.1	Soil	Rock	No	6.53	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241466.9818	571429.2194	0.1	Soil	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241473.2698	570986.9258	0.2	Peat	Rock	No	6.47	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241474.2851	571454.0224	0.1	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241474.5464	571484.2192	0.1	Peat	Rock	No	6.37	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241475.0107	571467.8466	0.1	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241477.105	571009.9026	0.1	Soil	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241479.4415	571451.4077	0.9	Soil	Granular	No	6.99	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241482.4287	572570.7742	0.1	Peat	Rock	No	4.20	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241483.8389	571405.1727	0.3	Peat	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241486.0837	571376.7448	0.3	Peat	Granular	No	5.26	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241487.0685	572581.2849	0.1	Peat	Rock	No	3.10	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241488.1711	571352.2946	0.4	Peat	Granular	No	5.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241489.3484	571502.6664	0.3	Peat	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241490.3524	571391.7977	0.3	Peat	Granular	No	6.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241490.7576	571455.6386	0.9	Soil	Granular	No	6.80	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241492.4794	572591.581	0.1	Soil	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241493.1579	571401.7052	0.3	Peat	Granular	No	6.55	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241494.5052	571223.2475	0.1	Soil	Granular	No	7.12	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241494.9069	571363.5106	0.6	Peat	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241498.1778	571419.887	0.7	Peat	Granular	No	6.40	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241498.3682	571486.8633	0.3	Peat	Granular	No	8.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241499.94	570776.4764	0.2	Peat	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241501.2221	571279.1095	0.1	Soil	Granular	No	3.81	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241501.7632	571220.3166	0.1	Soil	Granular	No	6.70	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241502.9615	571329.8261	0.4	Peat	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241504.2683	571233.7802	0.1	Soil	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241504.5528	570758.1855	0.2	Peat	Granular	No	2.17	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241506.0399	571349.8224	0.4	Peat	Granular	No	5.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241506.3939	571217.0144	0.1	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241507.0963	571409.3417	0.4	Peat	Granular	No	5.76	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241508.2961	571299.7648	0.4	Peat	Granular	No	3.15	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241509.4673	571320.7399	0.4	Peat	Granular	No	3.41	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241509.5869	570690.0447	0.7	Soil	Granular	No	3.54	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241512.0942	570954.9339	0.1	Soil	Granular	No	7.68	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241512.3988	571254.2287	0.1	Soil	Granular	No	4.36	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241514.0229	570775.9544	0.7	Peat	Granular	No	1.53	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241514.0342	571309.3265	0.8	Peat	Granular	No	3.11	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241515.7499	571356.161	0.5	Peat	Granular	No	5.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241516.0537	570844.9071	0.1	Soil	Granular	No	4.60	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241516.6331	570759.3017	0.2	Peat	Granular	No	1.28	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241517.1462	571526.557	0.3	Peat	Granular	No	3.62	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241517.643	570962.2947	0.1	Soil	Granular	No	7.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241518.0733	570904.2252	0.1	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241519.322	571217.8176	0.2	Soil	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241519.8791	570934.6635	0.1	Soil	Granular	No	8.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241520.6129	571289.0622	0.1	Peat	Rock	No	3.04	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241522.1963	570971.395	0.1	Soil	Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241523.9283	571309.1246	0.5	Peat	Granular	No	3.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241523.9896	570799.4199	1.2	Peat	Granular	No	1.81	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241524.4039	571207.188	0.2	Soil	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241525.235	571516.988	0.1	Soil	Granular	No	3.82	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241527.4574	571273.2796	0.1	Peat	Rock	No	4.55	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241528.5838	570848.8991	0.1	Soil	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241530.6578	571247.7139	0.1	Peat	Rock	No	7.08	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241531.678	570756.8743	0.7	Peat	Granular	No	1.44	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241531.8415	571221.2351	0.2	Soil	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241531.9394	572580.0068	0.9	Peat	Rock	No	5.27	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	241531.9992	570812.539	0.9	Peat	Rock	No	3.83	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241532.0666	571508.6688	0.4	Peat	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241532.8299	570777.6072	1.2	Peat	Granular	No	0.99	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241534.4701	570800.9784	0.9	Peat	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241534.5404	570850.1736	0.2	Peat	Rock	No	5.34	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241534.5503	570937.0568	0.1	Soil	Granular	No	8.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241534.6994	572582.3404	1	Peat	Rock	No	5.27	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	241534.8976	570896.926	0.3	Peat	Granular	No	6.77	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241535.0431	572568.887	0.1	Soil	Granular	No	5.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241535.1685	571211.2592	0.2	Soil	Granular	No	5.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241535.9984	572589.1826	1.2	Peat	Rock	No	6.09	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	241537.0921	572558.1021	0.7	Peat	Granular	No	1.99	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241538.1334	571189.8778	0.3	Peat	Rock	No	5.18	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241538.4985	571209.4881	0.3	Peat	Rock	No	4.88	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241540.4266	571272.5408	0.3	Peat	Rock	No	4.69	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241540.6428	571262.3969	0.1	Peat	Rock	No	5.01	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241540.8343	571238.6266	0.4	Peat	Rock	No	8.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241541.2407	570748.1988	0.2	Peat	Granular	No	2.93	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241541.5795	571198.8905	0.4	Peat	Rock	No	4.78	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241541.6636	571178.41	0.3	Peat	Rock	No	6.21	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241542.0402	571228.4108	0.1	Peat	Rock	No	7.27	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241542.0716	571171.2667	0.1	Peat	Rock	No	6.31	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241542.6517	571248.049	0.3	Peat	Rock	No	8.46	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241543.0134	571221.9213	0.2	Soil	Granular	No	6.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241544.0421	570920.3828	0.1	Peat	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241544.3122	571232.3034	0.2	Soil	Granular	No	8.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241544.6865	570636.5941	0.1	Soil	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241545.4256	570889.9059	0.1	Peat	Rock	No	7.43	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241545.4548	571281.9417	0.2	Peat	Rock	No	4.55	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241546.1555	570930.9275	0.1	Soil	Granular	No	8.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241547.0361	570805.3779	1	Peat	Granular	No	4.03	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241549.374	570610.8075	0.1	Soil	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241550.2532	570749.884	0.4	Peat	Granular	No	3.24	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241551.0037	571263.9228	0.3	Peat	Rock	No	4.76	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241552.0617	570630.3175	0.1	Soil	Granular	No	5.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241554.3285	570935.7246	0.1	Soil	Granular	No	8.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241555.4209	570661.2387	0.2	Soil	Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241555.4858	570604.1124	0.1	Soil	Granular	No	5.72	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241556.1698	571243.8278	0.1	Peat	Rock	No	9.34	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241556.6964	570726.9691	0.2	Peat	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241557.9717	571215.8334	0.2	Soil	Granular	No	5.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241560.1362	570669.9268	0.2	Soil	Granular	No	5.38	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241560.2451	570707.8883	0.2	Peat	Granular	No	6.16	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241560.5942	571218.1731	0.2	Soil	Granular	No	5.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241561.6649	571290.1484	0.2	Peat	Rock	No	4.82	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241561.9732	570754.797	0.3	Peat	Rock	No	6.50	Peaty Soil	1	1	3	2	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241563.1589	570687.7541	0.2	Peat	Granular	No	5.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241563.7963	571235.0461	0.4	Peat	Rock	No	8.66	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241565.8052	571546.0495	0.2	Peat	Rock	No	2.92	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241568.078	570595.7004	0.1	Soil	Granular	No	6.61	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241569.6976	570709.0389	0.2	Peat	Rock	No	6.90	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241572.9563	571245.7296	0.4	Peat	Rock	No	9.77	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241578.9111	571541.9644	0.1	Soil	Granular	No	3.50	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241579.6365	572599.4585	0.2	Soil	Granular	No	2.92	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241580.0692	572587.0056	0.1	Soil	Granular	No	1.09	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241580.9103	571534.2634	0.1	Soil	Granular	No	3.49	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241583.1451	570713.3137	0.2	Peat	Granular	No	9.74	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241583.8616	570665.2234	0.3	Peat	Rock	No	5.42	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241584.0331	572577.8792	0.9	Soil	Granular	No	2.09	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241587.9082	570034.2975	0.2	Peat	Rock	No	3.35	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241588.1626	570896.2794	0.1	Soil	Granular	No	8.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241590.194	570902.4083	0.1	Soil	Granular	No	9.43	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241595.4271	570593.2644	0.1	Soil	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241597.5083	571809.328	1	Peat	Granular	No	1.17	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241601.9715	570030.6053	0.4	Peat	Rock	No	6.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241602.0273	571576.1579	0.4	Peat	Rock	No	3.03	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241602.6711	572749.594	1.8	Peat	Granular	No	3.56	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	241602.8527	572697.3087	0.6	Peat	Granular	No	5.22	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241603.3612	570663.8267	0.1	Peat	Rock	No	6.79	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241604.4207	570610.6561	0.1	Soil	Granular	No	5.38	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241607.3953	571805.9508	0.7	Peat	Granular	No	1.39	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241607.8684	572547.3284	0.5	Peat	Granular	No	0.75	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241609.9001	571568.6195	0.1	Soil	Granular	No	4.44	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241610.7891	572747.5237	1.8	Peat	Granular	No	4.01	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	241613.1548	572439.9834	0.3	Soil	Granular	No	6.28	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241613.2631	572645.9225	0.7	Peat	Granular	No	4.42	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241613.5487	570654.1089	0.1	Peat	Granular	No	6.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241613.5853	572468.949	0.4	Peat	Rock	No	3.70	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241613.8927	570031.2041	0.5	Peat	Rock	No	7.12	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241613.9559	570613.233	0.1	Peat	Rock	No	6.23	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241614.3997	572596.4983	0.1	Soil	Rock	No	2.04	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241614.452	571562.4041	0.1	Soil	Granular	No	4.35	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241614.4812	571754.5903	0.4	Peat	Rock	No	3.81	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241615.6976	572698.8947	0.4	Peat	Rock	No	4.75	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241616.4406	570626.1215	0.3	Peat	Rock	No	5.66	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241618.145	571715.3253	0.5	Peat	Rock	No	1.38	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241618.3484	570575.2043	1	Peat	Granular	No	7.24	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241618.5018	570609.3214	0.1	Soil	Granular	No	7.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241618.5327	571805.9455	0.7	Peat	Rock	No	1.49	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241619.8258	570690.5896	0.2	Peat	Rock	No	7.52	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241620.214	570700.9349	0.1	Peat	Rock	No	7.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241620.2209	572743.4018	2.1	Peat	Granular	No	3.00	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	241621.1738	571755.5959	0.9	Peat	Granular	No	3.79	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241621.5667	572649.0809	0.7	Peat	Granular	No	3.93	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241621.6061	570618.9209	0.1	Soil	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241621.6361	572608.0498	0.9	Peat	Granular	No	3.44	Thin Peat	1	3	2	1	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241622.3562	570585.6073	1	Peat	Granular	No	7.95	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241622.8158	570598.5676	0.2	Soil	Granular	No	8.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241623.5335	571810.9855	0.9	Peat	Rock	No	1.51	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241624.9176	570031.8157	0.5	Peat	Rock	No	6.73	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241625.38	570632.0612	0.5	Peat	Granular	No	5.34	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241626.2792	572701.3228	0.7	Peat	Granular	No	3.56	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241626.3186	572582.8013	0.1	Peat	Granular	No	2.16	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241626.3613	571757.4737	1	Peat	Rock	No	3.78	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241627.1756	570886.7087	0.1	Soil	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241627.3494	570671.349	0.5	Peat	Granular	No	4.23	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241627.8931	571660.8061	0.3	Peat	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241628.0928	571617.4135	0.5	Peat	Granular	No	1.80	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241628.2263	572568.3278	0.2	Peat	Granular	No	0.74	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241628.2935	572598.1774	0.1	Soil	Granular	No	3.14	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241629.4512	570655.0854	0.5	Peat	Rock	No	4.87	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241629.9614	571806.6351	1	Peat	Rock	No	1.49	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241630.3492	571712.9053	0.4	Peat	Rock	No	1.84	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241631.4921	572796.2275	0.5	Peat	Granular	No	2.35	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241632.7284	572649.8165	0.7	Peat	Granular	No	4.05	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241634.5825	572515.6931	0.6	Peat	Granular	No	2.22	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241635.4343	570874.367	0.2	Peat	Rock	No	4.93	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241635.821	570031.7076	0.4	Peat	Rock	No	9.90	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241636.4897	572550.8062	0.5	Peat	Granular	No	0.84	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241637.0087	572472.2393	1	Peat	Rock	No	4.28	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241638.3074	571799.2102	0.7	Peat	Rock	No	1.34	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241638.3455	570630.5611	0.5	Peat	Rock	No	4.38	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241638.5174	571666.7784	0.1	Soil	Granular	No	4.96	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241638.6733	571805.9184	0.6	Peat	Rock	No	1.44	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241639.1454	572527.4531	0.5	Peat	Granular	No	1.97	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241639.6679	572787.9732	0.2	Peat	Granular	No	1.60	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241640.1356	571614.6461	0.1	Soil	Granular	No	3.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241640.5883	570031.3158	0.1	Peat	Rock	No	9.99	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241640.6045	570051.9409	0.1	Peat	Rock	No	11.45	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241640.7103	570000.7357	0.1	Peat	Rock	No	7.18	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241641.033	570071.2525	0.1	Peat	Rock	No	5.71	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241641.3146	570084.0142	0.9	Peat	Granular	No	3.99	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241641.5093	570040.4359	0.1	Peat	Rock	No	11.37	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241641.6221	570062.2828	0.3	Peat	Rock	No	8.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241641.7348	570011.8748	0.1	Peat	Rock	No	1.25	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241642.128	569982.3243	0.1	Peat	Rock	No	15.86	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241642.1325	572811.7417	0.9	Peat	Granular	No	1.72	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241642.1631	569991.1416	0.1	Peat	Rock	No	11.58	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241642.5263	570021.5564	0.2	Peat	Rock	No	6.04	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241643.0049	571712.0854	0.3	Peat	Rock	No	3.83	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241643.2619	572419.7008	0.9	Soil	Granular	No	5.44	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241643.6973	570896.1477	0.1	Soil	Granular	No	4.46	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241645.3083	571669.0437	0.1	Soil	Granular	No	2.28	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241647.2359	571805.2059	0.3	Peat	Granular	No	1.38	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241647.4346	571816.821	0.2	Peat	Rock	No	1.45	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241647.4452	571825.843	0.1	Peat	Rock	No	1.43	Peaty Soil	1	1	0	2	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241647.9797	571787.3753	0.4	Peat	Granular	No	0.97	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241648.0823	571845.6107	0.1	Peat	Granular	No	1.72	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241648.2858	571752.0913	0.1	Peat	Rock	No	3.65	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241648.5437	572514.4549	3.5	Peat	Granular	No	3.54	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	241648.5554	571836.0881	0.3	Peat	Granular	No	1.48	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241648.5608	571765.5594	0.3	Peat	Granular	No	2.78	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241648.7178	571778.1039	0.1	Peat	Rock	No	1.23	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241648.9191	571856.8679	0.4	Peat	Rock	No	2.53	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241649.1157	572565.4514	0.3	Peat	Granular	No	2.26	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241649.1645	571797.6188	0.4	Peat	Granular	No	1.23	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241649.2068	571609.6094	0.9	Peat	Granular	No	2.01	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241649.4934	570628.6621	0.1	Peat	Rock	No	4.18	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241650.3348	572608.8316	0.1	Soil	Granular	No	1.86	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241651.4602	572499.8521	0.9	Peat	Granular	No	4.11	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241652.8538	570063.6111	0.1	Peat	Rock	No	12.01	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241653.1088	570029.2569	0.2	Soil	Rock	No	10.94	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241653.3839	572366.3244	0.4	Peat	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241654.2554	572519.7103	1.4	Peat	Granular	No	3.21	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241654.9168	572543.7655	1	Peat	Granular	No	1.83	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241655.2522	572479.5563	1.6	Peat	Rock	No	3.16	Thick Peat	1	2	2	2	8	Low
Ph2	ITPEnergised	241655.8639	572618.8653	0.3	Peat	Granular	No	3.01	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241656.4547	572839.3412	0.4	Peat	Granular	No	1.65	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241656.804	570632.3015	0.3	Peat	Granular	No	5.38	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241659.1158	571805.3782	0.2	Peat	Granular	No	1.34	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241660.6669	572526.3521	1	Peat	Granular	No	2.51	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241661.1272	572603.0653	0.1	Soil	Granular	No	2.15	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241661.3795	570044.2984	0.1	Peat	Rock	No	10.16	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241661.9418	572502.1535	1	Peat	Granular	No	3.74	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241663.4329	570031.4718	0.2	Soil	Rock	No	8.06	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241664.3076	572557.1153	0.7	Peat	Granular	No	2.82	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241665.9275	572425.0788	0.4	Soil	Granular	No	2.66	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241665.9908	572832.1526	0.5	Peat	Granular	No	1.51	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241666.5096	572519.6654	0.4	Peat	Granular	No	3.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241667.3464	571805.8293	0.3	Peat	Granular	No	1.21	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241667.6362	571817.6606	0.3	Soil	Granular	No	1.35	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241667.9499	572493.5117	1.3	Peat	Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241667.9658	570013.0247	0.1	Peat	Rock	No	10.44	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241668.2869	570627.5135	0.1	Peat	Rock	No	7.41	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241669.2445	570065.963	0.1	Peat	Rock	No	11.79	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241669.3401	571836.5851	0.3	Soil	Granular	No	1.57	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241671.9519	572639.4026	0.6	Peat	Rock	No	5.30	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	241673.85	572599.699	0.1	Soil	Granular	No	2.56	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241675.5764	572390.9671	0.4	Peat	Granular	No	4.76	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241676.078	570033.5298	0.2	Soil	Rock	No	9.42	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241677.4085	571806.7901	0.4	Peat	Granular	No	0.93	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241677.4342	571826.7655	0.5	Peat	Granular	No	1.23	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241677.6687	572594.2905	0.5	Soil	Granular	No	3.03	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241677.7872	571826.4934	0.5	Peat	Granular	No	1.23	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241678.7829	572323.183	0.1	Soil	Granular	No	3.44	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241678.7876	570871.6414	0.1	Soil	Granular	No	7.09	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241678.9515	570053.4777	0.1	Peat	Rock	No	9.86	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241679.5594	572620.531	0.5	Peat	Rock	No	3.55	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241679.7349	571843.9835	0.3	Soil	Granular	No	1.65	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241680.0531	572544.8421	0.9	Peat	Granular	No	1.28	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241680.5062	572824.9165	0.9	Peat	Granular	No	1.96	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241680.7699	572868.1268	0.4	Peat	Granular	No	3.11	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241681.3294	572842.7094	1.2	Peat	Cohesive	No	3.13	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241681.4865	571812.7707	0.3	Soil	Granular	No	0.74	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241683.4888	570034.2507	0.2	Soil	Rock	No	10.08	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241684.0861	571789.6224	0.3	Peat	Granular	No	0.98	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241684.3492	572881.2361	0.9	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241684.3551	571834.188	0.3	Soil	Granular	No	1.16	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241684.5926	572582.9061	0.5	Soil	Granular	No	3.72	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241686.7711	572360.4385	0.4	Peat	Granular	No	4.97	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241687.874	572605.1954	0.2	Soil	Granular	No	1.03	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241687.9104	570883.3668	0.1	Soil	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241688.0837	571805.4837	0.2	Peat	Granular	No	0.97	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241689.3392	571863.7518	0.3	Peat	Granular	No	4.39	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241689.4477	570859.3083	0.1	Peat	Rock	No	8.30	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241690.4978	571818.7335	0.3	Soil	Granular	No	0.71	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241691.4869	572871.682	0.9	Peat	Granular	No	3.71	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241692.1873	572575.3965	0.2	Soil	Granular	No	4.62	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241694.2845	572412.9353	0.4	Peat	Granular	No	2.76	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241694.4835	570031.2992	0.2	Soil	Rock	No	9.53	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241694.6397	571831.8172	0.3	Soil	Granular	No	1.03	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241694.6568	572946.3131	0.3	Peat	Granular	No	4.59	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241695.3949	572616.8126	0.2	Soil	Granular	No	2.31	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241697.2139	571843.9418	0.3	Peat	Granular	No	1.68	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241698.1935	570076.0579	0.3	Peat	Rock	No	11.66	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241698.3782	572981.7696	0.4	Soil	Granular	No	7.69	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241698.5055	570052.6366	0.1	Peat	Rock	No	10.56	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241699.107	571804.6662	0.6	Peat	Granular	No	1.73	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241701.1571	572617.4815	1	Peat	Rock	No	2.31	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241701.8401	571871.217	0.3	Peat	Granular	No	6.03	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241702.2296	572866.939	1.2	Peat	Granular	No	3.70	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241703.6227	572565.8015	0.6	Soil	Granular	No	5.62	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241705.2755	572304.7188	0.1	Soil	Granular	No	3.80	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241706.2599	572280.1407	1.5	Peat	Rock	No	7.36	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	241706.5551	571817.9547	0.3	Peat	Granular	No	2.98	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241707.4795	571832.2909	0.3	Soil	Granular	No	3.42	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241707.4978	572985.6978	0.4	Soil	Granular	No	5.79	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241708.0053	572881.5298	1.3	Peat	Granular	No	4.17	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241708.9359	571864.3379	0.3	Peat	Granular	No	5.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241709.72	572340.1129	0.4	Peat	Granular	No	1.49	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241711.3705	572991.7425	0.8	Peat	Granular	No	6.25	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241711.7827	572929.09	0.6	Peat	Granular	No	3.24	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241711.8211	572593.3577	0.3	Peat	Rock	No	2.74	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241712.5343	572494.3632	0.2	Soil	Granular	No	2.47	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241712.6431	572372.3841	0.4	Peat	Granular	No	2.17	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241712.7855	570030.9659	0.2	Soil	Rock	No	7.82	Peaty Soil	1	1	3	2	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241713.0215	572514.1172	0.2	Soil	Granular	No	2.39	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241713.5467	572949.0583	0.4	Peat	Rock	No	1.71	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241713.797	572967.541	0.3	Peat	Granular	No	2.59	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241714.6727	572897.204	1.8	Peat	Rock	No	4.20	Thick Peat	1	2	2	2	8	Low
Ph2	ITPEnergised	241717.3864	571854.2417	0.3	Peat	Granular	No	5.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241717.9012	572541.0304	0.4	Peat	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241717.9908	572532.7288	0	Soil	Granular	No	2.43	No Peat	1	0	2	1	0	None
Ph2	ITPEnergised	241718.4422	572983.3415	0.4	Soil	Granular	No	3.71	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241719.564	572293.7406	0.2	Peat	Rock	No	5.85	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241719.7067	571874.7606	0.3	Peat	Granular	No	5.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241720.1811	572487.1113	0.9	Soil	Granular	No	2.90	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241721.8937	572609.0971	0.4	Peat	Rock	No	1.96	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241727.0157	570056.6756	0.1	Peat	Rock	No	6.88	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241727.3983	570059.0981	0.1	Soil	Rock	No	6.88	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241729.3699	572983.1723	0.5	Soil	Granular	No	3.91	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241729.7158	570048.3718	0.1	Soil	Rock	No	6.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241730.0214	572256.2398	0.3	Peat	Rock	No	10.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241730.6027	572940.9905	0.9	Peat	Granular	No	1.92	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241730.9928	572322.4454	0.1	Soil	Granular	No	2.16	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241732.1014	570042.9797	0.1	Soil	Rock	No	7.47	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241732.4497	571881.5312	0.3	Peat	Granular	No	5.82	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241732.5865	573004.4502	0.5	Peat	Cohesive	No	5.33	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241733.2367	572911.8059	2.2	Peat	Granular	No	2.11	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	241735.4173	572304.931	0.4	Peat	Rock	No	4.43	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241735.7032	572966.0211	0.2	Peat	Granular	No	4.89	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241737.7005	570883.2996	0.1	Soil	Granular	No	6.77	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241738.3512	572980.2406	0.5	Soil	Granular	No	3.88	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241738.9629	570874.4842	0.1	Peat	Rock	No	7.02	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241740.3726	572224.4615	0.3	Peat	Rock	No	7.75	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241741.5773	572991.2093	0.7	Peat	Granular	No	3.12	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241742.0577	572507.555	0.6	Peat	Rock	No	4.26	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241743.7445	570046.2808	0.1	Soil	Rock	No	5.96	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241745.9252	572315.7897	0.1	Peat	Granular	No	3.30	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241746.5451	572965.2836	0.2	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241747.6715	573025.3208	0.4	Peat	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241748.0329	572944.6798	3	Peat	Granular	No	0.81	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	241748.3493	572995.1095	0.5	Peat	Granular	No	2.30	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241748.3642	572931.7648	3.6	Peat	Granular	No	0.99	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	241748.621	572983.1379	0.4	Soil	Granular	No	2.34	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241748.9918	571899.1756	0.3	Peat	Granular	No	4.39	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241749.1926	572958.4329	0.6	Peat	Granular	No	5.64	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241749.3199	573034.2101	0.4	Peat	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241749.425	572965.5903	0.2	Soil	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241750.109	573014.3551	0.5	Peat	Granular	No	3.93	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241750.1464	572975.1073	0.4	Soil	Granular	No	2.22	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241750.7299	572478.0818	0.5	Peat	Rock	No	2.75	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241751.0823	573003.9058	0.5	Peat	Granular	No	2.51	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241752.8319	572444.4049	0.1	Peat	Granular	No	2.26	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241753.1997	570049.8812	0.1	Soil	Rock	No	5.92	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241753.9993	571892.5733	0.3	Peat	Granular	No	4.67	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241754.5175	572902.5669	1.7	Peat	Granular	No	1.25	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	241757.6931	571884.5561	0.3	Peat	Granular	No	5.04	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241757.8675	572203.4194	0.3	Peat	Granular	No	8.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241758.788	570043.7429	0.1	Soil	Rock	No	4.50	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241758.9477	572275.116	0.3	Peat	Rock	No	6.76	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241759.3357	572988.2227	0.4	Soil	Granular	No	2.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241761.298	572243.9176	0.2	Peat	Rock	No	9.35	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241763.3241	572954.2182	2	Peat	Granular	No	1.73	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	241763.7675	572432.4329	0.4	Peat	Granular	No	2.32	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241764.1504	573004.5931	0.3	Peat	Granular	No	3.19	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241766.4861	572897.2047	0.4	Peat	Granular	No	5.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241767.14	571906.7561	0.2	Peat	Granular	No	1.29	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241767.6681	572186.4931	0.3	Peat	Rock	No	7.84	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241769.1042	572983.6803	0.4	Superficial	Granular	No	2.50	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241769.1381	572459.6629	0.7	Peat	Rock	No	1.78	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241772.0575	572410.8261	0.4	Peat	Granular	No	2.51	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241773.0537	571915.8852	0.4	Peat	Granular	No	0.37	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241773.3537	571916.2266	0.2	Peat	Granular	No	0.37	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241773.5875	570896.4449	0.1	Soil	Granular	No	7.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241773.5942	572996.3129	0.3	Peat	Granular	No	4.62	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241774.8859	570071.8739	0.1	Soil	Rock	No	1.88	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241777.6683	570065.2781	0.1	Soil	Rock	No	2.79	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241778.8674	572895.0571	0.4	Peat	Granular	No	5.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241779.469	571923.8259	0.3	Peat	Granular	No	1.21	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241779.626	572983.8453	0.4	Peat	Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241779.7836	572915.1869	0.9	Peat	Granular	No	1.71	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241780.02	572214.4603	0.4	Peat	Rock	No	9.42	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241780.9117	570055.8178	0.1	Soil	Rock	No	3.52	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241782.1833	570909.2507	0.1	Soil	Granular	No	6.59	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241783.2053	572992.1472	0.3	Peat	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241785.3208	572167.7858	0.2	Peat	Granular	No	8.77	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241786.3132	572370.7403	1.5	Peat	Granular	No	1.11	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241786.7796	572938.033	2	Peat	Granular	No	1.66	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	241787.3033	572986.8034	0.3	Peat	Granular	No	5.34	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241787.7697	570891.0603	0.1	Peat	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241788.6841	572938.5046	2	Peat	Granular	No	1.66	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	241790.969	573052.5984	0.3	Peat	Granular	No	9.05	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241791.8955	571927.6929	0.9	Peat	Rock	No	2.52	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241791.9541	572281.2052	0.9	Peat	Rock	No	6.60	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	241793.5988	572418.1939	1.2	Peat	Rock	No	2.31	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241794.4786	571920.5093	0.8	Peat	Rock	No	1.84	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	241796.5401	572367.5553	0.9	Peat	Granular	No	1.98	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241799.1801	572309.0199	0.7	Peat	Rock	No	4.26	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241799.264	570066.2208	0.1	Soil	Rock	No	2.55	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241800.1277	571912.8461	0.1	Soil	Granular	No	3.58	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241800.6526	572984.2885	0.3	Peat	Granular	No	8.01	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241800.6679	573045.4967	0.4	Peat	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241801.3716	572244.7439	0.1	Peat	Rock	No	6.87	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241802.9159	572958.4765	0.6	Peat	Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241802.9736	572406.7229	0.5	Peat	Rock	No	1.82	Peaty Soil	1	1	0	2	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241803.3307	572967.169	0.2	Peat	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241804.3598	572425.3679	0.8	Peat	Rock	No	2.25	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241805.0843	572212.5505	0.2	Peat	Rock	No	7.78	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241807.7341	573036.3352	0.2	Soil	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241808.6081	572372.1779	1.3	Peat	Granular	No	2.90	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241810.119	572153.2431	0.3	Peat	Rock	No	10.99	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241811.2069	572182.7412	0.5	Peat	Rock	No	5.46	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241812.791	572364.6959	0.9	Peat	Granular	No	3.18	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241813.0021	570066.9039	0.1	Soil	Rock	No	4.40	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241813.0899	571848.1329	0.3	Peat	Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241813.928	572433.198	1.3	Peat	Rock	No	2.09	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241814.0756	572375.6098	1.2	Peat	Granular	No	2.86	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241814.7539	572418.2796	1.4	Peat	Rock	No	2.76	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241818.1038	572353.2764	0.7	Peat	Granular	No	3.83	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241818.9665	572328.2571	0.1	Soil	Granular	No	5.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241820.3681	572366.3032	0.5	Peat	Granular	No	2.50	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241820.4446	573089.2217	0.3	Peat	Rock	No	8.65	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241821.6699	571959.3123	0.1	Peat	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241822.0761	570092.5915	0.1	Soil	Rock	No	14.34	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241823.382	570924.3479	0.1	Soil	Granular	No	5.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241823.4888	572407.1097	1.2	Peat	Rock	No	3.68	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241823.6933	570913.2538	0.1	Soil	Granular	No	6.52	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241826.4197	570080.5382	0.1	Soil	Rock	No	10.51	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241826.857	572426.0009	0.4	Peat	Rock	No	3.13	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241829.0727	570073.4814	0.1	Soil	Rock	No	4.75	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241829.3448	572327.035	0.1	Soil	Granular	No	6.05	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241829.5178	572273.0816	0.1	Soil	Granular	No	8.16	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241830.0392	571868.8453	0.4	Peat	Granular	No	4.63	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241830.1981	571950.7106	0.1	Soil	Granular	No	5.93	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241830.7547	572331.9051	0.1	Soil	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241830.9596	573087.9946	0.4	Peat	Granular	No	9.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241832.2149	570093.1982	0.1	Soil	Rock	No	14.31	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241833.443	570902.3256	0.2	Peat	Granular	No	6.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241834.9284	572394.3025	0.5	Peat	Rock	No	1.87	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241835.8908	573080.2834	0.4	Peat	Granular	No	11.01	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241836.0837	571946.7149	0.2	Soil	Granular	No	6.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241836.1576	572340.7917	0.9	Soil	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241837.9356	572371.1008	0.4	Peat	Granular	No	2.04	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241837.9982	572325.2993	0.1	Soil	Granular	No	7.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241838.3768	572240.5544	0.2	Peat	Rock	No	5.25	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241838.6322	572408.8187	0.3	Peat	Rock	No	3.70	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241839.2859	572423.0543	0.4	Peat	Rock	No	3.98	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241839.455	572329.3869	0.5	Peat	Granular	No	7.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241840.8626	572274.8862	0.1	Soil	Granular	No	7.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241843.7617	572223.6366	0.1	Peat	Rock	No	5.69	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241844.0206	571800.4772	0.3	Peat	Granular	No	3.22	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241846.8914	572277.3459	0.1	Soil	Granular	No	7.19	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241848.3777	573130.783	0.1	Soil	Rock	No	16.01	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241849.9962	572210.8289	0.4	Peat	Rock	No	5.00	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241850.7096	572243.6084	0.1	Soil	Granular	No	5.27	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241851.8471	572405.4734	0.9	Peat	Rock	No	3.23	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241852.3358	572370.7955	0.5	Peat	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241852.9035	572229.9592	0.1	Soil	Granular	No	5.43	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241855.4556	572386.5945	0.9	Peat	Rock	No	2.09	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241856.7393	572185.8797	0.2	Peat	Granular	No	5.47	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241856.9985	572216.0767	0.1	Soil	Rock	No	5.06	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241858.2306	573125.6252	0.1	Soil	Rock	No	13.41	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241859.0525	571997.0292	0.1	Peat	Rock	No	6.15	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241865.0672	573123.5261	0.2	Superficial	Rock	No	10.57	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241865.5218	573177.8873	0.2	Peat	Granular	No	14.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241866.4451	570111.1082	0.1	Soil	Rock	No	10.27	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241868.0244	572189.7684	0.1	Soil	Granular	No	4.99	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241868.1066	572155.0493	0.3	Peat	Granular	No	9.90	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241868.2776	571990.3344	0.1	Soil	Granular	No	6.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241869.6041	572246.7073	0.9	Peat	Granular	No	5.78	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241869.643	570102.8637	0.1	Soil	Rock	No	11.21	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241870.497	572376.0925	0.3	Peat	Rock	No	2.35	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241871.0686	572147.7231	0.5	Peat	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241871.1926	572046.4273	0.1	Peat	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241872.529	572230.8055	0.1	Soil	Granular	No	7.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241874.4315	573223.762	0.1	Soil	Rock	No	13.27	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241874.7555	573181.4398	0.4	Soil	Granular	No	16.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241875.0643	572225.5908	0.7	Peat	Granular	No	6.47	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241875.4496	570925.1584	0.1	Soil	Granular	No	2.89	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241876.0913	571989.8728	0.1	Soil	Granular	No	6.81	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241876.4861	572095.883	0.1	Peat	Granular	No	4.47	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241877.1998	572134.399	0.5	Peat	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241879.2202	570093.3342	0.1	Soil	Rock	No	16.08	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241879.8215	572045.4912	0.1	Soil	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241880.6816	570929.4665	0.1	Soil	Granular	No	2.57	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241880.7211	572190.7489	0.2	Peat	Granular	No	5.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241881.0695	572170.1666	0.3	Peat	Rock	No	6.62	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241881.4358	572216.3427	0.4	Peat	Granular	No	6.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241881.9544	572148.4692	0.1	Soil	Granular	No	8.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241882.4163	573269.7239	0.1	Soil	Rock	No	14.31	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241882.4575	573167.9496	0.4	Soil	Granular	No	10.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241883.8768	573270.5366	0.2	Soil	Granular	No	14.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241884.1984	572092.8619	0.1	Soil	Granular	No	4.00	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241884.3362	570913.0545	0.1	Peat	Granular	No	2.93	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241886.8876	572131.1408	0.1	Soil	Granular	No	6.59	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241887.7539	573224.1253	0.2	Soil	Granular	No	12.40	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241889.078	572038.4423	0.1	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241890.5041	570992.3321	0.7	Peat	Rock	No	3.27	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	241892.0831	572146.5143	0.1	Soil	Granular	No	7.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241893.4252	570968.1501	0.5	Peat	Granular	No	2.67	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241894.8848	573218.4593	0.2	Soil	Granular	No	12.73	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241895.2373	572091.3014	0.1	Soil	Granular	No	2.86	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241897.498	573268.8744	0.2	Soil	Granular	No	15.73	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241898.036	573317.7735	0.1	Soil	Granular	No	18.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241901.0496	571809.6138	0.5	Peat	Granular	No	1.74	Peaty Soil	1	1	0	1	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	241901.9353	573294.4845	0.2	Soil	Granular	No	18.23	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241903.3904	572218.7954	0.5	Peat	Granular	No	8.22	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241904.716	572190.5674	0.2	Peat	Rock	No	6.49	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241906.1208	570939.4629	0.1	Soil	Granular	No	1.58	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241907.5398	573267.6877	0.2	Soil	Granular	No	13.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241907.7573	571763.4469	0.5	Peat	Granular	No	3.86	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241908.34	573367.4974	0.4	Peat	Granular	No	14.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241908.4697	572167.3393	0.4	Peat	Rock	No	6.87	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241908.7466	573318.4712	0.1	Soil	Rock	No	19.23	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241909.0068	570133.7538	0.1	Soil	Rock	No	8.23	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241911.6889	572240.1675	0.9	Peat	Granular	No	6.03	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241911.8138	571791.8373	0.4	Peat	Rock	No	2.38	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241912.8401	571001.7701	0.5	Peat	Rock	No	2.92	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241915.1147	570125.4064	0.1	Soil	Rock	No	6.28	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241915.4192	571012.539	0.8	Peat	Granular	No	2.62	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241918.5081	572262.5376	0.9	Peat	Granular	No	7.79	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241918.8126	570119.2238	0.1	Soil	Rock	No	9.87	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241920.7174	570969.2992	0.4	Peat	Rock	No	2.00	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	241921.0662	572254.6499	0.1	Soil	Granular	No	6.60	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241921.8377	573464.9314	0.3	Peat	Granular	No	10.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241922.1777	573418.8404	0.3	Soil	Granular	No	14.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241923.7201	572170.846	0.5	Peat	Granular	No	9.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241923.9242	570996.4076	0.8	Peat	Granular	No	3.06	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	241925.1566	570929.8224	0.1	Soil	Granular	No	1.20	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241927.9697	572242.6541	1.2	Peat	Granular	No	5.80	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241928.8046	572217.432	0.3	Peat	Granular	No	7.86	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241929.8788	572195.6533	0.2	Peat	Granular	No	8.99	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241930.3389	573514.0497	0.8	Peat	Granular	No	11.56	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	241930.8507	570942.3746	0.1	Soil	Granular	No	0.76	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241930.9814	572138.8245	0.1	Peat	Granular	No	7.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241932.0194	570918.5577	0.3	Peat	Granular	No	1.26	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241932.1694	572149.1793	0.3	Peat	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241932.6365	572129.8359	0.1	Soil	Granular	No	6.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241932.9139	573293.2201	0.3	Peat	Granular	No	7.93	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241933.088	573318.9088	0.3	Peat	Granular	No	15.93	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	241933.2024	573392.8864	0.3	Soil	Rock	No	18.13	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241933.2162	573365.2795	0.1	Soil	Rock	No	16.65	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	241934.8901	573340.8809	0.1	Soil	Rock	No	20.27	Peaty Soil	1	1	1	2	2	Negligible
Ph2	ITPEnergised	241937.5611	570967.6638	0.6	Peat	Granular	No	0.76	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241938.5741	573466.8625	0.1	Soil	Granular	No	13.19	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241942.5822	570998.2857	0.5	Peat	Granular	No	1.03	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241944.3312	573513.4805	0.2	Soil	Granular	No	12.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241944.5397	573569.0378	0.4	Peat	Granular	No	11.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241945.9154	573414.8996	0	Soil	Rock	No	17.56	No Peat	1	0	2	2	0	None
Ph2	ITPEnergised	241946.0947	570979.6522	0.4	Soil	Granular	No	0.86	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	241947.0568	570164.0235	0.1	Soil	Rock	No	11.97	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	241948.5762	571021.4281	0.6	Peat	Granular	No	0.94	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	241948.7803	571751.9395	0.5	Peat	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241950.0173	573466.2723	0.3	Soil	Granular	No	11.77	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	241951.0935	572165.7554	0.4	Peat	Granular	No	8.75	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITP Energised	241955.0766	572196.0054	0.2	Soil	Granular	No	6.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241955.2377	573566.9881	0.3	Peat	Granular	No	13.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241955.342	570962.0588	0.2	Soil	Granular	No	0.85	Peaty Soil	1	1	0	1	0	None
Ph2	ITP Energised	241955.6302	573318.8345	0.3	Peat	Granular	No	16.59	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241955.7684	573294.4345	0.3	Peat	Granular	No	16.83	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241957.8033	572222.1038	0.1	Soil	Granular	No	6.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241957.8801	572221.8605	0.2	Soil	Granular	No	6.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241958.1808	572243.3109	0.1	Soil	Granular	No	5.43	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241960.0126	573459.7352	0.2	Soil	Granular	No	13.04	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241960.1471	573512.3066	0.3	Soil	Granular	No	13.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241960.1555	573344.8314	0.3	Peat	Granular	No	21.11	Peaty Soil	1	1	1	1	1	Negligible
Ph2	ITP Energised	241960.287	573394.9156	0.2	Soil	Granular	No	18.03	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241961.3057	570150.8023	0.1	Soil	Rock	No	15.83	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITP Energised	241961.3383	573561.5925	1	Peat	Granular	No	13.14	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	241961.6508	570946.7615	0.1	Soil	Granular	No	1.08	Peaty Soil	1	1	0	1	0	None
Ph2	ITP Energised	241961.9963	573366.3944	0.3	Peat	Granular	No	21.00	Peaty Soil	1	1	1	1	1	Negligible
Ph2	ITP Energised	241962.2428	572267.6534	0.1	Soil	Granular	No	6.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241963.588	573621.4963	0.9	Peat	Rock	No	5.56	Thin Peat	1	3	3	2	18	Medium
Ph2	ITP Energised	241964.7166	572279.374	0.4	Peat	Granular	No	6.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241967.0137	573568.2786	0.9	Peat	Granular	No	12.16	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	241968.8177	572252.6985	0.1	Soil	Granular	No	4.49	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241971.0328	573452.9223	0.2	Soil	Granular	No	14.40	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241971.83	571757.0939	0.1	Peat	Rock	No	5.70	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	241974.7083	573613.0079	1.8	Peat	Granular	No	6.48	Thick Peat	1	2	3	1	6	Low
Ph2	ITP Energised	241978.3024	570918.2876	0.2	Peat	Granular	No	0.42	Peaty Soil	1	1	0	1	0	None
Ph2	ITP Energised	241978.8058	573372.4824	0.3	Peat	Granular	No	19.87	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241978.9415	570942.3803	0.1	Soil	Granular	No	0.84	Peaty Soil	1	1	0	1	0	None
Ph2	ITP Energised	241980.3233	570931.675	0.1	Soil	Granular	No	0.57	Peaty Soil	1	1	0	1	0	None
Ph2	ITP Energised	241980.948	572135.5328	0.1	Soil	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241981.3829	572144.5031	0.5	Peat	Rock	No	7.80	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	241982.4078	573387.4668	0.2	Soil	Rock	No	20.86	Peaty Soil	1	1	1	2	2	Negligible
Ph2	ITP Energised	241982.599	573608.4768	1.6	Peat	Granular	No	7.27	Thick Peat	1	2	3	1	6	Low
Ph2	ITP Energised	241982.8372	572163.8887	0.4	Peat	Granular	No	8.67	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241982.9082	572125.5132	0.3	Soil	Granular	No	6.16	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241984.8723	573344.7358	0.3	Peat	Granular	No	14.51	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241984.9344	572241.212	0.4	Peat	Granular	No	6.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241985.419	573290.3025	0.3	Peat	Granular	No	14.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241985.6456	573316.8793	0.5	Peat	Granular	No	14.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241986.1848	573266.7536	0.3	Peat	Granular	No	17.45	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241986.8045	571752.1641	0.3	Peat	Granular	No	5.18	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241987.94	573503.5196	0.2	Soil	Granular	No	10.63	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241988.4931	570194.099	0.1	Soil	Rock	No	10.77	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	241988.7262	572190.7296	0.6	Peat	Granular	No	6.47	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	241988.9409	571731.444	0.4	Peat	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	241990.6792	572219.3806	0.6	Peat	Granular	No	6.41	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	241994.9323	570184.2552	0.1	Peat	Rock	No	13.88	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	241994.9546	573661.971	0.4	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241996.8787	573496.1723	0.2	Soil	Granular	No	12.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	241997.3652	571734.6546	0.4	Peat	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	242002.6244	570181.7732	0.1	Soil	Rock	No	15.31	Peaty Soil	1	1	2	2	4	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242003.3693	571737.914	0.3	Peat	Granular	No	4.55	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242004.7795	573368.827	0.3	Soil	Rock	No	14.51	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242006.1692	573652.5326	0.4	Peat	Granular	No	7.91	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242006.3818	573510.6694	0.2	Soil	Granular	No	13.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242007.0517	573270.9927	0.1	Soil	Rock	No	16.68	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242007.6588	573491.4588	0.2	Soil	Granular	No	13.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242007.8699	573317.467	0.1	Soil	Rock	No	13.59	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242007.9217	573289.4133	0.1	Soil	Rock	No	16.33	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242007.9272	573391.3718	0.3	Soil	Rock	No	19.11	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242008.3068	573342.9626	0.1	Soil	Rock	No	15.28	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242008.754	571689.8994	0.5	Peat	Granular	No	2.01	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242014.2262	573645.4716	0.4	Peat	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242019.2889	573699.9102	0.4	Peat	Granular	No	4.97	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242020.2648	571660.9402	0.5	Peat	Rock	No	0.33	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	242021.0365	571687.2749	0.1	Soil	Granular	No	1.99	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242022.6944	573771.3942	0	Peat	Rock	No	4.25	No Peat	1	0	2	2	0	None
Ph2	ITPEnergised	242024.0128	570228.8964	0.1	Soil	Rock	No	10.14	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242025.7182	570243.019	0.1	Soil	Rock	No	6.88	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242026.6756	573510.9723	0.2	Soil	Granular	No	11.87	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242026.7039	573320.4939	0.1	Soil	Rock	No	14.91	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242028.912	573344.6069	0.1	Soil	Rock	No	14.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242029.0271	570933.9251	0.9	Peat	Rock	No	0.27	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	242030.2148	573694.0654	0.4	Peat	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242030.955	570944.0856	0.9	Peat	Rock	No	0.38	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	242031.2056	572122.3737	0.1	Soil	Granular	No	4.19	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242031.6487	572139.7166	1.2	Peat	Rock	No	6.19	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242031.6843	572298.3711	0.4	Peat	Rock	No	4.47	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242032.1775	571698.5206	0.2	Soil	Granular	No	2.64	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242032.254	572130.5982	0.1	Soil	Granular	No	5.64	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242032.302	573771.3893	0.4	Peat	Rock	No	5.11	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242032.5081	570927.8595	0.9	Peat	Rock	No	0.41	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	242033.3831	573529.0403	0.4	Soil	Granular	No	11.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242034.2555	573391.0156	0.1	Soil	Rock	No	15.57	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242035.7764	573520.4333	0.4	Soil	Granular	No	12.83	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242036.4549	570221.0113	0.1	Soil	Rock	No	11.03	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242036.6648	573367.7985	0.1	Soil	Rock	No	13.97	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242036.8598	571630.9457	1	Peat	Rock	No	0.38	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	242039.0436	572288.6985	0.1	Soil	Granular	No	4.24	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242040.6505	572285.5785	0.1	Soil	Granular	No	5.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242041.7827	573746.4169	0.2	Soil	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242041.888	573512.03	0.4	Soil	Granular	No	13.90	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242042.641	573789.0313	0.6	Peat	Rock	No	5.09	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242042.8732	573770.2899	0.4	Peat	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242043.1452	570213.4421	0.1	Soil	Rock	No	13.53	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242043.5715	573685.7954	0.4	Peat	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242045.0714	573836.8978	0.3	Peat	Rock	No	5.17	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242045.2852	571628.754	0.6	Peat	Rock	No	0.75	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	242047.4769	570236.346	0.1	Soil	Rock	No	14.41	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242051.8082	573883.5179	0.6	Peat	Rock	No	3.82	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242052.5393	573932.7823	0.6	Soil	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242052.5546	573770.2635	0.2	Peat	Granular	No	6.20	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242052.5658	573978.7111	1.8	Peat	Rock	No	4.56	Thick Peat	1	2	2	2	8	Low
Ph2	ITPEnergised	242053.5967	573788.2525	0.4	Peat	Rock	No	6.34	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242054.0525	573732.4489	0.3	Peat	Granular	No	5.28	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242054.6235	573867.8607	0.7	Peat	Rock	No	5.24	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242054.8753	573746.9559	0.1	Soil	Rock	No	6.46	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242055.6863	571626.6228	0.3	Peat	Granular	No	0.59	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242055.8637	573945.3629	0.2	Peat	Granular	No	6.45	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242060.2802	573810.777	0.5	Peat	Granular	No	5.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242060.3507	573829.6369	0.2	Peat	Rock	No	7.73	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242060.9707	571598.0678	0.5	Peat	Rock	No	1.68	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	242061.5446	573929.0283	0.2	Soil	Rock	No	5.17	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242062.0635	573770.4839	0.3	Peat	Granular	No	8.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242062.1415	573970.8902	1.2	Peat	Granular	No	5.79	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242062.1889	573726.1271	0.2	Peat	Rock	No	8.19	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242064.414	573880.8618	0.4	Peat	Rock	No	4.42	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242067.566	573960.2644	0.7	Peat	Rock	No	6.52	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242069.5666	572309.339	0.6	Peat	Not Proven	No	4.82	Thin Peat	1	3	2	0	0	None
Ph2	ITPEnergised	242070.0019	570250.4387	0.1	Soil	Rock	No	11.60	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242070.4013	573763.5233	0.2	Soil	Granular	No	6.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242070.8067	573769.8581	0.3	Peat	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242070.9786	573933.4663	0.2	Soil	Granular	No	7.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242071.0489	573811.3426	0.4	Peat	Granular	No	5.05	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242071.1693	573731.8988	0.2	Soil	Granular	No	7.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242071.1725	573742.8336	0.4	Peat	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242071.3969	573790.445	0.4	Peat	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242071.5583	573717.8869	0.2	Soil	Granular	No	7.98	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242071.8612	573802.9597	0.5	Peat	Rock	No	5.40	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242071.9473	573753.2766	0.2	Peat	Granular	No	6.52	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242072.0823	573821.2574	0.5	Peat	Granular	No	5.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242072.1854	573780.1873	0.5	Peat	Granular	No	9.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242072.433	572298.3963	0.1	Soil	Granular	No	5.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242072.5763	573834.309	0.3	Peat	Rock	No	6.97	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242073.4658	573905.5301	0.3	Peat	Granular	No	5.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242073.9187	573883.6821	0.4	Peat	Rock	No	4.55	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242074.0114	570243.4099	0.1	Soil	Rock	No	15.33	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242074.873	570960.968	0.6	Soil	Granular	No	2.74	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242076.3176	573975.5501	0.2	Peat	Granular	No	8.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242076.4199	572292.296	0	Soil	Granular	No	6.75	No Peat	1	0	3	1	0	None
Ph2	ITPEnergised	242077.0464	570951.2183	0.5	Soil	Granular	No	2.39	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242077.7442	573559.4384	0.6	Peat	Granular	No	10.91	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242078.056	571555.6744	0.4	Peat	Granular	No	3.45	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242078.0881	573960.8021	0.2	Peat	Rock	No	8.10	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242079.3766	572114.4506	0.3	Peat	Rock	No	10.01	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242079.387	573547.7035	0.4	Soil	Granular	No	10.55	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242079.9077	573791.0906	0.9	Peat	Granular	No	7.92	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242080.1474	571608.4725	0.2	Peat	Granular	No	2.49	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242080.5823	570942.8873	0.5	Soil	Granular	No	2.44	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242080.7376	572124.278	0.1	Soil	Rock	No	8.54	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242082.1439	573769.3087	0.4	Peat	Granular	No	4.97	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242083.5994	570239.6168	0.1	Soil	Rock	No	21.38	Peaty Soil	1	1	1	2	2	Negligible
Ph2	ITPEnergised	242084.1224	573816.1708	0.2	Peat	Rock	No	7.68	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242084.6265	572131.3817	0.3	Peat	Rock	No	8.14	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242085.3564	573536.8636	0.5	Peat	Granular	No	9.63	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242085.747	573833.7504	0.7	Peat	Rock	No	7.51	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242088.8176	573764.7473	0.4	Peat	Granular	No	5.83	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242090.1332	571555.0801	0.5	Peat	Granular	No	3.06	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242094.4413	573788.6637	1.1	Peat	Granular	No	7.85	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242094.6782	573754.681	0.9	Peat	Granular	No	6.79	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242095.9037	573769.1191	0.4	Peat	Granular	No	7.20	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242097.4029	573805.1557	0.4	Peat	Granular	No	7.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242099.0828	571561.3722	0.3	Peat	Granular	No	2.73	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242099.5588	573834.1338	0.3	Peat	Rock	No	7.50	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242101.0628	573749.4804	1	Peat	Rock	No	7.30	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242101.9974	573771.6692	0.5	Peat	Rock	No	7.86	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242106.6238	573786.6921	1.2	Peat	Granular	No	6.51	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242107.6483	571510.6478	0.4	Peat	Rock	No	4.08	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242108.3628	570282.0163	0.1	Soil	Rock	No	11.75	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242108.5966	572310.8366	0.1	Soil	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242108.8656	572312.108	0.1	Soil	Granular	No	6.57	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242111.3197	570332.7611	0.1	Soil	Rock	No	18.10	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242111.3975	570988.4511	0.5	Soil	Granular	No	5.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242111.7258	573770.8605	1.4	Peat	Rock	No	9.99	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242112.1958	572302.5212	0.1	Soil	Granular	No	6.61	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242113.4084	571524.4967	0.4	Peat	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242115.3549	570272.1153	0.1	Soil	Rock	No	16.41	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242116.7589	570971.3864	0.5	Soil	Granular	No	5.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242116.8716	570980.6097	0.5	Soil	Granular	No	5.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242120.9872	570267.5164	0.1	Soil	Rock	No	16.87	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242121.4777	570330.3046	0.2	Soil	Rock	No	12.49	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242121.6302	571528.3094	0.4	Peat	Granular	No	3.16	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242122.745	573770.9718	1	Peat	Granular	No	7.38	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242122.7925	573797.9271	1.4	Peat	Granular	No	8.36	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242123.8269	573590.891	0.5	Peat	Granular	No	8.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242124.5292	570963.8303	0.5	Soil	Granular	No	5.53	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242126.2925	572100.2968	0.1	Peat	Granular	No	8.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242126.748	573560.7308	0.5	Peat	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242127.3086	572112.4389	0.1	Soil	Granular	No	8.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242127.9153	570955.9915	0.5	Soil	Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242128.7396	573573.6181	0.5	Peat	Granular	No	8.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242129.804	572122.6729	0.3	Peat	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242130.8839	573790.9386	0.9	Peat	Granular	No	5.09	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242132.8382	570331.9815	0.2	Soil	Rock	No	12.93	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242139.589	573782.907	0.4	Peat	Granular	No	4.53	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242142.2165	571493.1808	0.5	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242142.7656	570332.9673	0.1	Soil	Rock	No	14.14	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242153.1878	571496.3016	0.5	Peat	Granular	No	4.87	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242153.3487	570332.5755	0.1	Soil	Rock	No	15.94	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242154.5385	571479.1125	0.5	Peat	Granular	No	7.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242155.8383	570369.5058	0.1	Soil	Granular	No	10.93	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242156.277	572332.8391	0.3	Peat	Rock	No	6.89	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242156.675	571486.3017	0.8	Peat	Granular	No	6.17	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242159.4316	571496.0853	0.8	Peat	Granular	No	4.99	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242160.161	570281.9489	0.8	Peat	Rock	No	6.03	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242160.5508	570345.2229	0.3	Soil	Granular	No	13.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242160.5625	572429.375	0.4	Peat	Granular	No	8.01	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242160.6344	570291.419	0.5	Peat	Granular	No	7.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242160.6539	570312.5083	0.3	Peat	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242161.1086	570362.8213	0.1	Soil	Granular	No	11.06	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242161.1662	570354.1868	0.3	Soil	Granular	No	13.64	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242161.416	570301.1567	0.5	Peat	Granular	No	10.64	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242161.5642	570327.6994	0.1	Soil	Rock	No	13.70	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242161.8329	570377.2771	0.2	Soil	Granular	No	9.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242162.063	573609.7552	0.9	Peat	Granular	No	7.98	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242162.3663	572324.9559	0.1	Soil	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242162.8114	570331.888	0.1	Soil	Rock	No	13.86	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242162.8185	570384.3332	0.2	Soil	Granular	No	10.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242164.4696	573830.3145	0.1	Soil	Rock	No	10.21	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242166.0469	572486.125	0.5	Peat	Granular	No	10.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242166.1082	572319.1617	0.1	Soil	Granular	No	4.51	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242169.0754	571497.2092	0.8	Peat	Granular	No	5.43	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242170.0597	573593.7477	0.5	Peat	Granular	No	7.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242172.1041	573820.0563	0.1	Soil	Rock	No	8.55	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242172.288	573586.5579	0.5	Peat	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242172.6094	572433.75	0.4	Peat	Granular	No	8.20	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242172.7614	570332.0009	0.4	Peat	Rock	No	7.50	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242174.2913	570979.626	0.2	Soil	Granular	No	6.18	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242174.3968	572104.9628	0.1	Soil	Granular	No	8.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242174.5869	570966.1957	0.2	Soil	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242176.7624	572097.0453	0.1	Soil	Granular	No	8.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242176.7913	570989.5747	0.2	Soil	Granular	No	5.94	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242177.9033	573811.8691	0.1	Soil	Rock	No	9.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242178.6406	572435.6875	0.1	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242179.3037	570369.7716	0.1	Soil	Rock	No	6.66	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242179.4063	572485.375	0.3	Peat	Granular	No	10.55	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242179.8482	570391.8259	1	Peat	Granular	No	7.59	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242180.0821	573641.9404	0.5	Peat	Granular	No	7.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242180.2261	571490.6676	0.4	Peat	Granular	No	5.20	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242181.2073	570355.3911	0.2	Soil	Rock	No	5.95	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242181.3077	571536.0574	0.8	Peat	Granular	No	2.68	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242182.8336	570381.7881	0.3	Peat	Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242182.8349	570332.5918	0.1	Soil	Rock	No	7.71	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242183.0678	570402.6102	0.4	Soil	Granular	No	8.01	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242184.2798	571069.6378	0.3	Peat	Granular	No	4.88	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242185.1094	572380	0.3	Peat	Granular	No	7.77	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242185.5019	570342.8376	0.1	Soil	Rock	No	7.48	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242185.84	571041.218	0.3	Peat	Granular	No	5.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242185.9346	570389.5134	0.5	Soil	Rock	No	5.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242186.1307	571447.3321	0.2	Peat	Granular	No	11.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242186.1485	571522.0922	0.6	Peat	Rock	No	5.36	Thin Peat	1	3	3	2	18	Medium

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242187.0938	572479.875	0.3	Peat	Granular	No	10.74	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242187.7937	571018.9084	0.3	Peat	Granular	No	5.67	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242189.2701	571495.142	0.4	Peat	Granular	No	5.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242189.3955	573029.0042	0	Soil	Cohesive	No	7.64	No Peat	1	0	3	2	0	None
Ph2	ITPEnergised	242189.5536	570400.7281	0.4	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242190.1748	573635.1419	0.5	Peat	Granular	No	8.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242190.883	571465.8783	0.3	Peat	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242191.0416	571548.2444	0.5	Peat	Granular	No	3.11	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242191.2969	571456.154	0.2	Peat	Granular	No	6.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242191.5075	571985.4687	2.5	Peat	Granular	No	3.89	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242191.8563	571484.0556	0.5	Peat	Granular	No	3.66	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242192.021	571520.715	1.3	Peat	Granular	No	5.66	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242192.0741	570392.0255	0.1	Soil	Rock	No	5.80	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242192.25	572391.9375	0.5	Peat	Rock	No	7.44	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242192.3452	571476.7603	0.5	Peat	Granular	No	3.51	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242192.5177	570368.339	0.2	Soil	Rock	No	4.91	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242193.2093	571537.7342	0.4	Peat	Granular	No	3.93	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242194.1803	570333.8428	0.1	Soil	Rock	No	8.30	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242194.2285	571505.8972	0.4	Peat	Granular	No	5.60	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242195.1153	570327.3861	0.1	Soil	Rock	No	9.09	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242195.5156	572530.125	0.4	Peat	Granular	No	8.47	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242196.076	573852.9411	0.4	Superficial	Granular	No	9.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242198.4063	572336.3241	0.1	Soil	Granular	No	7.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242200.3527	570404.0413	0.2	Soil	Granular	No	6.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242201.3517	571071.0417	0.3	Peat	Granular	No	7.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242201.9765	571047.9615	0.3	Peat	Granular	No	7.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242202.1705	571019.0308	0.3	Peat	Granular	No	7.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242202.2529	573631.1125	0.5	Peat	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242203.0171	571496.7681	0.4	Peat	Granular	No	3.74	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242203.5551	570332.175	0.1	Soil	Rock	No	8.83	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242204.1563	572393.5625	0.3	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242204.9844	572524.25	0.2	Peat	Granular	No	10.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242206.1648	573846.3466	0.5	Peat	Granular	No	9.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242206.2466	570988.5339	0.3	Peat	Granular	No	6.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242206.354	573075.7821	0.6	Peat	Granular	No	6.61	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242206.8579	573688.6885	0.3	Soil	Rock	No	8.32	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242206.8696	571520.0421	0.4	Peat	Rock	No	4.94	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242207.8993	571092.3125	0.1	Soil	Granular	No	7.68	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242209.3092	570370.9025	0.2	Soil	Rock	No	7.04	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242209.3098	571117.2088	0.1	Soil	Granular	No	5.87	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242211.4089	571533.4709	0.3	Peat	Rock	No	4.62	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242212.8465	571496.8662	0.4	Peat	Granular	No	2.78	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242213.6875	572515	0.3	Peat	Granular	No	10.69	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242213.907	570331.8839	0.1	Soil	Rock	No	7.89	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242215.5081	573837.3647	0.4	Peat	Granular	No	8.12	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242217.944	573107.9721	0.4	Peat	Granular	No	6.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242217.9715	573677.8607	0.3	Soil	Granular	No	7.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242219.0046	572077.0707	0.1	Soil	Granular	No	9.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242219.4026	572344.5865	0.1	Soil	Granular	No	7.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242220.5634	570379.8425	0.1	Soil	Rock	No	9.43	Peaty Soil	1	1	3	2	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242221.6666	571524.2531	0.5	Peat	Rock	No	2.81	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242223.6881	570964.562	0.2	Soil	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242224.1619	570986.7313	0.3	Soil	Granular	No	7.36	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242224.544	571501.521	0.4	Peat	Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242224.764	570975.3853	0.3	Soil	Granular	No	7.22	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242225.7072	571042.8535	0.3	Peat	Granular	No	8.60	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242225.988	571094.2865	0.1	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242226.2508	572089.222	0.1	Soil	Granular	No	10.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242226.2757	573673.2597	0.3	Peat	Granular	No	9.04	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242226.3519	571021.5369	0.3	Peat	Granular	No	8.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242226.6914	571119.0274	0.1	Soil	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242228.1682	570373.6893	0.1	Soil	Rock	No	10.06	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242229.3189	571063.5374	0.2	Soil	Granular	No	8.72	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242230.5656	571496.7703	0.4	Peat	Granular	No	2.52	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242230.613	570363.4478	0.1	Soil	Rock	No	10.11	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242231.3672	573139.8378	0.9	Peat	Granular	No	6.65	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242231.8259	573732.2114	0.3	Superficial	Granular	No	8.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242231.8707	572094.9481	0.1	Soil	Granular	No	10.50	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242233.4776	571515.5185	0.6	Peat	Rock	No	2.55	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242234.0251	571553.0555	0.3	Peat	Rock	No	3.82	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242234.1099	571144.1804	0.1	Soil	Granular	No	5.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242237.056	570383.9204	0.1	Soil	Rock	No	10.19	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242238.1915	571515.166	1.3	Peat	Rock	No	2.73	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242238.4027	571537.7522	0.2	Peat	Rock	No	2.76	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242239.6433	571492.2436	0.3	Soil	Granular	No	2.62	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242240.1612	573727.8878	0.3	Superficial	Granular	No	8.07	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242241.8906	572562.625	1.2	Peat	Granular	No	4.29	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242242.5739	571517.8147	0.3	Peat	Rock	No	3.00	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242244.3975	573102.0624	0.8	Peat	Rock	No	3.85	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242244.5579	571512.9739	0.4	Peat	Granular	No	3.05	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242244.6875	572552.375	0.7	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242244.859	570911.4433	0.1	Soil	Granular	No	7.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242247.576	570423.7416	0.1	Soil	Rock	No	9.84	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242249.0302	573205.6571	0.9	Peat	Rock	No	7.64	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242250.1029	570458.1266	0.1	Peat	Rock	No	10.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242250.257	570416.2575	0.1	Soil	Rock	No	9.76	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242250.6347	570399.759	0.1	Soil	Rock	No	10.13	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242250.75	572542.5625	0.6	Peat	Granular	No	10.19	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242251.0884	573721.1713	0.5	Superficial	Granular	No	10.01	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242251.8144	572048.3329	0.1	Soil	Granular	No	9.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242252.3002	571507.4463	0.4	Peat	Granular	No	2.92	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242252.6159	570428.9659	0.2	Soil	Rock	No	9.80	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242253.0089	572358.9373	0.1	Soil	Granular	No	3.61	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242253.2853	571020.3994	0.1	Soil	Granular	No	8.18	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242253.4582	573778.5457	0.1	Superficial	Granular	No	7.07	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242253.5548	571529.0667	0.2	Peat	Rock	No	3.17	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242254.6819	570415.2469	0.2	Peat	Rock	No	9.76	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242256.0919	571072.9684	0.1	Soil	Granular	No	6.46	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242256.1917	573126.466	0.3	Peat	Rock	No	7.86	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242256.2081	571093.8159	0.1	Soil	Granular	No	6.07	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242256.2082	571118.8167	0.1	Soil	Granular	No	6.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242256.8809	573871.4356	0.2	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242257.4005	571178.5748	0.1	Soil	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242257.4185	571046.4861	0.1	Soil	Granular	No	7.61	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242257.9563	571517.4573	0.4	Peat	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242258.074	573864.7659	0.2	Soil	Granular	No	8.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242258.3407	570996.774	0.1	Soil	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242258.5536	573078.6341	0.9	Peat	Granular	No	7.54	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242258.8994	573208.7992	0.9	Peat	Rock	No	6.45	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242260.3192	570910.21	0.1	Soil	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242260.8998	570454.1252	0.4	Peat	Rock	No	9.77	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242261.3038	570477.6514	0.1	Peat	Rock	No	11.37	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242261.9149	573855.4774	0.2	Soil	Granular	No	8.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242262.6641	570409.5071	0.2	Peat	Rock	No	9.54	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242262.9537	571146.0943	0.1	Soil	Granular	No	6.29	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242263.529	572052.9124	0.1	Soil	Granular	No	6.86	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242266.829	570957.061	0.4	Peat	Rock	No	8.37	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242267.3702	570887.795	0.2	Soil	Granular	No	8.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242268.2557	570448.4821	0.3	Peat	Rock	No	9.20	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242268.8072	573206.0909	0.9	Peat	Granular	No	5.67	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242270.1242	573758.6118	0.6	Peat	Granular	No	7.83	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242271.5695	570472.5171	0.3	Peat	Rock	No	10.39	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242272.0989	570910.2027	0.1	Soil	Granular	No	7.98	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242273.4136	570967.9672	0.3	Peat	Granular	No	8.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242274.4498	572061.2894	0.1	Soil	Granular	No	4.38	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242275.9636	571141.3653	0.4	Peat	Rock	No	6.43	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242276.6383	571528.66	0.4	Peat	Granular	No	2.12	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242276.6385	570443.5078	1.7	Peat	Rock	No	8.28	Thick Peat	1	2	3	2	12	Low
Ph2	ITPEnergised	242276.81	573207.7206	0.3	Peat	Granular	No	10.43	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242276.9069	570877.4512	0.3	Peat	Granular	No	8.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242278.1893	570861.4954	0.1	Soil	Rock	No	8.33	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242278.5164	570898.8552	0.1	Soil	Granular	No	8.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242279.0318	570976.2898	0.4	Peat	Rock	No	8.29	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242279.4991	570911.1599	0.1	Soil	Granular	No	7.89	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242279.6044	570992.1979	0.3	Peat	Granular	No	8.16	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242279.7714	571015.6578	0.6	Peat	Granular	No	7.77	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242282.0684	571070.1206	0.3	Peat	Granular	No	6.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242283.3052	570840.7828	0.2	Soil	Granular	No	8.25	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242283.6822	571548.6658	0.6	Peat	Rock	No	2.02	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242284.3017	570463.7881	0.3	Peat	Rock	No	8.57	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242284.504	570438.0874	1.2	Peat	Granular	No	7.96	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242284.589	573099.2117	0.3	Peat	Rock	No	12.16	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242285.1441	571169.8913	0.3	Peat	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242285.6142	570887.1317	0.1	Peat	Granular	No	8.14	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242285.9427	571117.5837	0.2	Peat	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242286.4286	571535.3505	0.4	Peat	Granular	No	2.72	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242287.4153	571618.7087	0.4	Peat	Granular	No	2.41	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242287.4764	573204.4475	0.3	Peat	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242287.6392	573811.8687	0.5	Peat	Granular	No	5.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242288.621	570913.0533	0.1	Soil	Granular	No	7.74	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242289.021	571633.0576	0.3	Peat	Rock	No	1.78	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	242290.2693	570862.7396	0.4	Peat	Rock	No	8.60	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242291.8142	573246.9188	0.5	Peat	Granular	No	3.75	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242292.0356	572037.2946	0.1	Soil	Granular	No	5.72	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242293.1463	571094.3647	0.3	Peat	Rock	No	6.16	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242293.717	570456.3269	0.5	Peat	Granular	No	7.49	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242294.5818	570440.9239	1.2	Peat	Granular	No	7.28	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242294.875	572568.1875	0.6	Peat	Granular	No	5.39	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242294.8773	570842.75	0.3	Peat	Granular	No	8.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242294.9102	570465.9386	0.3	Peat	Rock	No	8.49	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242295.1057	570927.1753	0.3	Peat	Granular	No	8.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242296.0816	570447.612	0.5	Peat	Granular	No	6.93	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242296.6792	571542.879	0.4	Peat	Granular	No	2.45	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242296.8492	573175.1356	0.1	Peat	Granular	No	6.69	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242298.4318	573806.4748	0.6	Peat	Granular	No	5.70	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242298.4363	570912.4092	0.1	Soil	Rock	No	7.73	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242298.8087	570438.3252	0.5	Peat	Granular	No	7.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242299.0623	573894.0043	0.4	Peat	Granular	No	7.34	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242299.1574	573256.4436	0.2	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242299.1856	570871.6887	0.3	Peat	Granular	No	8.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242299.3663	570881.3363	0.1	Peat	Rock	No	8.05	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242299.8178	570963.6184	0.4	Soil	Granular	No	8.28	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242299.8454	570942.3426	0.2	Peat	Rock	No	8.38	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242299.8781	570907.3092	0.1	Soil	Granular	No	7.68	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242299.9571	573246.4829	0.3	Peat	Granular	No	3.31	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242300.0087	570859.9451	0.3	Soil	Rock	No	8.57	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242300.2987	573186.1346	0.1	Peat	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242300.498	573208.0708	0.1	Peat	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242300.4996	570923.4015	0.3	Peat	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242300.5219	573157.4433	0.1	Soil	Granular	No	10.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242300.8962	570952.4595	0.4	Peat	Granular	No	8.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242300.9293	570892.6614	0.1	Soil	Rock	No	7.73	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242301.1976	573880.804	0.4	Peat	Granular	No	5.69	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242301.3461	570930.1473	0.3	Peat	Granular	No	8.28	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242301.4782	573236.1069	0.3	Peat	Granular	No	3.87	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242301.5443	571118.258	0.1	Peat	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242301.7385	570479.8058	0.3	Peat	Rock	No	9.16	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242301.9592	573168.235	0.1	Soil	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242301.9777	571069.1947	0.3	Peat	Granular	No	6.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242302.5313	573225.469	0.3	Peat	Granular	No	4.27	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242302.87	571612.5556	0.4	Peat	Rock	No	1.65	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	242303.155	573196.0396	0.1	Peat	Granular	No	4.18	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242303.2892	571039.2589	0.1	Soil	Rock	No	6.69	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242303.7581	570901.1573	0.2	Soil	Granular	No	7.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242303.9246	572030.804	0.1	Soil	Granular	No	5.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242304.0721	570454.6246	0.5	Peat	Granular	No	6.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242304.2329	572038.627	0.1	Soil	Granular	No	5.59	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242304.5826	573799.201	0.4	Superficial	Granular	No	8.61	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242304.9225	573218.2924	0.3	Peat	Granular	No	4.58	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242305.0363	570445.3633	0.7	Peat	Granular	No	6.67	Thin Peat	1	3	3	1	9	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242305.1303	572372.9316	0.1	Soil	Granular	No	7.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242305.7476	573243.7532	0.2	Peat	Granular	No	2.80	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242307.3879	571186.4442	0.6	Peat	Rock	No	5.90	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242307.3948	572554.4717	0.5	Peat	Rock	No	8.05	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242307.8752	573873.0304	0.4	Peat	Granular	No	4.55	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242307.9101	570934.1304	0.1	Soil	Rock	No	8.33	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242308.2273	571597.1988	0.4	Peat	Granular	No	1.66	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242308.5418	571146.3042	0.3	Peat	Granular	No	6.34	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242309.2153	570909.4489	0.1	Soil	Granular	No	7.74	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242309.4201	571580.5233	0.3	Peat	Granular	No	0.89	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242309.6636	571564.1587	0.2	Peat	Rock	No	4.51	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242310.9753	571012.7737	0.1	Peat	Rock	No	7.53	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242311.0981	570497.6692	0.1	Peat	Rock	No	9.28	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242311.3966	570835.2418	0.3	Peat	Rock	No	8.57	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242312.3367	572017.0847	0.2	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242312.9172	573102.8889	0.5	Peat	Rock	No	8.59	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242313.5335	570774.2734	0.3	Peat	Rock	No	9.42	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242313.9552	570845.7521	0.2	Soil	Rock	No	8.47	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242314.2101	573208.2925	0.3	Peat	Rock	No	4.72	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242314.2725	570892.2092	0.1	Peat	Granular	No	7.66	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242314.5387	570939.3354	0.4	Peat	Rock	No	8.38	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242314.5885	572561.8476	0.6	Peat	Rock	No	6.38	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242315.7899	570785.2957	0.3	Peat	Rock	No	8.78	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242316.0853	570866.191	0.4	Peat	Granular	No	7.95	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242317.1063	572574.8467	0.5	Peat	Granular	No	5.90	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242318.5915	573230.8796	0.2	Peat	Granular	No	6.68	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242319.8369	573252.2409	0.2	Peat	Granular	No	2.87	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242320.4816	570733.5201	0.3	Peat	Rock	No	10.34	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242320.9071	570490.4727	0.1	Soil	Granular	No	9.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242321.7802	571597.9087	0.4	Peat	Granular	No	0.78	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242322.3919	570912.4366	0.1	Soil	Granular	No	8.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242322.8513	570709.9706	0.3	Peat	Rock	No	8.69	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242322.8596	573044.7076	0.6	Peat	Granular	No	10.17	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242322.9591	570836.6346	0.3	Peat	Rock	No	8.28	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242323.1291	571582.9352	0.5	Peat	Granular	No	1.76	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242324.1626	573847.5218	0.7	Peat	Granular	No	5.68	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242324.2687	572016.9418	0.2	Peat	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242324.9773	573258.2781	0.9	Peat	Granular	No	4.94	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242325.4625	571045.6414	0.6	Peat	Rock	No	6.67	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242325.6513	570883.2674	0.2	Peat	Granular	No	7.60	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242325.8263	573208.6618	0.4	Peat	Rock	No	5.97	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242326.6431	570783.8175	0.2	Soil	Granular	No	8.97	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242326.7814	570897.7446	0.2	Peat	Granular	No	7.78	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242328.1091	571069.8314	0.3	Peat	Rock	No	6.38	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242328.9332	570684.2661	0.1	Peat	Rock	No	7.10	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242329.4699	571021.9416	0.3	Soil	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242330.0018	570489.9478	0.1	Soil	Granular	No	9.78	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242330.2507	573240.9192	0.2	Peat	Granular	No	7.05	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242331.0449	570803.3219	0.1	Soil	Granular	No	8.17	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242331.2929	570871.0931	0.2	Peat	Granular	No	7.58	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITP Energised	242331.5139	573215.9984	0.2	Peat	Granular	No	5.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242331.7213	572415.1737	0.2	Peat	Rock	No	8.91	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242331.8383	570913.4398	0.1	Soil	Granular	No	8.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242331.8753	571561.1276	0.4	Peat	Granular	No	4.98	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	242332.024	570737.6605	0.2	Peat	Rock	No	9.40	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242332.5092	571097.4492	0.1	Soil	Rock	No	6.33	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242332.6434	570817.4673	0.2	Peat	Granular	No	8.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242332.9067	572465.9444	0.4	Peat	Granular	No	12.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242332.9968	570541.8418	0.1	Soil	Rock	No	12.02	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242333.1021	570760.6427	0.2	Soil	Rock	No	9.31	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242333.378	573262.4189	1	Peat	Granular	No	3.41	Thin Peat	1	3	2	1	6	Low
Ph2	ITP Energised	242333.4904	571587.526	0.3	Peat	Rock	No	1.94	Peaty Soil	1	1	0	2	0	None
Ph2	ITP Energised	242333.6163	570850.1628	0.2	Peat	Granular	No	7.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242333.8388	570837.1227	0.2	Peat	Granular	No	8.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242334.6233	572489.4789	0.6	Peat	Rock	No	7.67	Thin Peat	1	3	3	2	18	Medium
Ph2	ITP Energised	242334.6821	573115.8028	0.3	Peat	Rock	No	10.03	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242335.0296	572393.7819	0.5	Peat	Rock	No	10.87	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242335.649	572440.0046	0.6	Peat	Rock	No	12.63	Thin Peat	1	3	3	2	18	Medium
Ph2	ITP Energised	242335.874	573837.9552	0.5	Peat	Granular	No	8.67	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242335.9824	570633.6694	0.1	Peat	Rock	No	8.51	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242336.526	571141.1012	0.4	Peat	Granular	No	6.44	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242337.5096	570786.3478	0.2	Soil	Granular	No	8.51	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242338.182	570684.794	0.1	Peat	Rock	No	5.94	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242338.7218	570748.7487	0.2	Soil	Rock	No	9.07	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242340.0079	573208.29	0.3	Peat	Rock	No	10.13	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242340.0344	573834.3552	0.6	Peat	Granular	No	10.16	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	242340.7358	570914.9078	0.1	Soil	Granular	No	8.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242341.0443	572547.4542	0.3	Soil	Granular	No	8.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242341.5735	570584.3862	0.2	Peat	Rock	No	7.47	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242341.716	572537.4791	0.3	Soil	Granular	No	12.76	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242341.8523	572014.0184	0.2	Peat	Granular	No	6.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242341.955	572966.6545	2.7	Peat	Granular	No	3.15	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITP Energised	242342.3435	570734.3634	0.2	Soil	Rock	No	7.83	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242342.6151	572581.354	0.6	Peat	Granular	No	5.46	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	242342.7711	573229.4495	0.2	Peat	Granular	No	6.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242343.0589	573251.1788	0.2	Soil	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	242343.2433	571571.866	0.3	Soil	Granular	No	2.87	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	242344.6914	570538.7925	0.2	Soil	Granular	No	12.50	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242347.4814	571580.4045	0.3	Peat	Rock	No	2.73	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITP Energised	242348.1136	572561.276	0.1	Soil	Rock	No	5.52	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242348.4205	572383.9335	0.1	Soil	Granular	No	9.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242349.4026	573905.1652	0.5	Peat	Granular	No	7.57	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242350.2237	570686.1511	0.2	Soil	Rock	No	4.99	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITP Energised	242350.3511	570913.1382	0.1	Soil	Granular	No	8.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242350.463	570531.4968	0.2	Soil	Granular	No	11.60	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242350.8308	573207.3329	0.3	Peat	Rock	No	11.98	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242352.5543	572490.4062	0.4	Peat	Rock	No	9.42	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242352.9398	570587.4569	0.4	Peat	Rock	No	7.52	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242353.2519	571575.8377	0.2	Soil	Granular	No	3.15	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	242353.5036	571044.1502	0.3	Soil	Granular	No	7.38	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242354.0281	573891.5239	0.2	Peat	Rock	No	9.08	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242354.0711	572012.0275	0.2	Peat	Granular	No	6.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242354.3847	572018.4958	0.2	Peat	Granular	No	5.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242356.1058	572001.0764	0.2	Peat	Granular	No	7.06	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242356.1825	571987.5402	0.2	Peat	Granular	No	7.79	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242356.5531	572453.2276	0.4	Peat	Granular	No	16.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242356.9775	573143.4379	0.5	Peat	Rock	No	7.29	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242357.4041	570637.146	0.2	Soil	Rock	No	7.94	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242358.107	572030.2092	0.2	Peat	Granular	No	3.24	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242358.1351	571068.0473	0.4	Peat	Rock	No	6.93	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242358.2615	572471.398	0.5	Peat	Granular	No	13.70	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242359.4403	571095.3467	0.3	Peat	Granular	No	6.87	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242359.4747	573240.0917	0.2	Soil	Granular	No	3.52	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242360.4856	573881.1405	0.3	Peat	Rock	No	8.24	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242361.2919	572419.1785	0.5	Peat	Rock	No	10.06	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242362.2904	570588.4447	0.2	Soil	Granular	No	7.93	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242362.9555	572570.4804	0.1	Soil	Rock	No	8.10	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242366.5997	573229.5545	0.4	Peat	Granular	No	7.79	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242368.3823	571605.2109	0.6	Peat	Rock	No	5.85	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242368.7073	573876.0225	0.2	Soil	Granular	No	8.03	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242369.8863	571603.3945	0.8	Peat	Granular	No	5.07	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242371.5	572073.1875	0.5	Peat	Cohesive	No	11.11	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242373.2794	573865.3906	0.2	Soil	Granular	No	9.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242374.5691	571598.2357	0.7	Peat	Granular	No	4.84	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242376.5	572048.375	0.3	Peat	Granular	No	7.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242377.9384	571587.906	0.6	Peat	Granular	No	7.02	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242378.7886	573167.6371	0.1	Peat	Granular	No	7.05	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242379.3014	572003.9142	0.2	Soil	Granular	No	6.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242379.8804	572468.0169	0.6	Peat	Granular	No	16.42	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242379.9181	572570.2712	0.3	Soil	Granular	No	8.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242380.68	572423.3024	0.5	Peat	Granular	No	8.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242381.1959	573246.3597	0.4	Peat	Granular	No	8.78	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242381.2763	571050.1695	0.5	Peat	Granular	No	7.33	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242381.7771	572489.4109	0.5	Peat	Rock	No	14.13	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242381.9192	572439.9679	0.2	Peat	Rock	No	8.83	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242388.9123	573912.1981	0.4	Peat	Granular	No	6.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242392.0559	572005.6182	0.2	Soil	Granular	No	4.90	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242393.5108	573279.1939	0.2	Soil	Granular	No	4.14	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242394.8655	573899.3074	0.6	Peat	Granular	No	6.59	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242395.7804	572588.4431	0.5	Peat	Granular	No	11.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242396.7289	573888.0661	0.2	Soil	Granular	No	8.59	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242396.823	573259.1375	0.2	Soil	Granular	No	8.38	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242397.1406	572075.125	0.2	Peat	Granular	No	3.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242397.3438	572094.875	1.6	Peat	Granular	No	3.22	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242399.9375	572053.9375	0.5	Peat	Granular	No	8.87	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242402.1653	572013.0763	0.2	Soil	Granular	No	5.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242402.2536	572615.5968	0.4	Peat	Granular	No	9.57	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242402.4345	572001.966	0.2	Soil	Granular	No	4.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242403.8889	573267.7622	0.2	Soil	Granular	No	7.56	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242403.8988	572471.5687	0.2	Peat	Granular	No	13.37	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242404.5404	572601.518	0.2	Peat	Rock	No	12.35	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242404.5633	572024.9212	0.2	Soil	Granular	No	7.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242404.8449	572449.1275	0.2	Peat	Rock	No	9.01	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242405.7772	572398.1896	0.1	Soil	Granular	No	10.26	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242407.2638	572575.3384	0.3	Soil	Granular	No	10.12	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242407.6827	572582.9725	0.3	Peat	Rock	No	10.82	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242407.7894	572486.3015	0.2	Peat	Granular	No	14.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242408.0202	572566.5488	0.5	Peat	Rock	No	9.39	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242408.9684	572422.4151	0.6	Peat	Rock	No	9.89	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242409.0662	573287.834	0.2	Soil	Granular	No	0.82	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242412.6974	573262.921	0.9	Peat	Granular	No	7.76	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242417.8906	572113.375	0.2	Peat	Granular	No	3.91	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242419.3851	572606.5823	0.2	Peat	Rock	No	12.60	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242419.4688	572094.5625	0.2	Peat	Granular	No	4.22	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242419.8012	574213.1223	0.1	Peat	Granular	No	12.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242422.9776	572618.9131	0.1	Peat	Rock	No	10.81	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242423.375	572067.25	0.3	Peat	Granular	No	6.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242423.6794	571993.066	0.2	Soil	Granular	No	4.10	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242423.7423	572009.9578	0.2	Peat	Rock	No	1.63	Peaty Soil	1	1	0	2	0	None
Ph2	ITPEnergised	242428.1334	572603.6192	0.1	Peat	Rock	No	11.66	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242428.2943	572028.3064	0.1	Peat	Granular	No	6.48	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242428.7878	572425.466	0.1	Peat	Rock	No	9.51	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242430.8611	572043.6061	0.1	Peat	Rock	No	7.41	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242430.9176	574213.6018	0.2	Peat	Granular	No	12.95	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242431.1449	572586.8038	0.1	Peat	Rock	No	10.07	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242431.2375	574368.9128	0.2	Soil	Granular	No	18.77	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242431.2376	574393.9137	0.2	Soil	Granular	No	20.11	Peaty Soil	1	1	1	1	1	Negligible
Ph2	ITPEnergised	242431.3438	572091.3125	0.2	Peat	Granular	No	5.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242431.4322	572009.3145	0.3	Soil	Granular	No	3.05	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242431.4993	572488.676	0.3	Peat	Granular	No	14.29	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242431.6429	572439.5671	0.5	Peat	Granular	No	9.59	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242432.0757	572463.6114	0.6	Peat	Rock	No	13.50	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242432.1713	574417.7812	0.2	Soil	Granular	No	16.17	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242433.602	573292.5738	0.2	Soil	Granular	No	4.32	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242434.0828	574275.5463	0.2	Soil	Granular	No	15.39	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242435.4375	572130.9375	0.2	Peat	Granular	No	7.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242435.5145	574319.0806	0.2	Soil	Granular	No	15.49	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242438.7386	573314.5217	0.2	Peat	Granular	No	4.40	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242439.375	572112.375	0.1	Peat	Granular	No	5.50	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242439.5289	572602.5298	0.5	Peat	Rock	No	10.51	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242439.6834	573902.6624	0.4	Peat	Rock	No	9.06	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242439.9376	574299.6287	0.2	Soil	Granular	No	14.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242440.7509	574211.8622	0.4	Peat	Granular	No	11.98	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242440.7885	573923.9919	0.4	Peat	Rock	No	8.00	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242441.1992	572596.0661	0.3	Peat	Rock	No	9.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242442.5451	573306.646	0.2	Peat	Granular	No	4.69	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242442.7515	574320.4334	0.2	Soil	Granular	No	17.28	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242443.0933	572586.2707	0.3	Peat	Rock	No	9.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242443.7183	572578.8971	0.3	Peat	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242444.2749	572005.0552	0.3	Soil	Granular	No	4.06	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242444.5018	573912.5917	0.9	Peat	Granular	No	8.61	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242445.5625	572067.5	0.4	Peat	Granular	No	7.26	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242445.5644	572619.7121	0.9	Peat	Rock	No	9.72	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242445.8703	572023.3599	0.1	Peat	Rock	No	5.56	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242446.3635	572632.6794	0.9	Peat	Rock	No	7.75	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242448.0234	574264.7194	0.2	Soil	Granular	No	15.11	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242448.9471	572602.5316	0.4	Peat	Granular	No	9.64	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242449.1195	573292.8982	0.4	Peat	Granular	No	3.08	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242449.4201	572485.0918	0.3	Peat	Granular	No	14.94	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242450.3686	574346.824	0.2	Soil	Granular	No	18.34	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242450.6255	574214.3171	0.5	Peat	Granular	No	11.91	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242451.0709	572042.5589	0.2	Peat	Rock	No	7.35	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242451.1563	572087.3125	0.4	Peat	Granular	No	7.48	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242452.0331	572008.1609	0.3	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242453.0726	574243.1547	0.4	Peat	Rock	No	10.94	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242453.3798	574322.962	0.2	Soil	Granular	No	16.81	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242453.7954	573308.1425	0.5	Peat	Granular	No	5.57	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242454.3853	574160.1602	0.1	Soil	Rock	No	10.69	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242455.5998	572402.0932	0.1	Soil	Granular	No	14.71	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242455.8446	572573.1226	0.4	Peat	Rock	No	10.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242456.6576	572447.7813	0.5	Peat	Granular	No	9.64	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242457.1876	572464.0062	1	Peat	Granular	No	10.71	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242458.085	574278.5104	0.2	Soil	Granular	No	14.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242458.4631	572425.6608	0.5	Peat	Granular	No	12.21	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242459.6533	572603.0638	0.6	Peat	Granular	No	9.08	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242460.9875	572008.588	0.3	Soil	Granular	No	4.67	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242461.1225	574213.2592	0.6	Peat	Granular	No	12.45	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242461.9471	573329.7056	0.9	Peat	Granular	No	3.49	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242466.6198	572564.4251	0.3	Peat	Granular	No	11.10	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242466.885	574215.2088	0.5	Peat	Granular	No	13.12	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242467.3568	574253.0283	0.2	Peat	Granular	No	14.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242467.5785	574186.5388	0.2	Soil	Granular	No	9.78	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242467.7492	572604.4534	0.3	Peat	Granular	No	8.46	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242467.958	572621.9851	0	Peat	Granular	No	7.98	No Peat	1	0	3	1	0	None
Ph2	ITPEnergised	242468.7243	574244.3475	0.2	Peat	Granular	No	12.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242468.8406	574195.4053	0.2	Soil	Granular	No	9.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242468.8413	572650.6372	0.5	Peat	Granular	No	6.13	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242468.8885	574172.6059	0.4	Peat	Granular	No	12.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242468.9322	574203.7383	0.2	Soil	Granular	No	9.48	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242469.0882	574261.5997	0.2	Peat	Granular	No	14.53	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242469.2464	574232.855	0.2	Peat	Granular	No	12.56	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242469.5168	572025.3849	0.3	Peat	Rock	No	5.99	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242469.9505	574224.123	0.2	Peat	Granular	No	12.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242469.955	572551.0335	0.3	Peat	Granular	No	11.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242469.9939	573347.3929	0.5	Peat	Granular	No	5.92	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242470.4134	572643.8049	0.5	Peat	Granular	No	6.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242470.4457	572575.8187	0	Peat	Granular	No	9.63	No Peat	1	0	3	1	0	None
Ph2	ITPEnergised	242470.5528	573343.2886	1.1	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242471.0469	572060.125	0.3	Peat	Granular	No	7.40	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242471.2772	572008.7629	0.3	Soil	Granular	No	5.14	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITP Energised	242471.5085	572611.3705	0.3	Peat	Granular	No	7.97	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242471.9106	572587.4081	0.3	Peat	Granular	No	8.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242472	572634.9683	0.5	Peat	Granular	No	7.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242473.5938	572088.3125	0.2	Peat	Rock	No	8.28	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242474.6406	572039.3871	0.3	Peat	Rock	No	6.76	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242477.1484	573341.0141	0.3	Soil	Granular	No	5.63	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242477.8785	572441.402	0.2	Soil	Granular	No	10.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242480.2786	572495.086	0.2	Soil	Granular	No	13.72	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242480.3177	573338.6556	0.8	Peat	Granular	No	5.49	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	242480.8847	574212.8033	0.3	Peat	Granular	No	12.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242481.6022	572046.8283	0.5	Peat	Granular	No	6.83	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242481.9335	572603.6322	0.5	Peat	Granular	No	7.54	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242481.9802	572423.843	0.2	Soil	Granular	No	12.26	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242482.242	572007.8192	0.2	Peat	Rock	No	5.67	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242483.032	574234.0582	0.5	Peat	Rock	No	9.38	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242483.1931	572035.9855	0.4	Peat	Granular	No	6.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242483.3356	572474.112	0.2	Soil	Granular	No	10.06	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242485.92	574129.2309	0.2	Peat	Granular	No	11.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242486.8343	572602.5682	0.5	Peat	Granular	No	7.29	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242487.0417	573939.328	0.9	Peat	Granular	No	6.60	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	242487.2498	573330.2051	0.3	Soil	Granular	No	6.05	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242489.2181	573364.5175	0.9	Peat	Granular	No	6.60	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	242489.4702	574214.0776	0.4	Peat	Rock	No	12.09	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242489.753	573329.8194	0.3	Peat	Granular	No	6.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242490.08	571966.6259	0.1	Peat	Rock	No	7.31	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242490.7379	571977.1098	0.3	Peat	Rock	No	9.83	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242491.0536	571987.569	0.2	Peat	Rock	No	9.72	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242491.9116	572019.7496	0.2	Peat	Rock	No	5.35	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242491.9893	572028.6021	0.2	Peat	Rock	No	6.11	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242492.4398	572039.5578	0.1	Peat	Rock	No	6.50	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242492.5226	573391.9703	1.1	Peat	Granular	No	3.99	Thin Peat	1	3	2	1	6	Low
Ph2	ITP Energised	242492.6505	572049.7612	0.3	Peat	Rock	No	6.89	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242492.7717	571956.7467	0.1	Peat	Rock	No	6.88	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242493.0518	573921.7016	0.7	Peat	Rock	No	7.64	Thin Peat	1	3	3	2	18	Medium
Ph2	ITP Energised	242493.1009	571999.6391	0.3	Peat	Rock	No	7.39	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242493.1139	573911.3772	0.4	Peat	Rock	No	8.05	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242493.4508	572058.2352	0.6	Peat	Rock	No	7.66	Thin Peat	1	3	3	2	18	Medium
Ph2	ITP Energised	242494.5692	572010.1133	0.6	Peat	Rock	No	5.16	Thin Peat	1	3	3	2	18	Medium
Ph2	ITP Energised	242495.8113	574137.589	0.1	Peat	Rock	No	12.84	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242497.0033	572601.3027	0.5	Peat	Granular	No	7.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242497.5734	572489.7787	0.2	Soil	Granular	No	11.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242499.4746	574237.7296	0.9	Peat	Granular	No	9.39	Thin Peat	1	3	3	1	9	Low
Ph2	ITP Energised	242499.9664	574153.2037	0.2	Soil	Granular	No	15.33	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITP Energised	242500.9783	574212.3715	0.3	Peat	Granular	No	11.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242501.949	573384.3976	0.9	Peat	Granular	No	4.41	Thin Peat	1	3	2	1	6	Low
Ph2	ITP Energised	242504.3869	572006.8888	0.2	Peat	Rock	No	5.56	Peaty Soil	1	1	3	2	6	Low
Ph2	ITP Energised	242505.4898	572423.4403	0.2	Soil	Granular	No	13.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242505.7271	572449.4207	0.2	Soil	Granular	No	12.40	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242506.7857	572604.1389	0.5	Peat	Granular	No	7.44	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITP Energised	242507.7253	572397.5063	0.1	Soil	Granular	No	7.18	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242509.3516	574213.376	0.2	Peat	Granular	No	10.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242509.4431	573376.7627	0.4	Peat	Rock	No	6.15	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242510.3983	572009.1652	0.1	Peat	Rock	No	7.85	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242510.5527	573359.2536	0.4	Peat	Granular	No	9.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242510.8125	572465.9572	0.2	Soil	Granular	No	9.61	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242512.3611	573429.8293	0.4	Peat	Rock	No	3.62	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242519.2241	574131.8061	0.5	Peat	Rock	No	9.73	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242519.7934	573379.0519	0.4	Peat	Rock	No	6.75	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242519.9496	572010.1828	0.1	Peat	Rock	No	8.32	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242520.8985	574212.7647	0.7	Peat	Granular	No	8.98	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242522.5802	572602.9067	0.5	Peat	Granular	No	8.75	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242524.3203	573426.6416	0.9	Peat	Granular	No	3.48	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242524.7327	573482.7484	0.1	Soil	Rock	No	6.20	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242526.4417	574104.5946	0.3	Peat	Granular	No	11.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242527.9107	573443.1674	0.5	Peat	Granular	No	3.84	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242528.0856	573397.6584	0.6	Peat	Rock	No	4.09	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242528.1712	572503.2733	0.1	Soil	Granular	No	12.37	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242530.2992	572476.52	0.1	Soil	Granular	No	7.70	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242530.4316	573359.2763	0.2	Peat	Granular	No	9.63	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242531.8596	572008.816	0.1	Peat	Rock	No	8.89	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242533.0129	573421.5454	0.7	Peat	Granular	No	3.94	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242533.1216	572413.2072	0.1	Soil	Granular	No	11.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242533.5222	572440.7937	0.1	Soil	Granular	No	12.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242535.181	573951.0149	0.7	Peat	Granular	No	5.16	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242537.418	573477.4745	0.3	Soil	Rock	No	6.20	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242537.4794	573941.8179	0.5	Peat	Granular	No	5.82	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242537.8236	574139.7824	0.2	Soil	Granular	No	10.92	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242537.993	574111.3537	0.3	Peat	Rock	No	10.34	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242540.8891	572390.8976	0.1	Soil	Granular	No	8.69	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242541.2135	573931.6056	1.1	Peat	Rock	No	8.90	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242542.2367	572008.7474	0.1	Peat	Rock	No	8.26	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242544.2067	573512.7118	0.6	Peat	Granular	No	5.10	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242546.088	573469.0185	0.3	Soil	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242547.2687	573378.2687	0.5	Peat	Granular	No	6.88	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242548.1344	574118.6449	0.2	Soil	Granular	No	12.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242548.8455	573512.7153	0.4	Peat	Granular	No	4.37	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242550.7826	573443.3998	0.4	Peat	Granular	No	4.09	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242551.3658	572426.339	0.1	Soil	Granular	No	11.38	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242552.8038	574155.1824	0.2	Soil	Granular	No	9.03	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242553.9559	573524.2685	0.5	Peat	Rock	No	3.51	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242555.0005	573394.2953	1.4	Peat	Granular	No	2.19	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242556.0013	573418.7295	1	Peat	Granular	No	3.44	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242556.0114	572397.7716	0.1	Soil	Rock	No	9.77	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242556.1239	573468.1443	0.2	Peat	Rock	No	5.23	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242557.5061	572321.6026	0.1	Peat	Rock	No	11.95	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242558.3981	573343.6982	0.2	Peat	Rock	No	11.12	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242558.4307	573529.2902	0.4	Peat	Granular	No	2.89	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242560.4568	572465.1353	0.1	Soil	Granular	No	7.65	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242560.4959	572436.0052	0.1	Soil	Granular	No	9.91	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242561.0838	572398.5395	0.1	Soil	Granular	No	8.53	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242562.7231	574173.1011	0.2	Soil	Granular	No	12.20	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242563.7803	573516.4959	0.5	Peat	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242566.0962	572495.2894	0.5	Soil	Granular	No	8.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242568.6058	574064.5482	0.5	Peat	Granular	No	8.08	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242573.4745	573365.6856	0.2	Peat	Granular	No	5.95	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242574.0871	572370.437	0.3	Peat	Rock	No	6.35	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242576.7579	574078.3144	0.2	Soil	Granular	No	8.83	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242577.3916	572347.69	0.7	Peat	Rock	No	5.73	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242577.4556	572296.8764	0.3	Peat	Rock	No	11.48	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242577.866	573969.5033	1.3	Peat	Granular	No	4.25	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242578.5808	573396.7686	0.5	Peat	Granular	No	1.42	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242579.3979	572390.9688	0.1	Soil	Rock	No	10.15	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242581.2517	573421.0871	0.6	Peat	Granular	No	3.56	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242581.7892	572314.8051	0.1	Peat	Rock	No	11.62	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242581.8961	573442.3771	0.2	Peat	Granular	No	3.25	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242582.2045	572472.2291	0.1	Soil	Granular	No	8.94	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242582.9131	572443.4685	0.1	Soil	Granular	No	15.89	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242584.2917	572412.7005	0.1	Soil	Rock	No	8.97	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242585.5224	574081.9406	0.2	Soil	Granular	No	10.42	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242585.8113	573954.7416	0.2	Soil	Granular	No	11.74	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242588.7546	572492.7384	0.5	Soil	Granular	No	9.44	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242591.1344	573395.9171	0.2	Peat	Granular	No	1.86	Peaty Soil	1	1	0	1	0	None
Ph2	ITPEnergised	242593.7963	573559.3428	0.2	Peat	Granular	No	6.47	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242594.1522	573558.203	0.3	Peat	Granular	No	6.47	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242597.0203	572364.6907	0.1	Peat	Rock	No	5.37	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242597.4029	573551.5488	0.3	Peat	Granular	No	6.41	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242602.6534	574050.4075	0.2	Soil	Granular	No	9.90	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242603.6045	574007.247	3	Peat	Granular	No	3.29	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242604.3821	572315.7351	0.1	Peat	Rock	No	13.83	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242604.8317	572383.2397	0.1	Soil	Rock	No	7.42	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242605.1811	573982.723	1.4	Peat	Granular	No	5.01	Thin Peat	1	3	3	1	9	Low
Ph2	ITPEnergised	242606.2348	572418.853	0.1	Soil	Rock	No	15.59	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242606.235	572443.8537	0.1	Soil	Rock	No	11.61	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242606.2351	572468.8545	0.1	Soil	Rock	No	15.55	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242606.7407	572297.0136	0.1	Peat	Rock	No	7.15	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242606.7455	572497.4585	0.5	Soil	Granular	No	9.22	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242607.2391	573543.0785	0.3	Peat	Granular	No	9.11	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242607.5881	573421.5875	0.1	Peat	Rock	No	7.39	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242608.7882	572341.7746	0.2	Peat	Rock	No	4.74	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242612.4888	574054.1631	0.2	Soil	Granular	No	10.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242616.9846	573561.3098	0.3	Peat	Granular	No	4.77	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242617.9023	572276.2542	0.1	Peat	Rock	No	10.71	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242618.6869	573429.6805	0.1	Peat	Rock	No	9.08	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242619.1593	574015.0537	2.5	Peat	Granular	No	1.91	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	242620.866	573996.6324	0.9	Peat	Rock	No	3.38	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242627.3425	572341.0092	0.1	Peat	Rock	No	9.25	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242630.7368	573570.5725	0.3	Peat	Granular	No	5.24	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242630.9525	573590.5956	0.3	Peat	Granular	No	3.29	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242631.236	572418.8528	0.1	Soil	Rock	No	9.79	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242631.7367	572290.767	0.3	Peat	Rock	No	7.73	Peaty Soil	1	1	3	2	6	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242631.973	572451.4743	0.1	Soil	Rock	No	16.11	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242632.2581	572472.444	0.1	Soil	Rock	No	18.32	Peaty Soil	1	1	2	2	4	Negligible
Ph2	ITPEnergised	242632.9447	573623.4971	1.4	Peat	Granular	No	1.17	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	242634.0765	572500.5273	0.5	Soil	Granular	No	5.96	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242634.3189	573992.9089	0.2	Soil	Granular	No	7.02	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242634.8742	573978.7242	0.2	Soil	Granular	No	12.29	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242635.7368	572386.3831	0.4	Peat	Rock	No	6.82	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242636.0881	574015.2543	1.9	Peat	Granular	No	2.14	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242638.9574	573581.124	0.3	Peat	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242643.63	574022.3033	1.9	Peat	Granular	No	1.44	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	242643.863	572367.2723	0.1	Soil	Rock	No	5.92	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242643.9839	572328.3372	0.1	Peat	Rock	No	8.54	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242645.2925	573572.3796	0.3	Peat	Granular	No	4.98	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242645.8633	573638.1535	0.4	Peat	Granular	No	4.14	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242647.6345	573649.6754	0.3	Peat	Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242648.4752	573619.0878	1.9	Peat	Granular	No	1.12	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	242649.9425	574013.2432	0.9	Peat	Rock	No	2.45	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242654.4059	572410.3605	0.2	Peat	Rock	No	10.92	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242656.4213	572389.1628	0.4	Peat	Rock	No	10.25	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242657.0137	572368.6166	0.1	Soil	Rock	No	6.79	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242657.5245	573648.3053	0.4	Peat	Granular	No	4.50	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242658.9382	572436.3589	0.2	Peat	Rock	No	9.63	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242659.5877	573664.4773	0.3	Peat	Granular	No	7.06	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242662.6521	573586.2669	0.2	Peat	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242666.8419	573648.5338	0.9	Peat	Granular	No	2.05	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242667.2216	572486.768	0.3	Peat	Rock	No	8.38	Peaty Soil	1	1	3	2	6	Low
Ph2	ITPEnergised	242668.4258	572469.7937	0.7	Peat	Rock	No	8.23	Thin Peat	1	3	3	2	18	Medium
Ph2	ITPEnergised	242669.4968	573629.1703	1.7	Peat	Granular	No	1.52	Thick Peat	1	2	0	1	0	None
Ph2	ITPEnergised	242676.3667	573968.5544	0.2	Peat	Granular	No	11.04	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242677.8889	573649.1291	1.2	Peat	Granular	No	0.56	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	242686.8682	573985.153	0.1	Peat	Granular	No	10.00	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242687.7086	573633.9675	1	Peat	Granular	No	1.66	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	242687.9491	573657.4249	1.1	Peat	Granular	No	1.76	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	242688.2816	573646.5908	1	Peat	Granular	No	1.44	Thin Peat	1	3	0	1	0	None
Ph2	ITPEnergised	242695.4171	573992.0362	0.2	Peat	Granular	No	8.50	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242697.3752	573594.1947	0.2	Peat	Granular	No	3.58	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242697.8115	573687.6353	0.3	Peat	Granular	No	9.23	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242698.9901	573645.749	0.9	Peat	Granular	No	2.85	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242699.5682	573700.8663	0.5	Peat	Granular	No	9.94	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242699.6906	573678.3239	0.3	Peat	Granular	No	6.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242699.9601	573616.4011	0.5	Peat	Granular	No	2.33	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242700.0773	573628.7976	0.5	Peat	Granular	No	2.60	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242700.1707	573657.1613	0.8	Peat	Granular	No	2.98	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242700.3678	573604.6721	0.5	Peat	Granular	No	2.47	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242701.2967	573667.0172	0.8	Peat	Granular	No	3.47	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242702.5779	573638.3267	0.9	Peat	Granular	No	3.01	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242704.812	573651.1878	1.5	Peat	Rock	No	2.76	Thin Peat	1	3	2	2	12	Low
Ph2	ITPEnergised	242705.6942	573659.269	1.5	Peat	Granular	No	2.60	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242715.6091	573649.229	1.5	Peat	Cohesive	No	1.78	Thin Peat	1	3	0	2	0	None
Ph2	ITPEnergised	242718.8832	573958.6931	0.2	Peat	Granular	No	15.43	Peaty Soil	1	1	2	1	2	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2	ITPEnergised	242720.2111	573948.5746	0.2	Peat	Granular	No	15.58	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242726.5298	573649.5682	1.6	Peat	Granular	No	3.10	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242727.1874	573965.5939	0.1	Soil	Granular	No	9.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242738.4176	573648.9077	1.5	Peat	Granular	No	4.02	Thin Peat	1	3	2	1	6	Low
Ph2	ITPEnergised	242742.7869	573910.8343	0.2	Peat	Granular	No	5.89	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242746.5986	573685.8795	1.8	Peat	Granular	No	3.38	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242748.1382	573648.1754	1.7	Peat	Granular	No	2.92	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242753.2762	573679.5915	2	Peat	Granular	No	3.10	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242754.1961	573919.3066	0.4	Peat	Granular	No	7.84	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242759.8657	573870.2067	0.2	Peat	Granular	No	13.76	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242760.944	573724.3975	0.3	Peat	Granular	No	11.48	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242762.9843	573672.4549	2	Peat	Granular	No	4.23	Thick Peat	1	2	2	1	4	Negligible
Ph2	ITPEnergised	242763.2461	573772.1761	0.2	Peat	Granular	No	18.18	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242763.3966	573824.3089	0		Rock	No	15.59	No Peat	1	0	2	2	0	None
Ph2	ITPEnergised	242764.4021	573925.4075	0.1	Soil	Granular	No	9.31	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242770.1411	573871.3117	0.2	Peat	Granular	No	10.95	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242771.2844	573724.3117	0.2	Peat	Granular	No	9.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242772.6018	573822.8262	0.1	Soil	Granular	No	13.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242774.6183	573767.7845	0.2	Peat	Granular	No	15.18	Peaty Soil	1	1	2	1	2	Negligible
Ph2	ITPEnergised	242780.6504	573876.0286	0.1	Soil	Granular	No	12.92	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242782.1787	573723.909	0.2	Peat	Granular	No	7.55	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242782.9966	573773.1512	0.3	Peat	Granular	No	11.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2	ITPEnergised	242784.3663	573822.6157	0.1	Soil	Granular	No	12.32	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244738.3266	570462.3518	0.2	Soil	Granular	No	1.71	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244740.5441	570444.3798	0.2	Soil	Granular	No	2.05	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244755.8437	570417.8435	0.2	Soil	Granular	No	2.55	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244756.48	570463.1548	0.2	Soil	Granular	No	2.03	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244756.7601	570444.7633	0.2	Soil	Granular	No	2.21	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244758.4355	570500.1488	0.1	Soil	Granular	No	2.84	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244759.2566	570484.1278	0.2	Soil	Granular	No	2.19	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244760.4136	570398.1569	0.2	Soil	Granular	No	3.33	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244774.9225	570420.2251	0.6	Superficial	Granular	No	2.10	Thin Peat	1	3	2	1	6	Low
Ph2 - Bridge	ITPEnergised	244777.2948	570497.705	0.1	Soil	Granular	No	2.99	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244778.0633	570403.1299	0.1	Soil	Granular	No	2.95	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244778.7653	570480.7603	0.3	Soil	Granular	No	2.99	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244779.5609	570363.3127	0.2	Soil	Granular	No	1.42	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244779.7506	570459.0608	0.1	Soil	Granular	No	2.25	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244780.8884	570440.8289	0.2	Soil	Granular	No	1.71	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244782.4617	570380.7739	0.1	Soil	Granular	No	2.59	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244797.6539	570317.6897	0.2	Soil	Granular	No	0.74	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244798.0012	570463.2077	0.1	Soil	Granular	No	4.41	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244798.5227	570447.8152	0.1	Soil	Granular	No	2.32	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244799.7016	570404.5227	0.1	Soil	Granular	No	2.58	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244799.7223	570483.9812	0.1	Soil	Granular	No	4.11	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244800.151	570384.1996	0.1	Soil	Granular	No	2.47	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244800.6413	570424.0937	0.1	Soil	Granular	No	1.24	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244800.9874	570360.4825	0.1	Soil	Granular	No	1.09	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244801.3158	570340.6392	0.1	Soil	Granular	No	1.38	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244807.8998	570299.6551	0.5	Superficial	Granular	No	0.74	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244816.5763	570461.5692	0.1	Soil	Granular	No	5.73	Peaty Soil	1	1	3	1	3	Negligible

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2 - Bridge	ITPEnergised	244817.5388	570361.4929	0.1	Soil	Granular	No	1.00	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244817.783	570423.5075	0.1	Soil	Granular	No	1.13	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244817.7837	570446.5651	0.1	Soil	Granular	No	3.78	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244818.0033	570324.7935	0.1	Soil	Granular	No	1.31	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244818.8895	570402.5289	0.1	Soil	Granular	No	2.32	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244819.0201	570343.6189	0.1	Soil	Granular	No	1.12	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244819.0627	570382.3245	0.1	Soil	Granular	No	2.65	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244835.8852	570359.291	0.1	Soil	Granular	No	0.91	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244836.5969	570280.1915	0.1	Soil	Granular	No	4.38	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244837.2557	570343.4637	0.1	Soil	Granular	No	0.66	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244839.5703	570301.1242	0.1	Soil	Granular	No	19.33	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244839.7463	570379.9346	0.1	Soil	Granular	No	2.25	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244839.8813	570422.3761	0.1	Soil	Granular	No	1.64	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244841.4645	570403.4639	0.1	Soil	Granular	No	0.82	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244855.0643	570296.7972	0.1	Soil	Granular	No	1.68	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244857.6206	570281.7864	0.1	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244860.7788	570315.8093	0.1	Soil	Granular	No	4.66	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244876.7065	570286.2064	0.1	Soil	Granular	No	0.28	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244879.7964	570321.7543	0.1	Soil	Granular	No	2.25	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244880.2865	570302.567	0.1	Soil	Granular	No	0.70	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244880.793	570361.4994	0.1	Soil	Granular	No	5.16	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244881.4585	570341.2579	0.1	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244886.9823	570383.8132	0.1	Soil	Granular	No	3.97	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244894.5634	570363.7383	0.1	Soil	Granular	No	12.15	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244897.1581	570281.7242	0.1	Soil	Granular	No	2.74	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244897.9568	570380.6444	0.3	Soil	Granular	No	3.79	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244898.2812	570260.5958	0.1	Soil	Granular	No	3.52	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244900.5362	570322.7823	0.3	Soil	Granular	No	2.01	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244903.8327	570337.8161	0.4	Superficial	Granular	No	0.72	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244904.1174	570297.7637	0.1	Soil	Granular	No	3.45	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244910.9607	570357.3985	0.2	Soil	Granular	No	13.94	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244916.6942	570285.0696	0.1	Soil	Granular	No	2.81	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244916.8848	570341.2985	0.2	Soil	Granular	No	5.80	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244919.0148	570263.7281	0.1	Soil	Granular	No	1.48	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244920.0989	570305.8961	0.1	Soil	Granular	No	2.32	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244936.9146	570300.0788	0.8	Soil	Granular	No	9.76	Thin Peat	1	3	3	1	9	Low
Ph2 - Bridge	ITPEnergised	244939.5237	570281.4797	0.3	Soil	Granular	No	1.25	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244942.515	570261.9015	0.2	Soil	Granular	No	0.96	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244944.2942	570366.0417	0.1	Soil	Granular	No	5.30	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244954.6599	570261.331	0.6	Soil	Granular	No	0.97	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	244955.4497	570343.7299	0.1	Soil	Granular	No	2.10	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244957.2819	570299.692	0.2	Soil	Granular	No	6.50	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244957.3476	570279.0013	0.2	Soil	Granular	No	1.26	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	244964.9911	570345.1667	0.3	Soil	Granular	No	3.50	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244966.4415	570358.2151	0.4	Soil	Granular	No	2.75	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244977.4216	570282.56	0.7	Soil	Granular	No	2.20	Thin Peat	1	3	2	1	6	Low
Ph2 - Bridge	ITPEnergised	244979.0702	570364.8166	0.3	Soil	Granular	No	7.09	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	244979.2611	570264.2281	0.7	Soil	Granular	No	1.16	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	244986.0345	570294.9034	0.4	Superficial	Granular	No	3.53	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244996.0629	570241.195	0.9	Soil	Granular	No	1.46	Thin Peat	1	3	0	1	0	None

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2 - Bridge	ITPEnergised	244998.4315	570285.1562	0.2	Soil	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	244999.5382	570265.2782	0.8	Soil	Granular	No	1.03	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	245007.5583	570336.4461	0.1	Soil	Granular	No	0.98	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245015.0108	570262.1353	1	Peat	Granular	No	1.29	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	245015.9653	570343.7844	0.2	Soil	Granular	No	0.29	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245016.9934	570280.8347	0.9	Peat	Granular	No	2.27	Thin Peat	1	3	2	1	6	Low
Ph2 - Bridge	ITPEnergised	245017.9402	570241.6862	1	Peat	Granular	No	1.53	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	245021.852	570336.0486	0.2	Soil	Granular	No	0.43	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245031.8842	570332.0385	0.1	Soil	Granular	No	1.28	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245032.9636	570340.3927	0.1	Soil	Granular	No	3.68	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245032.9832	570264.7446	0.9	Soil	Granular	No	1.87	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	245036.4841	570287.7031	0.3	Soil	Granular	No	3.17	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245037.7913	570239.5555	0.9	Soil	Granular	No	1.40	Thin Peat	1	3	0	1	0	None
Ph2 - Bridge	ITPEnergised	245040.0364	570351.2112	0.2	Soil	Granular	No	4.31	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245045.1379	570319.1653	0.2	Soil	Granular	No	1.41	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245051.846	570319.336	0.2	Soil	Granular	No	1.44	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245057.0171	570322.8324	0.2	Soil	Granular	No	3.42	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245059.047	570337.7431	0.2	Soil	Granular	No	3.55	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245059.048	570307.929	0.2	Soil	Granular	No	1.56	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245069.8999	570243.2533	0.4	Superficial	Granular	No	2.36	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245071.4829	570262.8443	0.2	Soil	Granular	No	1.72	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245073.8914	570289.1654	0.4	Superficial	Granular	No	3.65	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245074.3761	570310.2191	0.2	Soil	Granular	No	1.93	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245075.9351	570339.508	0.2	Soil	Granular	No	3.60	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245078.3376	570282.3506	0.4	Soil	Granular	No	1.26	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245080.0549	570325.6494	0.2	Soil	Granular	No	2.85	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245081.7929	570298.5452	0.1	Soil	Granular	No	2.71	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245083.2378	570317.133	0.3	Superficial	Granular	No	4.33	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245094.1938	570315.5103	0.4	Superficial	Granular	No	6.90	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245099.1467	570258.6243	0.2	Soil	Granular	No	1.07	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245100.0974	570301.1221	0.3	Soil	Granular	No	1.87	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245100.2366	570248.2378	0.2	Soil	Granular		2.02	Peaty Soil	0	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245101.5803	570341.7636	0.2	Soil	Granular	No	4.47	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245102.2835	570274.0558	0.4	Soil	Granular	No	0.89	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245103.4455	570318.3006	0.2	Soil	Granular	No	3.91	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245111.9643	570296.534	0.3	Soil	Granular	No	1.60	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245112.2737	570327.7096	0.2	Soil	Granular	No	6.58	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245118.3391	570342.3536	0.2	Soil	Granular	No	6.36	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245120.4581	570265.441	0.2	Soil	Granular	No	3.05	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245121.7773	570277.0326	0.4	Soil	Granular	No	3.12	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245133.2334	570253.8611	0.2	Soil			2.93	Peaty Soil	0	1	2	0	0	None
Ph2 - Bridge	ITPEnergised	245136.7696	570298.2553	0.1	Soil	Granular	No	4.40	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245138.099	570275.9047	0.4	Soil	Granular	No	4.92	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245138.3397	570322.3534	0.2	Soil	Granular	No	3.22	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245138.3398	570342.3545	0.2	Soil	Granular	No	5.85	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245138.8999	570267.9765	0.1	Soil	Granular	No	4.34	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245154.764	570298.9686	0.2	Soil	Granular	No	4.77	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245159.2569	570278.5088	0.4	Soil	Granular	No	3.92	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245161.5342	570267.3974	0.1	Soil	Granular	No	3.18	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245182.921	570267.1579	0.7	Soil	Granular	No	5.00	Thin Peat	1	3	3	1	9	Low

Phase	Source	Easting	Northing	Peat Depth (m)	Surface	Substrate	Evidence of Instability	Slope (Degrees)	Ground Condition Coefficient	Existing Instability Coefficient	Peat Depth Coefficient	Slope Coefficient	Substrate Coefficient	Likelihood Coefficient	Likelihood of Peat Landslide
Ph2 - Bridge	ITPEnergised	245191.9605	570294.4434	0.2	Soil	Granular	No	7.35	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245199.716	570262.5096	0.4	Soil	Granular	No	6.97	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245214.5667	570242.7071	0.2	Soil	Granular	No	5.52	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245216.536	570286.9439	0.3	Soil	Granular	No	6.94	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245233.8244	570284.2179	0.3	Soil	Granular	No	5.62	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245236.4791	570266.7568	0.3	Soil	Granular	No	6.40	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245237.3405	570225.8236	0.7	Superficial	Granular	No	4.06	Thin Peat	1	3	2	1	6	Low
Ph2 - Bridge	ITPEnergised	245244.2616	570190.887	0.2	Soil	Granular	No	1.76	Peaty Soil	1	1	0	1	0	None
Ph2 - Bridge	ITPEnergised	245253.1689	570239.7645	0.3	Soil	Granular	No	7.39	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245256.0397	570204.3654	0.8	Superficial		No	2.84	Thin Peat	1	3	2	0	0	None
Ph2 - Bridge	ITPEnergised	245256.9462	570174.4643	0.2	Soil	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245263.3384	570269.5294	0.3	Soil	Granular	No	3.42	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245265.4536	570177.7051	0.3	Soil	Granular	No	4.91	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245267.6938	570176.673	0.3		Granular	No	4.91	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245269.6744	570245.053	0.3	Soil	Granular	No	7.27	Peaty Soil	1	1	3	1	3	Negligible
Ph2 - Bridge	ITPEnergised	245276.6778	570163.6198	0.3	Soil	Granular	No	4.70	Peaty Soil	1	1	2	1	2	Negligible
Ph2 - Bridge	ITPEnergised	245280.6603	570136.369	0.9	Soil	Granular	No	4.09	Thin Peat	1	3	2	1	6	Low
Ph2 - Bridge	ITPEnergised	245285.404	570143.5517	0.5	Soil	Granular	No	4.21	Peaty Soil	1	1	2	1	2	Negligible